BR 299

(299A/44 (RESTRICTED)

NOT TO BE COMMUNICATED TO PERSONS
OUTSIDE H.M. SERVICE

271
Radar

NDBOOK

OF

EQUIPMENT

NG EQUIP

R THAN V/S)

TED REQUISITIONED SHIPS

1947

(SO 6757) Wt. 42883—P7805 800 9/47 H & S. Ltd. Gp. 399

3

CONFIDENTIAL BOOK OFFICER
11 DEC 1947
ADMIRALTY SIGNAL
ESTABLISHMENT

B.R. 299 (47) (RESTRICTED)

HANDBOOK

FOR

WIRELESS SIGNALLING EQUIPMENT

(OTHER THAN V/S)

FITTED IN H.M. SHIPS

1947

ADMIRALTY, S.W.1.

Director of Radio Equipment.

CONFIDENTIAL BOOK OFFICER
24 JAN 1948
ADMIRALTY SIGNAL
ESTABLISHMENT

R.E. 700/47

Admiralty, S.W.1.

22nd October, 1947.

B.R. 299 (47) (Restricted) "Handbook of ~~Signalling~~ WIRELESS Equipment (other than V/S) fitted in H.M. Ships," having been approved by My Lords Commissioners of the Admiralty, is hereby promulgated for information and guidance.

This book renders B.R. 299(44) and 299A(44) obsolete and all copies should be disposed of in accordance with the instructions in B.R.1. (B.R. Catalogue).

By Command of their Lordships,

D. B. Langs

To Flag Officers and Commanding Officers of
H.M. Ships and Establishments concerned.

D E/h

C O N T E N T S

CLASS OF SHIP	PAGES
Capital Ships	1
Fleet Carriers	7
Light Fleet Carriers	11
Aircraft Transports	19
Cruisers	21
Monitors, Minelayers and Netlayers	43
Depot, Repair and Maintenance Ships	47
Flotilla Leaders and Destroyers	55
~~Hunt Class Destroyers~~ Frigates - Hunt Class.	103
~~Sloops~~ "Frigates" - Sloops.	117
Frigates - "Bay" Class	125
"Loch" Class	131
"River" Class	139
~~Corvettes~~ Frigates - "Castle" Class	149
Minesweepers - "Algerine" Class	155
Submarines	171
Survey Vessels and Gunboats	185
Danlayers, Trawlers and Wreck Dispersal Vessels	189
Boom Defence Vessels	191
Numbered Craft	195
Fleet Tugs, Mining Vessels and Miscellaneous	207
Combined Operation Ships	211
Royal Fleet Auxiliaries	215
Royal Australian Navy	229
Royal Canadian Navy	251
Royal Indian Navy	265
Royal New Zealand Navy	279
South African Naval Forces	285
Ships on Loan To Other Countries	291
Alphabetical Index	295

CAPITAL SHIPS

ANSON — 220 volts

1. T.R. No. 1	57DMR. 59D. 60DR/2. CAB. GJ. TA/2. TC.
2. T.R. No. 2	57DMR. T14A. 60DR/2. CDC. GJ. TA/2. TC.
3. L.R.R.	TBS. AR88/10. CDC, CDF. CBB/2. RIS(3). EF/2. GI.
4. B.R.R.	60ER. TBS. TCS/2. AR88. CBA. CDC/7. P38/2. FM12. RIS(3). DWB. DWE. EJ. GR. TCS-10 (spare)
5. R/T Office No. 1	TBS-5. 86M. 87M/2.
6. R/T Office No. 2	89P.
7. D/F Office	CDC. RH2. RIS(1).
8. A.D.R.	CDC. RIS(3). KFD. KGA/2.
9. Chart House	DAS-1. QH2
10. Aerial Outfits	AOA. APH/3. APU/2, ~~ANE.~~ ~~AQA/2.~~ ~~AQJ/2.~~
11. Miscellaneous	52ERT. 53. 66/8. 67/2. TCS-13. OF.

DUKE OF YORK — 220 volts

1. T.R. No. 1	57DR. 59D. 60DR/2. CDC. GJ. TB. TC. TA/2. OB.
2. T.R. No. 2	57DR. AT14A. 60DR. CDC. GJ. J8922. TB. TC. TA/2. OB.
3. L.R.R. (C.C.O.)	AR88/~~10~~ 7. ~~CAA.~~ ~~CDC/3~~. CDF. ~~EF/2~~. GI. ~~KDA~~. DWA BBC OB TBS. TCS. 86M
4. B.R.R. BNO	TBS. TCS/2. ~~H/S(T)/2~~. AR88/6. ~~CDC/5~~. FM12. ~~DWB~~. BBZ ~~EJ~~. AT14A. CDF TA
5. ~~R/T Office No. 1~~ VHF Office	TBS. 87M/2. ~~P38/2~~. CDU/2. R1132A. CDC. TA.
6. ~~R/T Office No. 2~~ Type 89 office	89P/2. ~~86M~~. ~~TBS~~. CDC. TA~~/2~~
7. ~~D/F Office~~ Radio Control Room	~~CDC~~. ~~RH2~~. 682M. TBS. MRC. AR88. S2Y.
8. A.D.R.	CDC. ~~QD~~. ~~GR~~. KFD. KGA/2. S27U.
9. Lower Chart House	DAS-2. OF.
10. Upper Chart House	QH3.
11 ~~10~~. Aerial Outfits	AOA. APH/3. APU/~~2~~ 3. ARD ~~mod~~. ~~ANE~~. ~~AQA~~. ~~AQJ/2~~. AWA. AGO/2.
12. Miscellaneous	~~52ERT~~. 53. 65. 66/2. ~~67/2~~. ~~TBY/2~~. TCS. ~~GN/2~~. ~~GR~~. TOM. ~~OF~~. AR88/3, Recorder Type 50. GG/2.
13. Common Outfits	KDA. EJ.
14. R.M.R.	CDC
15. H/S Equipt	RHT(2). RHR(2).

RCM
'Y' office. (RCR?)

HOWE — 220 Volts

1, T.R. No. 1	57 DMR. 59D. 60D. 88. CAB. GJ.
2. T.R. No. 2	57 DMR. 59D. 60D. CAB. GJ.
3. L.R.R.	75D. CAB/3. CAD/2. CBB/2. CDC/2. CDH. EF. GI.
4. B.R.R.	60ER. 86. TBS-5. CBA. CDC/2.
5. R/T Office No. 1	87M
6. R/T Office No. 2	89M
7. D/F Office	FM2.
8. A.D.R.	KFA.
9. Chart House	DAS-1
10. Aerial Outfits	AOA. APH. ARD.
11. Miscellaneous	52ERT. 53. 65/2. 67/2. OF. TCS (Office at foot of mainmast)

KING GEORGE V — 220 Volts

1. T.R. No. 1	57DR. 59D. 60DR/2. CAB. CDC. GJ. TA. TB. TC.
2. T.R. No. 2	57DR. 59D. 60DR/2. CAB. CDE. GJ. TA. TB. TC.
3. C.C.O.	AR88LF/7. CBB/2. CDC/10. CDF. 50 Wire Recorder EH. GI. KDB.
4. B.R.R.	89P. TCS/2. AN/ ARC.1. AR88LF/2. CDC/4. CDE. CDF. P39. S.27. FM12.
5. R/T Office No. 1	89M. 87M/2. TBS. CDC. P.38
6. R/T Office No. 2	86M. TBS. 91(mod.). AN/SPA-1. S27C. SN2.
7. A.D.R.	AR88LF. R.I.S.(3). KFD.
8. Chart House	DAS-2. QH2.
9. Aerial Outfits	AOA. APH/4. APU/2.
10. Miscellaneous	52ERT. 53. 65. 66. 67/4. OF.

NELSON — 220 Volts

1. T.R. Main	36M. 5F. 60FR. 89M. RAF.GP. TA. TC. AR88/4. CAA. CBB/2. CDC/4. CDF. DK. DL. EF. GH.
2. T.R. Second	TBL-12. AR88. CAA. TA.
3. T.R. Third	52FBV/2. CAD/2. DRC.
4. U.T.R.	60EMR. TBS-6. 86M. RAF.GP. CBB. DRD.
5. R.C.O.	60EQR. TBS-6. TCS-14. AR88. CDC/5. EG.
6. R/T Office	87M/2. P38/2.
7. D/F Office	FM12. DQ.
8. A.D.R.	KFA.
9. Chart House	DAS-2. QH3.
10. Aerial Outfits	AOA. APH/3. APU/2.
11. Miscellaneous	52ERT. 66/2.. 67/2. GN/2. OF.

QUEEN ELIZABETH — 220 Volts

1. T.R. No. 1	48C. 5F. 52CFH. 60FR. CAB. DRC. GI. TC. TA.
2. T.R. No. 2	49C. TBK-10. 52CFH. CAB. DLC. GI. TC. TA.
3. L.R.R.	AR88/4. CAD/2. CBB/2. CDC/2. CDF/2. R.I.S.(1). R.I.S.(3). DRB. EF. GJ.
4. B.R.R.	86M. TCS. CDC/5. R.I.S.(1)(3).
5. Emergency	60E. TBS-5. CAA.
6. R/T Office No. 1	87M/2. 89M. DTC.
7. R/T Office No. 2	
8. D/F Office	FM7. RIS(1). DRB.
9. A.D.R.	CDC. P38/2. R.I.S.(1)(3). GR. KFA.
10. Chart House	QH2.
11. Aerial Outfits	AOA. APH/3. APU.
12. Miscellaneous	

RENOWN — 220 Volts

1. T.R. No. 1	48C. 52CFH. CAB. DRC. GJ. TA/2 TC.
2. T.R. No. 2	57 CMR. 49C. 52CFH. CAB. DLC. GJ. TA/2. TC.
3. L.R.R.	CAA. CAB. CAD. CBB/2. CDC/5. CDF. R.I.S.(1)(3). DHB. DL. EF. GI.
4. B.R.R.	60ER. TBS-5. AR88. CBA. CDC/4. P.38
5. R/T Office No.1	87M. 89P. DRB/2.
6. R/T Office No.2	87M. TBS-5. P38. DRB
7. D/F Office	FM12. DO.
8. A.D.R.	86M. CDC. KFA.
9. Chart House	
10. Aerial Outfits	AOA. APH/3. ARD Mod./2.
11. Miscellaneous	53. 65. 66/2. 67/2.

VALIANT — 220 Volts

1. U.T.R.	TAJ19. TBM9. 60FR/2. 89P. 60EQR. 86M. TBS7. TA/5 TC. CDC. CDU. DTC. DWE. BBz. GJ.
2. L.T.R.	TBL13. 60FR. CDC. DRD. GJ. TA/2. TC.
3. L.R.R.	CDC/4. CDF/2. DRB. EJ.
4. B.R.R.	CDC/7. CDF. CDU/2. DWE. BBn. DTD.
5. R/T Office	87M/2. TBS-7. TCS-12. CDC. FM12. DWB. BBn. TF.
6. A.D.R.	CDC. KFD. KGA/2.
7. Aerial Outfits	ANC. ANE. ANG. APH/3. APU/2. AOA. AQA. AQJ/2. AWA/3.
8. Miscellaneous	52ERT. 53. 66/2. 67/2. KCH. KCR.

1. U.T.R.	57DMR. 59D. 601. 602E. 603. TBS(D).. 89Q. 86M. TA/4. TC. CDW. CDY. DWB. BBy. GJ.
2. L.T.R.	601/2. 603. 604. TA/3. TC. CDW. GJ.
3. L.R.R.	CDW/7. CDY/3. RHT3(mod.). RHR3(mod.). GN.
4. B.R.R.	TCS. TBS(D). 612. TF/2. CDW/6. CDY/3. CDU/2. FM12. DWE. BBn/2. GN. GR. EJ. KGB.
5. A.D.R.	KFD. KGC.
6. H/F, T.R.	DS10. CDW.
7. W/T Control Room (ex 960 Office)	CDW.
8. R/T Office	87M/2.
9. Chart House	DAS-2.
10. Portables	52ERT. 66/2. 67/2.
11. Aerial Outfits	APU/2. APH/3. AWA/12. AWE/2. AWF. AOA.
12. Miscellaneous	KCT. TOM. TEA. DQD. OF.

FLEET CARRIERS

ARK ROYAL 220 Volts

EAGLE 220 Volts

FORMIDABLE	220 Volts
1. T.R. No. 1	57DR. 59D. 60DR. 89. 89M. CDC. GJ. TA/2. TC.
2. T.R. No. 2	57DR/2. 59D. 60DR. 89M/2. CDC. GJ. TA/4. TC.
3. T.R. No.3.	87M/5
4. C.C.O.	AR88/8. CBA. CDC. CDF. EF. GI.
5. B.R.R.	60ER. TBS-7. TCS-12. AR88. CBA. CDC/4. S27. EH.
6. Signal House	AT13C.
7. A.D.R.	MAN. AN/ARC. AR88. CDC/3. P38/5. EG. KFE.
8. Emergency Position	TBS-6.
9. T.E. Office	AN/ARC. RE2/42. M/3.
11. D/F Offices	TBS-5. CDC. FH4. FM12. FV4. 50 Wire Recorder
11. Chart House	DAS-2.
12. Aerial Outfits	AOB. APH.mod. APU mod./2. ARU.mod./7
13. Miscellaneous	52ERT. 53. 66/2. 67/3. OF.

ILLUSTRIOUS	220 Volts
1. T.R. No. 1	59D. 57DR. 60DR/2. CDC. GJ minus G35. TA/2. TC.
2. T.R. No. 2	57DR/2. 60DR/2. CDC. GJ minus G35 TA/3. TC.
3. T.R. No. 3	89M/2. CDC. TA/2.
4. T.R. No. 4	89M/2. CDC. TA/2.
5. T.R. No. 5	86M. 87M/2. CDU/2. BBn.
6. T.R. No. 6	86M. 87M/3. CDU/4. BBn.
7. C.C.O.	CDC/6. CDF/2. CBB. RBC. EF. GJ.
8. B.R.R.	TCS(E). TBS. CDC/8. CDF. FM14. DWB. DWE. BBn/2. EH. KCN.
9. A.D.R.	CDC/4. EG. KFE. KGA/2. Remote Viewing Unit for Fv5.
10. Beacon Office	TBS. YE2.
11. V.H/F. D/F	FV5.
12. R.M.R.	TX8C. B.28. P.38
13. T/V. Rooms	645X. DUE. DUG. T/V Camera. 1 Viewing Unit
14. A.I.R.	T/V Viewing Unit /3.
15. A.O.R.	ZBX1 T/V Viewing Unit
16. Aerial Outfits	AOB. ANC. ANN. APU/2. ARU/4. EAA. EAB. EAD. EAE. ACE. AGO. AGW.
17. Chart House	QH3.
18. Communication Office	682. CDK. KSD.
19. Miscellaneous	52ERT. 53. 66/2. 86MS. B.28. GN/2. GR/2. EK. DQD. KDB. KCQ. TEA. TOM. R.A.F. Type 25.

IMPLACABLE — 220 Volts

1. U.T.R.	57DMR. 59D. 60DR. 60ER. 89M/2. CDC.CAB. CBA. TC. TA/5. OB. GJ.
2. L.T.R.	57DMR. 59D. 60DR/2. CDC. CAB. TC. TA/3. OB. GJ. GN.
3. B.R.R.	60ER. TCS. 682. CDC/6. CDF. S27U. CBB. FM12. ARH. AGO/2. TF. OB/10. GN.
4. L.R.R.	TCS. CDC/7. AR88. OB/3. GN.
5. No.1. R/T. (V.H/F.)	87M/4.
6. No.2. R/T. (V.H/F.)	86M/2. TBS. ARD. APU. ANG
7. No.3. R/T. (V.H/F.)	87M.
8. No.4. R/T. (V.H/F.)	89M/2. 60DR. CDC. TA/3. OB.
9. A.D.R.	CDC/2. S27U. FV5. Remote Indicator. EG.KFE. KGA. OB/6.
10. V. H/F. Rec: Room.	CDU/6. S27U. ARH.
11. D/F. Offices.	CDC. FV5. FH4.
12. Beacon Office.	72DP. TBS. ZBX. ATC. APU. BBd.
13. Outfits common to 2 or more offices.	APH/7. EAB. EAF. AOB. EK. KDB.
14. Miscellaneous.	52ERT. 66/2. 67/2. 53. DWA.
15. Signal House.	87M.
16. Chart House.	CDC. OB.
17. Navigators Sea Cabin.	DAS-2. OF.
18. Meteorological Office.	CDC. OF.
19. Test Outfits.	TOH.
20. Tool Outfits.	TEA.

INDEFATIGABLE — 220 Volts

1. U.T.R.	57DMR. 59D. 60DR. 89M/2. CAA. CDC. TA/4. TC. GJ.
2. L.T.R.	57DMR. 59D. 60DR/2. CAB. CDC. TA/3. TC. GJ.
3. L.R.R.	5G. AR88/4. CAB. CBB/2. CDC/4 EF.
4. B.R.R.	60ER. TCS-10. AN/ARC. AR88. CBB. CDC/4. CDF. S27. FM12. 2BF. EF.
5. R/T Office No. 1	87M/4. 2BF.
6. R/T Office No. 2	86M/2. TBS-6.
7. R/T Office No. 3	87M. ~~91.~~ ~~FV1.~~
8. R/T Office No. 4	89. 89P. 60DR. CDC. 2BF. TA/3
9. A.D.R.	AN/ARC. CDC/4. P.38/5. EG. KFE.
10. D/F Office	FV4.
11. Beacon Office	72DP.
12. Aerial Outfits	AOB. APH/7. APU/2. ~~AQJ/2.~~
13. Miscellaneous	52ERT, 53, 66/2, 67/2. GL.

	INDOMITABLE	220 Volts
1. T.R. No. 1	57DR. 59D. 60D. CAA. CDC. R.I.S. GJ. TA. TB. TC.	
2. T.R. No. 2	57DR. 59D. 60D. CAA. CDC. R.I.S. GJ.	TA. TB/2. TC.
3. T.R. No. 3	89/2	TA/2.
4. T.R. No. 4	89. 89P. TCS-12. CDC.	TA/3.
5. T.R. No. 5	87M/3. TBS-5. TCS-5. P38/2. NBC.	
6. T.R. No. 6	87M/2	
7. Plotting Office	87M/2. DAS-2.	
8. B.R.R.C. & Beacon Office	60ER. 86M/2. TBS-6. CDC/5. S.27. FM7. R.I.S.(3). YE.2. SX28.	
9. C.C.O.	AR88/6. CBB/2. CDC/7. CDF. R.I.S.(1) EF. GI. KDB.	
10. A.D.R.	MAN. CDC/3. P38/3. R.I.S.(3). KFB.	
11. V.H/F D/F Office	FV4.5 S27	
12. Aerial Outfits	AOB. ARD(mod.). ARU/6. R.A.F. TYPE 183.	
13. Miscellaneous	53 GL.	

	VICTORIOUS	220 Volts
1. T.R. No. 1	57DR. 59D. 60D. CAB. GJ.	TA/2. TC.
2. T.R. No. 2	57DR. 59D. 60D. 89. CAB. GJ.	TA/4. TC.
3. T.R. No. 3	89/2.	
4. T.R. No. 4	89/2.	
5. T.R. No. 5	87M/5.	
6. C.C.O.	CAA. CAB. CBB/2. CDC/4. CDF. CUA/2. RAO/2. R.I.S.(1). EF. GI. KDC.	
7. B.R.R.	60ER. TCS. CBA. CDC/5. FM7. R.I.S.(1)(3). FV4.	
8. Beacon Office	86M/2. TBS-3. YE.	
9. A.D.R.	CDC/5. P38/5. R.I.S.(3). EG. KFE.	
10. Hangar	R.1082. GL.	
11. Aerial Outfits	AOB. APH/4. ARU/4.	
12. Miscellaneous	53. 67/8.	

LIGHT

FLEET CARRIERS

ALBION 220 Volts

BULWARK 220 Volts

COLOSSUS 220 Volts
(renamed ARROMANCHES while on loan to the French)

1. T.R. No. 1	TAJ-14. TBM-9. 89P/2. 60FR/2. TA/5. TC. CDC/6. CDF. DWE/2. BBn/2. EF. GJ. KBK.
2. T.R. No. 2	TAJ-14. TBM-7. 89P/2. 60EQR. CDC/2. TA/4. TC. DWB. BBr. GJ.
3. B.R.R.	60 EQR. CDC/8. P38/5. FM12. DWB. BBq. EK. TA.
4. R/T Office	YE-2. 87M/5. 86M/2. TBS/2.
5. A.D.R.	CDC/4. EG. KFE. KGA/2.
6. D/F Office	FV5.
7. Aerial Outfits	AOB. APU/2. ARU/6. ~~AQA/2.~~ ~~AQJ/2.~~
8. Miscellaneous	52ERT. 53. 66/2. 67/2. GN/2. TEA.

GLORY — 220 Volts

1. T.R. No. 1	TAJ-15. TBM-9. 89P/2. 60FR/2. TA/5. TC. CAA/2. CDC/6. R.I.S.(1). DWE/2. BBn/2. EK. GJ. KBK.
2. T.R. No. 2	TAJ-15. TBM-9. 89P/2. 60EQR. CDC. TA/4. TC. DWB. BBr. GJ. GS.
3. B.R.R.	60 EQR. TCS-12. CDC/8. CDF. CDU/5. R.I.S.(1). FM12. ~~QD.~~ TF. DWB. BBq.
4. R/T Office	YE-2. 87M/5. 86M/2. TBS-4. TBS-6.
5. A.D.R.	CDC/3. R.I.S.(3). EG. KFE. KGA/2. ~~QD.~~
6. Operations Room	ZB/ARA. BB1.
7. D/F Office	FV5.
8. Chart House	DAS-2.
9. Aerial Outfits	AOB. APU/2. ARU/6. ~~ANE.~~ ~~AQ..~~ ~~AQJ/2.~~
10. Miscellaneous	52ERT. 53. 66/2. 67/2. GN/2. GR/2. TEA. TEE. TOM. (Laid apart CDC/3. QN. QP.) OF.

HERCULES — 220 Volts

HERMES 220 Volts

LEVIATHAN 220 Volts

OCEAN 220 Volts

1. T.R. No. 1	TAJ. TBM. 89P/2. 60FR/2. TA/5. TC. CDC/4. CDF/2. R.I.S.(1). GJ. GN.
2. T.R. No. 2	TAJ. TBM. 89P/2. 60EQR. CDC. TA/4. TC. DWB. BBq. GJ. GS.
3. B.R.R.	TCS. CDC/8. CDF. P38/5. FM12. R.I.S.(1). TF. DWB. DWE. BBn/2. EK. GN. GR.
4. R/T Office	YE. 87M/5. 86M/2. TBS/2. BBd/2.
5. A.D.R.	CDC/4. R.I.S.(3). EG. GR. KFE. KGA/2. KBK.
6. R.M.R.	87M. CDC/2.
7. D/F Office	FV4. R.I.S.(3).
8. Chart House	DAS-2.
9. Aerial Outfits	AOB. APU/2. AUR/6. ~~ANE.~~ ~~AQA.~~ ~~AQJ/2.~~
10. Miscellaneous	52ERT. 66/2. 67/2. OF.

POWERFUL 220 Volts

TERRIBLE 220 Volts

	THESEUS	220 Volts
1. T.R. No. 1	TAJ. TBM. 89P/2. 60FR/2. CDC/4. CDF/2. R.I.S.(1)	TA/5. TC. GJ. GN.
2. T.R. No. 2	TAJ. TBM. 89P/2. 60EQR. CDC. DWB. BBq. GJ. GS.	TA/4. TC.
3. B.R.R.	TCS(E). CDC/8. CDF. CDU/5. CDU/2. (fitted as spares) FM12. R.I.S.(1). DWB. DWE. BBn/2.	TF. EK. GN. GR.
4. R/T Office	YE. 87M/5. 86M/2. TBS/2. BBd/2.	
5. A.D.R.	CDC/4. EG. GR. KFE. KGA/2.	
6. R.M.R.	87M.	
7. D/F Office	FV5X.	
8. B.A. Office	93.	
9. Chart House	DAS-2.	
10. Aerial Outfits	AOB. APU/2. ARU/6. ~~ANE~~. ANC. ~~AQA~~. ~~AQJ/2~~.	
11. Miscellaneous	66/2.	KBK. KCQ. OF.

	TRIUMPH	220 Volts
1. T.R. No. 1	TAJ-15. TBM-9. 60FR/2. 89P/2. CDC/4. CDF/2. R.I.S.(1). EF. GJ. GN. KBK.	TA/5. TC.
2. T.R. No. 2	TAJ-15. TBM-9. 89P/2. 60EQR. CDC. DWB. BBz. GJ. GS.	TA/4. TC.
3. B.R.R.	TCS-12. CDC/8. CDF. CDU/5. + 2 Spares. FM12. R.I.S.(1). TF. DWB. DWE. BBn/2. EK. GN. GR.	
4. R/T Office	86M/2. 87M/5. TBS-7/2. YE-2. BBn/2.	
5. A.D.R.	CDC/4. EL. GR. KFE. KGA/2. KCQ.	
6. Chart House	DAS-2.	
7. O.P.S. Room	ZB/ARA. BBn.	
8. D/F. Office	FV5.	
9. B.A. Office	93. DHD.	
10. Aerial Outfits	AOB. ~~ANE~~. APU/2. ~~AQA~~. ~~AQJ/2~~. ANC. APZ. ARU/6.	
11. Miscellaneous	52ERT. 66/2. 67/2. TEA.	TOM. OF.

	VENERABLE	220 Volts
1. T.R. No. 1	TAJ-15. TBM-9. 89P/2. 60FR/2. AR88/4. CDC/6. CDF. R.I.S.(3). DWE/2. BBn/2. EF. GJ. KBK.	TA/5. TC.
2. T.R. No. 2	TAJ-15. TBM-9. 89P. 60EQR. CDC/2. DWB. BBr. GJ.	TA/4. TC.
3. B.R.R.	60EQR. CDC/8. CDF. P38/5. AR88. FM.12. DWB. BBq. EH.	TF.
4. R/T Office	YE.2. 87M/5. 86M/2. TBS/2.	
5. A.D.R.	CDC/4. EG. GR. KFE. KGA/2.	
6. D/F.Office	FV5.	
7. Chart House	DAS-2.	
8. Aerial Outfits	AOB. APU/2. ARU/6. ~~ANE.~~ ~~AQA/2.~~ ~~AQJ/2.~~	
9. Miscellaneous	52ERT. 53/2. 66/2. 67/2. GN/2.	OF.

	VENGEANCE	220 Volts
1. T.R. No. 1	TAJ-15. TBM-9. 89P. 60FR/2. AR88/3. CDC/4. DWE/2. BBn/2. EF. GJ. KBK.	TA/5. TC.
2. T.R. No. 2	TAJ-15. TBM-9. 89P/2. 60EQR. CDC. R.I.S.(1) DWB. BBr. GJ.	TA/4. TC.
3. B.R.R.	60EQR. AR88/2. CDF. P38/5. FM12. CDC/6. DWB. BBq. EK. GR.	
4. R/T Office	YE-2. 87M/5. 86M/2. TBS-4/2.	
5. D/F Office	FV5X.	
6. Chart House	DAS-2. QH3.	
7. A.D.R.	CDC/4. R.I.S.(3). EG. GR. KFE. KGA/2.	
8. Aerial Outfits	AOB. APU/2. ARU/6. ARG. ~~ANE.~~ ~~AQA/2.~~ ACE. ~~AQJ/2.~~	
9. Miscellaneous	52ERT. 66/2. 67/2. GN/2. P38/2 (spares).	OF.

AIRCRAFT TRANSPORTS

CAMPANIA	220 Volts
1. Main Office	49MR. 60FR. 86M. TBS-4. TBS-6. TA/2. TC. CAB. CDC/5. FM12. R.I.S.(3). DRD. BB1. EF. GH.
2. R/T Office No. 1	TBL-12. 89M/2. 60FR. CDC. R1082. TA/3. DTC. GL.
3. R/T Office No. 2	87M/4. DRD. DTC.
4. A.D.R.	AR88/2. CDC. P38/4. RIS(3). EG. KFB.
5. A.O.R.	CDC.
5. Beacon Office	YE-2.
7. Chart House	DAS-1A.
8. Aerial Outfits	AOB. APH/4. APU. ARD.
9. Miscellaneous	52ERT. 53. 66/2. 67/2. GN/2. HT11. OF.

VINDEX	220 Volts
1. Main Office	49MR. 60FR. 86M. TBS-3. TA/2. TC. AR88. CAB. CBB/2. CDC/3. HRO. FMI2. RIS(1)(3) DRD. EF. GI.
2. R/T Office No. 1	TBL-12. 89M/2. 60FR. CDC. RIS(1). DRD. GN. TA/4.
3. R/T Office No. 2	87M/4. DRD. DTC.
4. R/T Office No. 3	87M. 86M. TBS.
5. Beacon Office	YE-1. DPH.
6. A.D.R.	CDC/3. CDU. P38/4. RIS(3). EG. KFB. KGA/2.
7. Chart House	DAS-1A.
8. Aerial Outfits	AOB. APH/6. APU/2.
9. Miscellaneous	53/2. 66/2. 67/2. HT11. OF.

CRUISERS

AJAX 220 Volts

1. T.R. Main	48. 5F. ARMY22. TCS. 650. TA. TC. AR88/4. CAA/2. CBB/2. CDC. DTB. EF. GJ.
2. T.R. Second	49. CAA. CDC. R.I.S.(1). DO. TC.
3. T.R. Third	53FHW/2. CDC/2. R.I.S.(1). DL. TA/2.
4. R.C.O.	60ER. 86. TBS-5. ARMY 12/2. CBA. CDC/4. DTB.
5. A.D.R.	86M. 87M. 89M. CDC, P38.
6. D/F Office	FM7. R.I.S.(1).
7. Aerial Outfits	AOA. APH/3. ARD.
8. Miscellaneous	52ERT. 53. 66/2. 67/2. ARMY22. 46/3.

ARETHUSA	220 Volts
1. T.R. Main	48Y. 5F. TA.
2. T.R. Second	.O. AR88LF. CAA. DO.
3. T.R. Third	TCS-5/2. CDC/2. DRB. TA/2.
4. C.C.O.	AR88LF. CAA. CAB. CBB/2. CDC/2. RBJ/2. DTB. ED. GH.
5. R.C.O.	60ER. TBS-3. AR88LF. CBA. CDC/2. RBJ. R.I.S.(1)(3). EE.
6. R/T Office No. 1	86M. 87M. 89P. DRD.
7. R/T Office No. 2	87M. TBS-4. DRD.
8. A.D.R.	CDC. RBJ. P38/2. QD. GR.
9. D/F Office	FM2.
10. Aerial Outfits	AOA. APH/3. ARD. APU.
11. Miscellaneous	22/2. 52ERT. 53. GN. TEA.

ARGONAUT	220 Volts
1. T.R. No. 1	57DMR. 59D. 60D. RBJ. GJ. TA/2. TC.
2. T.R. No. 2	57D. 59D. 60D. AR88. CAB. GJ. TA/2. TC.
3. C.C.O.	AR88/2. CBB/2. CDC/3. CDF. RBJ. EF. GI. TBS.
4. B.R.R.	60ER. 86M. 89P. TBS. TCS. CBA. CDC/4. CDF. R.I.S.(3). EG. TCS-12.
5. R/T Office	87M.
6. A.D.R.	CDC/3. P38. R.1132A. R.I.S.(3).
7. D/F Office	FM12.
8. Chart House	QH.
9. Aerial Outfits	AOA. APH/2. APU.
10. Miscellaneous	53. 66/2. 67/2.

AURORA — 220 Volts

1. T.R. Main	48. 5F. ARMY12/2. AR88LF/4. CAA/4. CBB/2. CDC. R107. R.I.S. DE. EF. GJ.
2. T.R. Second	50. AR88LF. CAB. CDC.
3. T.R. Third	52FH/2. CDC/2. DH. DL.
4. R.C.O.	60ER. TBS. ARMY12/2. AR88LF/2. CBB. CDC. R107.
5. R/T Office	86M/2. 87M. CDC. ~~QD.~~
6. A.D.R.	AR88LF. P38.
7. D/F Office	CDC. FM2. DTC.
8. Aerial Outfits	AOA. APH/3. APU.
9. Miscellaneous	52ERT. 53. 66/3. 67/2. ARMY22/2. 46/3.

BELFAST — 220 Volts

1. U.T.R.	TAJ-15. TBK-9. TBM-9. TBS-5. 89P. 60EQR. 60FR/2. 86M. TA/5. TC. CDC. CDF. DTC. DWB. BBq. GJ. KCH.
2. L.T.R.	TBL-12. 60FR. 89P. CDC. DRC. GJ. TA/3.
3. B.R.R.	TCS-12. TBS-4. CDC/6. CDF. P38/2. FM12. DWE. DWB. DTC. BBr. EH.
4. L.R.R.	AR88/4. CDF/2. DWC. EJ. KCH.
5. R/T Office	87M/2.
6. A.D.R.	CDC. KCH. KCR. KFA. KFD. KGA/2.
7. Aerial Outfits	AOA. APH/3. APU/2. ANE. AQA. AQJ.
8. Miscellaneous	53. 66/2. 67/2. 611/4. GN/2. TOM.

BERMUDA — 220 Volts

1. T.R. No. 1	57DMR. 59D. 60DR/2. CAB. R.I.S.(1). GJ. TA/2. TC. CDC
2. T.R. No. 2	57DMR. 59D. 60DR/2. CAB. R.I.S.(1). GJ. TA/2. TC. CDC.
3. C.C.O.	~~CBB/2.~~ CDC/~~4~~5. CDF. AR88. EF/2. GI. GR. KDC.
4. B.R.R.	TBS-4. TCS(E). AR88 ~~CBB.~~ CDC/~~5~~ CDF. P38/2. FM12. R.I.S.(1) DWB. BBq. EH.
5. R/T Office No. 1	87M/2. 89P.
6. R/T Office No. 2	86M. TBS-6.
7. A.D.R.	CDC. R.I.S.(3). KFD. KGA/2.
8. Chart House	DAS-2.
9. Aerial Outfits	AOA. APH/3. APU/2. ~~ANE.~~ ~~AQA.~~ ~~AQJ/2.~~
10. Miscellaneous	53. 67/2. GN/3. OF. 52ERT. 611/4.

BERWICK — 220 Volts

1. T.R. No. 1	36M. 57CMR. 52FHV/2, 4D. 6E. CAB/2. CBB/2. CDC/3. CDF. R.I.S.(1)(3) DL. ED. GH KBC.
2. T.R. No. 2	37M. 4H. CAB. CDC. DO.
3. B.R.R.	60ER. CDC/4. DQB. EG.
4. R/T Office	86M. 87. 89M. DRB
5. A.D.R.	
6. D/F Office	TBS-5. TCE-1. FM2. R.I.S.(1).
7. Chart House	DAS-1.
8. Aerial Outfits	AOA. APH/2. APU.
9. Miscellaneous	52ERT. 53. 67/2. OF.

BIRMINGHAM	220 Volts
1. U.T.R.	48C. 5F. TCS-12. TBS-6. CDC/8. CDF/3. DRD. APU. TC. TA. OA/2. OB/4. GN.
2. L.T.R.2.	89Q/2. TCS-12. CDC. AWD. DTC. TA/4. OB. GJ.
3. L.T.R.3.	60FR/2. CDC/2. CDF. DRD. DG. TA/2. OB. GR.
4. B.R.R.	60EQR. TBS-7. CDC/6. CDF/2. APU. AWD. DWB. TK. OB/4. GN.
5. No.1 V.H/F Office. or R/T Office No.1	86M. APH. DTC. BBz.
6. A.D.R.	CDU/2. CDC. DAS-2. OF.
7. D/F. Offices	87M/2. FM12. APH/2.
8. Outfits Common to 2 or more offices	AOA. AWA/4. EJ. KFD. KBC. KCR. KGA/2.
9. Miscellaneous	52ERT. 38/5. 66/2. 67/3. 68/4. 611/4.
10. Test Outfits	TOM.
11. Tool Outfits	TEA.

BLAKE	220 Volts

CEYLON — 220 Volts

1. T.R. No. 1	57DMR. 59D. 60D. 89. CAB. CDC. RIS. GJ. TA/2. TC.
2. T.R. No. 2	57DMR. 59D. 60D. CAB. CDC. GJ. TA/2. TC.
3. T.R. No. 3	60EQR. CBB. CDC.
4. C.C.O.	CAB/3. CBB/2. CDC/2. RIS. KDC.
5. B.R.R.	TBS. 60EQR. CBB. CDC/5. FM7. DAS-2. EH.
6. R/T Office	TBS. 86M. 87M/2. CDC.
7. A.D.R.	CDC. P38/2. KFA.
8. Aerial Outfits	AOA. APH/4. APU.
9. Miscellaneous	53. 67/2. OF.

CLEOPATRA — 220 Volts

1. T.R. No. 1	57DR. 59D. 60D. CAB. GJ. TA/2. TC.
2. T.R. No. 2	57DR. 59D. 60D. CAB. GJ. TA/2. TC.
3. C.C.O.	TBS-5. AR88/4. CBB/2. CDC. CDF. EF. GI.
4. R.C.O.	60ER. 89P. TBS-5. AR88/2. CBB. CDC/2. CDF. R.I.S.(4). EG.
5. R/T Office	86M. 87M/2.
6. A.D.R.	CDC. P38/2. KFA.
7. D/F Office	FM12. R.I.S.(4)
8. Chart House	DAS-2.
9. Aerial Outfits	AOA. APH/3. APU. ARD/2.
10. Miscellaneous	52ERT. 53. 67/3. GN. TOM. OF.

CUMBERLAND — 220 Volts

1. T.R. Main	36M. 4D. 5F. TCS. TA. TC. AR88. CAA/2. CDC/3. R.I.S.(1)(3). DRB. EJ. GH.
2. T.R. Second	60EMR. 89M. TBS. AR88/2. CAB. DTC. EG. TA. TF.
3. T.R. Third	89P. 52FHW/2. CDC/2. R.I.S.(1). DRB. TA/2.
4. B.R.R.	60EMR. 86M. 87M/2. TBS-4. TCS-6. TF. AR88/2. CBA. CDC/3. FM12. DTC. EH.
5. A.D.R.	CDC. P38/2.
6. Chart House	DAS-2. FVI.
7. Aerial Outfits	AOA. APH/2. ARD mod/2.
8. Miscellaneous	52ERT. 53. 66/2. 67/4. OF.

DEFENCE — 220 Volts

DIDO — 220 Volts

1. T.R. No. 1	48C. 52CFH/2. CAB. CDC. DRC. GJ. Less G35. TA/2. TC.
2. T.R. No. 2	49C. 4D. 52CFH. CDC. CAB. DLC. GJ. Less G.35 TA/2. TC.
3. C.C.O.	AR88. TBS-7. CBB/2. CDC/6. CDF. DRB. EF. GI.
4. R.C.O.	60ER. TBS-4. CBA. CDC/3. CDF. RL-85.
5. R/T Office	86M. 87M. 89M. CDC. CDU. R.I.S.(3). DTC.
6. A.D.R.	KFA.
7. D/F Office	FM7.
8. Chart House	DAS-2. QH3.
9. Aerial Outfits	AOA. APH/2. APU/2. ACE.
10. Miscellaneous	52ERT. 53. 66/2. 67/2. OF.

EURYALUS — 220 Volts

1. T.R. No. 1	48C. 5F. 52CFH. CAB. CAD. DRB. GJ. less G.35 CDC TA/2. TC.
2. T.R. No. 2	49C. 5D. 52CFH. 89M. CAA. CDC. DRC. GJ. less G.35. TA/2. TC.
3. C.C.O.	60EMR. TBS. AR88/2. CAA/2. CBB/2. CDC/4 DRB. EF. GJ.
4. R.C.O.	60EQR. TCS-10. AR88. CBB. CDC/3. EG. TBS-4.
5. R/T Office	87M. 89M. DRC/2.
6. A.D.R.	CDC/1. P38/2. S27. KFD.
7. B.P.R.	86M/2. RT18-ARC.
8. D/F Office	FM12.
9. Aerial Outfits	AOA. APH/2. APU/2.
10. Miscellaneous	53. 66/2. 67/2. CDC.

GAMBIA — 220 Volts

1. T.R. No. 1	57DMR. 59D. 60D. CAB. GJ. TA/2. TC.
2. T.R. No. 2	57DMR. 59D. 60D. CAB. GJ. TA/2. TC.
3. C.C.O.	AR88/2. CAB/2. CAD. CBB/2. CDC/3. S27. R.I.S.(1). EF. GI.
4. R.C.O.	60ER. TBS. TCS. CBA. CDC/4. R.I.S.(3).
5. R/T Office	86M. 87M/2. 89P.
6. A.D.R.	TBS-4. CDC/2. R.1132A. R.I.S.(3). KFA.
7. D/F Office	FM2. R.I.S.(1).
8. Aerial Outfits	AOA. APH/3. APU/2.
9. Miscellaneous	

GLASGOW — 220 Volts

1. U.T.R.	TAJ-15. TBM-9. 60EQR. 60FR. ~~89M~~ 89Q YE-2. CDC. TA/4. TC. DTC. DWE. BBq. GJ.
2. L.T.R.	TAJ-15. TBM-9. 60FR/2. ~~CDC~~ 86M TBS AR88 DWA. GJ. TA/4. TC.
3. B.R.R.	60EQR. TBS-5. CDC/6.5 CDF. P38/2. FM12. TA. DWB. DWE. BBq. GR. KCR.
4. L.R.R.	86M. TBS-4. CDC/4. CDF/2. R.I.S.(1). DTC. KCH EJ. KCH.
5. R/T Office	87M/2. DTD. BBn.
6. A.D.R.	CDC/2 KFD. KGA/2.
7. Chart House	DAS-2.
8. Aerial Outfits	AOA. APH/3. APU/2. ~~ANE~~. ~~AQA~~. ~~AQJ/2~~.
9. Miscellaneous	611/4. GN/2. OF.
3rd W.O.	CDC AR88 QD/2 QN QP

JAMAICA — 220 Volts

1. T.R. No. 1	57DMR. 59D. 60DR/2. CDC. CDF. GJ. TA/2. TC.
2. T.R. No. 2	57DMR. 59D. 60DR. CDC. CDF. GJ. TA/2. TC.
3. C.C.O.	AR88/4. CBB/2. CDF. RIS(1). EF/2. GI+.
4. B.R.R.	60EQR. 89P. TCE. AR88/2. CDC/4. CDF. CDU/2. P.38/2. DWE. DWB. BBq. EJ.
5. R/T Office No. 1	87M/2. TBS-4.
6. R/T Office No. 2	86M. TBS-6. AR88.
7. A.D.R.	CDC. ZB/ARA. RIS(3). KCR. KFD. KGA/2.
8. "YE" Office	YE-2.
9. D/F Office	FM7.
10. Chart House	DAS-2.
11. Aerial Outfits	AOA. APH/3. APU/2. ~~AQJ/2~~. ~~ANE~~.
12. Miscellaneous	52ERT. 53. 67/2. 611/4. GN/2. GR. TBY/2. OF.

KENYA — 220 Volts

1. T.R. No. 1	48C. 60FR/2. CDC/2. DRC. GJ. TA/2. TC.
2. T.R. No. 2	89Q. 60FR. 57CMR. CDC. DLC. DTC. GJ. TA/2. TB.
3. C.C.O.	86M. TBS-7. CBB. AR88LF/4. CDC/3. CDF. DRB. EF. GI. BBn. KCR.
4. R.C.O.	60ER. AR88LF. CBA. CDC/3. BBq.
5. R/T Office	87M/2.
6. A.D.R.	AR88LF. CDU/2. KFD. KGA/2.
7. R.M.R.	60FR. TBS-7. CDC. 86M.
8. D/F Office	TBS-4. FM7.
9. Plotting Office	DAS-2.
10. Aerial Outfits	AOA. ANC. ~~ANE~~. APH/2. APU/2. ~~AQJ/2~~. ~~AQA~~.
11. Miscellaneous	53. 66/2. 67/2. TBY8/2. OF.

LEANDER — 220 Volts

1. T.R. Main	TAJ-19. TBM-9. TDE-1/2. AR88/4. CBB/2. CDC. RBA. R.I.S.(3). DTD. EF. IM18.
2. T.R. Second	TAJ-19. TBM-9. TDE. AR88/4. IM18.
3. B.R.R.	60EMR. 86M. AR88/4. CBA. CDC. FM12. R.I.S.(3). DTD. EG.
4. A.D.R.	CDC. P38/2. KFD.
5. R/T Office	87M/2. TBS-8.
6. Chart House	DAS-2.
7. Aerial Outfits	AOA. APH/2. APU.
8. Miscellaneous	53. 67/2. OF.

LIVERPOOL — 220 Volts

1. U.T.R.	TAJ-15. TBM-9. 89P. 60EQR. 60FR. CDC. TA/4. TC. DTC. DWB. BBr. GJ.
2. L.T.R.	TAJ-15. TBM-9. 60FR/2. GJ. DTC DWE TA/4. TC.
3. B.R.R.	TBS-4. 60EQR. CDC/6. CDF/2. CDU/2. FM12. R.I.S.(1). TA. DTC. DWB. DWE. BBn. BBr. EJ. GN. GR.
4. L.R.R.	TBS-4. 86M. CBB. CDC/4. CDF. R.I.S.(1). DTC. EK. KBC.
5. R/T Office	87M/2.
6. A.D.R.	CDC. KFD. ~~KGA/2.~~ DAS/2
7. Aerial Outfits	AOA. APH/3. APU/2. ~~ANE. AQA. AQJ. ARG.~~
8. Miscellaneous	66/2. 611. TBY.

LONDON — 220 Volts

1. T.R. No.1	48C. 89M. 89Q. CDC. CDF. KCO/2. DTC. TA/2. TC. AB. GJ. (less G35)
2. T.R. No.2	49C. 57CMR. TCS/2. CDC. CDF. KCO/2. DRC. TA/3. TC. AB. GJ.
3. B.R.R.	TCS(E). TBS. CDC/5. CDF/3. FM12. APU. KCP. DTC.DWB. DWE. BBn/2. M. OB/4. GN.
4. C.C.O.	60EQR. 87M. TCS. TBS. CDC/6. CDF/3. CDU. APU. APH. KCO/2. DTC. DWA. BBz. M. OB/8. GN. GR.
5. V.H/F. R/T Office	87M. 86M. CDU. APH/2.
6. A.D.R.	CDC/2. KGA/2.
7. ~~R.C.M. & "Y" Office~~	~~91X.~~ ~~ARF.~~
8. Outfits Common to 2 or more offices	AOA. EJ. CCS. KFD. KCR.
9. Miscellaneous	52ERT. 66. 67/2.
10. R.M.R.	86M. TCS. TBS. GN.
11. Chart House	DAS-2. OF.
12. Tool Outfits	TEA.
13. Test Outfits	TOM.

MAURITIUS — 220 Volts

1. T.R. Lower	TBL-13. 60FR/2. CDC. DRD. GJ. TA/2. TC.
2. T.R. Upper	TAJ-15. TBM9. 60FR. 60EQR. 89P. CDC. CDF. TA/4. TC. DTD. DWB. BBz. GJ.
3. B.R.R.	TCS-E. TBS-6. CDC/6. CDF. CDU/2. FM12. DTD. DWB. DWE. BBn/2. EJ. GR. TF.
4. L.R.R.	86M. TBS-6. CDC/4. CDF/2. CDU. EG.
5. Chart House	DAS-2.
6. R/T Office	87M/2.
7. A.D.R.	CDC/2. KCH. KCR. KFD. KGA/2.
8. Aerial Outfits	AOA. APH/3. ANC. ANG. ~~ANE.~~ ~~AQA/2.~~ ~~AQJ.~~ ARU/2. AWA/3.
9. Miscellaneous	52ERT. 611/3. OF.

NEWCASTLE — 220 volts

1st Office	48. 89Q. TBS. CDC/4. CDF/2. EF. KCR. DTC. GH. TA. TC. OA. OB.
2nd Office.	49. CDC. CDF.
3rd Office.	601/2. CDC/2. DL.
4 R.R.	60EQR. TCS. CDC/4. CDF. CDU/2 FM12 EJ. DRD. BB2. TF/2. OB/8.
5/T Office	87M/2. 86M. TBS. KCR. KFD. DRD.
6 rials	AOA. APH/3. APU/2 AWA/4.
7 Misc.	53. 66/2 67/2.

NEWFOUNDLAND — 220 Volts

1. No. 1 T.R. (UTR).	57DMR. 59D. 60D. TCS-12. TA/2. TC. CAA. CDC. GJ. GN.
2. No. 2 T.R. (LTR.)	57DMR. 59D. 60D. 60DR. CAA. CDC. GJ. GN. TA/2. TC.
3. L.R.R.	CAA/3. AR88/3. CBB/2. CDC/2. CDF. EF. KDC. RIS(4).
4. B.R.R.	60EQR. TCS-10/2. TBS-5/2. 86M. CBB. CDC/5. CDF. CDU/2. FM7. EF. GN.
5. V.H/F Office	87M/2. CDC (spare). BBn.
6. Chart House	DAS-.2
7. Operations Room	AN/ARC.
8. A.D.R.	KFD. KGA/2.
9. No. 1 Radar Office	89Q.
10. Aerial Outfits	AOA. APH/3. APU/2. ~~AQA/2.~~ ~~AQJ/2.~~ Whip Aerials /2.
11. Miscellaneous	52ERT. GR. OF.

NEWCASTLE — 220 Volts

1. T.R. Main	48~~C~~. ~~4D.~~ ~~5F.~~ 89Q. TBS. ~~AR88.~~ ~~CAD.~~ CBB/2. CDC. RBJ/3. R.I.S.(1) DL. EF. GH.
2. T.R. Second	49C. 89P. AR88. CAB. CSC.
3. T.R. Third	52CFH/2. CAD/2. R.I.S.(1). DL.
4. R.C.O.	60ER. TCS/2. R.A.F.GP. DRD. AR88/3. CDC/4. HRO. P38. FM12.
5. R/T Office	86M. ~~87.~~ 87M/2 TBS. KCR. KFD. DRD.
6. A.D.R.	CDC. R1132. KFA.
7. Aerial Outfits	AOA. ~~ARD/4.~~ APH/3 APU/2 AWA/4
8. Miscellaneous	53. 66/2. 67/2.

NEWFOUNDLAND — 220 Volts

1. No. 1 T.R. (UTR).	57DMR. 59D. 60D. TCS-12. TA/2. TC. CAA. CDC. GJ. GN.
2. No. 2 T.R. (LTR.)	57DMR. 59D. 60D. 60DR. CAA. CDC. GJ. GN. TA/2. TC.
3. L.R.R.	CAA/3. AR88/3. CBB/2. CDC/2. CDF. EF. KDC. RIS(4).
4. B.R.R.	60EQR. TCS-10/2. TBS-5/2. 86M. CBB. CDC/5. CDF. CDU/2. FM7. EF. GN.
5. V.H/F Office	87M/2. CDC (spare). BBn.
6. Chart House	DAS-.2
7. Operations Room	AN/ARC.
8. A.D.R.	KFD. KGA/2.
9. No. 1 Radar Office	89Q.
10. Aerial Outfits	AOA. APH/3. APU/2. ~~AQA/2.~~ ~~AQJ/2.~~ Whip Aerials /2.
11. Miscellaneous	52ERT. GR. OF.

NIGERIA — 220 Volts

1. T.R. No. 1	TAJ-10. TBK-10. TCE-2. MH-1. RBJ-4. AR88. DRD. LM-11. TA/3. TC.
2. T.R. No. 2	TAJ-10. TBK-10. TCE-2. MH-1. RBJ-4. CDC. DRD. LM-11. TA/2. TC.
3. C.C.O.	TCS-10. AR88/5. CBB/2. CDC. CDF/2. RBJ. DRB. EF. GJ.
4. R.C.O.	AR88/3. CDC/2. EG. TCS-12.
5. R/T Office	86M. 87M/2. DRD.
6. A.D.R.	TBS-5. CDC. P104/2. R.1132A. KGA.
7. D/F Office	TBS-5. FM12. R.I.S.
8. Charthouse	DAS-.2.
9. D/F Flat	TCE-2. DRD.
10. Aerial Outfits	AOA. APH/3. APU. ARD.
11. Miscellaneous	52ERT. 66/2. 67/8. GR/2. TOM. OF.

NORFOLK — 220 Volts

1. L.T.R.	36M. 5F. DL. DWA. TA.
2. T.R. Second	TBL-12. 60ER. TBS. CAB. CBB. CDC. R.I.S.(1) DQB. TA. TC.
3. T.R. Third	52FH/2. CDC/2. DL. TA/2.
4. R/T Office	87M. DRD.
5. L.R.R.	89M. 4D. AR88. CAB/2. CBB/2. CDC/4. R.I.S.(1) DRD. EJ. GH. GR. TA.
6. B.R.R.	60EQR. 86M. TBS-4. TCS/2. AR88/2. CBB. CDC/6. P38. FM12. DTC. BBq. EH.
7. A.D.R.	CDC. KFD. KGA.
8. Aerial Outfits	AOA. APH/2. APU/2. ~~AQA/2.~~ ~~ARG.~~
9. Miscellaneous	52ERT. 53. 67/6. TCS.

ORION — 220 Volts

1. T.R. No. 1	48. 87M. ARMY12.
2. T.R. No. 2	37M. CDC. CDF.
3. T.R. No. 3	52FH/2. CDC/2. R.I.S.(1). DRB.
4. C.R.R.	AR88/3. CBB. CDC/2. CDF/2. R.I.S.(1). DTB. ED. GH.
5. R.C.O.	TBS-4. TCS-10. 86. ARMY12. CDC/4.
6. A.D.R.	60ER. 86M. CBA. CDC. P38.
7. D/F Office	FM7.
8. Aerial Outfits	AOA. APH/3. APU/2. ARH.
9. Miscellaneous	52ERT. 53. 66/3. 67/3. TBY-7. ARMY22/2. R.A.F.GP.


PHOEBE — 220 Volts

1. T.R. No. 1	48C. 5F. 52CFH. CDC. CDF. DRB. GJ. TA/2. TC. TCS-10.
2. T.R. No. 2	TBL-7. TCK. 89P. CDC. LRI. DHD. DRD. TA/2.
3. C.C.O.	AR88/2. CAA. CBB/2. CDC/4. CDF. DRB. EF. GI.
4. R.C.O.	60ER. TBS. CBB. CDC/5. CDF.
5. Admiral Bridge	TBS-7.
6. A.D.R.	86M/2. 87M/2. 87. TA2G. AR88/2. CDC. P38/2. R1132A. R.I.S.(3). DRD/2.
7. D/F Office	FM7.
8. Aerial Outfits	AOA. APH/5. APU/2.
9. Miscellaneous	53. 52ERT. 66/2. 67/2.

ROYALIST — 220 Volts

1. T.R. No. 1	57DMR. 59D. 60D. ARMY12. CAB. CDC. GJ. TA/2. TC.
2. T.R. No.2	57DMR. 59D. 60D. AR88. CAB. GJ. TA/2. TC.
3. C.C.O.	4Q. 5Q. ARMY12. 512D/2. AR88/2. CBB/2. CDC/5. CDF. EH. GI.
4. R.C.O.	60EMR. TCS-10. AR88. CBB. CDC/5. EE.
5. R/T Office No. 1	87M/6. 2BF/2.
6. R/T Office No. 2	86M/2. 89/2. 89M. 2BF/2.
7. A.D.R.	AR88. CDC/2. P38/5. R1132. R.I.S.(3). KFA.
8. Plot	TBS-5. TBS-6. CDC. R.I.S.(3). LRN-1. QH3.
9. D/F Office	FM7. R.I.S.(3). 2BF.
10. Aerial Outfits	AOA. APH/8. APU/2.
11. Miscellaneous	52ERT. 53. 67/2. 5G. GN.

SCYLLA — 220 Volts



SHEFFIELD — 220 Volts

1. Main T.R.	TBM. 60FR/2. CDC. GJ.
2. U.T.R.	TBM. TAJ. 60FR. 60EQR. 89Q. CDC. DTD. DWB. BBz. GJ.
3. B.R.R. ✓	TCS. CDC/6. CDF. CDU/2. DTD. DWB. DWE. BBn./2 EJ.
4. L.R.R.	TBS. 86M. CDC/4. CDF/2. CDU/1. DTC.
5. R/T Office	TBS. 87M/2. FM12. R.I.S(3.)
6. A.D.R.	CDC/2. KGA/2.
7. Aerial Outfits	AOA. APH/3. APU/2. ANC. ANG. AWA/3. CAGW 66132.
8. Miscellaneous	67/4. 66/2. 53. KCH. KCR. KFD.

SIRIUS — 220 Volts

1. T.R. No. 1	48C. 5F. 52CFH. ~~CAB.~~ ~~CAD.~~ CDC/2 CDF R.I.S.(1) DRC. GJ. TA/2. TC.
2. T.R. No. 2	49C. 52CFH. ~~CAD.~~ DLC. GJ. CDC CDF TA. TB. TC.
3. C.C.O.	AR88/2. ~~CAA/3.~~ ~~CAD/3.~~ CDF/2 CBB/2. CDC/2. R.I.S.(1). DLC. EF. GI. TBS 87M CDU
4. R.C.O.	60ER. ~~88.~~ TBS-5. AR88. CBB./2 CDC/2. DRB. BBn. ~~EF.~~
5. R/T Office	87M.
6. A.D.R.	~~86/2.~~ 86M. ~~CDC.~~ ~~P38.~~
7. D/F Office	FM12
8. Aerial Outfits	AOA. APH/5. ARD.
9. Miscellaneous	52ERT. 53. 66/2. ARMY.22/2. 38/2. SCR609.

SUFFOLK — 220 Volts

1. T.R. Main	36M. 4D. 5F. 52FH. 87M. 89. CAB. CBB/2. CDC/3. R.I.S.(1). DRB. DRD/2. EF. GH.
2. T.R. Second	37M. CAB. DO.
3. B.R.R.	60ER. TBS-4. CBA. CDC/5. FM12. R.I.S.(3). EE.
4. R/T Office	86M. 87. DRB. DRD.
5. A.D.R.	CDC. P38. R1132A. KFA.
6. Aerial Outfits	AOA. APH/2. APU. ARD/4.
7. Miscellaneous	52ERT. 53/2. 67/2.

SUPERB — 220 Volts

1. U.T.R.	57DMR. 59D. 89P. 60DR. 60EQR. TBS-6. 86M. CDC. 2BF. DWB. BBq. GJ. KCN/2. KRC. TA/4. TC.
2. L.T.R.	57DMR. 59D. 60DR/2. CDC. TA/3. TC. 2BF. GJ.
3. L.R.R.	CDC/4. CDF/2. R.I.S.(1). 2BF. GN. KDC.
4. B.R.R.	TCS.(TR). CDC/6. CDF. CDU/2. R.I.S.(1). TF. DWB. DWE. EJ. GN. GR. KCP.
5. V.H/F R/T Office	87M/2. TBS-6. CDU. BBn/2. KCR.
6. A.D.R.	CDC. GR. KFD. KGA/2.
7. D/F Office	FM12. R.I.S.(1)
8. Chart House	DAS-2. CXFR-1.
9. Aerial Outfits	AOA. APH/3. APU/2. ~~ANE.~~ ~~AOA.~~ ~~AQJ/2.~~ AWA/4 AWE/2
10. Miscellaneous	52ERT. 66/2. 67/2. 53. ARMY68R/2 OF.

SUSSEX — 220 Volts

1. U.T.R.	TAJ-14. TBM-9. 89P. 60EQR. 60FR/2. CDC. TA/5.TC. DTD. DWB. BBq. GJ. KCH.
2. L.T.R.	TBL-12. 60FR. CDC. R.I.S.(3). DRD. GJ. TA.TC.
3. L.R.R.	TBS-4. 86M. AR88. CDC/4. CDF/2. R.I.S.(3). EJ. KCR.
4. B.R.R.	CDC/6. CDF. P38/2. FM12. R.I.S.(3). DWB. DWE. EH.
5. R/T Office.	60EQR. 87M/2. TBS-4. DTD. BBq. TA.
6. A.D.R.	CDC. R.I.S.(3). KFD. KGA/2.
7. Aerial Outfits	AOA. APH/3. APU. ARD mod. ~~ANE.~~ ~~AOA.~~ ~~AQJ/2.~~
8. Miscellaneous	52ERT. 53. 66/3. 67/2. GN/2. GR.

SWIFTSURE — 220 Volts

1. U.T.R.	57DMR. 59D. 60EQR. 60DR. 89M, 87M. TA/4. TC. CAB. R.I.S.(1). GJ. AR88. P.38. BBr.
2. L.T.R.	57MDR. 59D. 60DR. TCS. CAB. CDC. R.I.S.(1). GJ. TA/2. TC.
3. L.R.R.	AR88/3. CBB/2. CAB/3. CDC/2. S27. RBJ. R.I.S.(1)(3). GN. KDC.
4. B.R.R.	60EQR. TCS. CBB. CDC/4. P38. AR88/2. FM12. R.I.S.(1)(3). EJ. GN. TF.
5. R/T Office 87M Office	86M. 87M. TBS-4/2. BBq. 87M/4 CDU/4 EAB EAB (Vide MC ~ 10/2/50)
6. A.D.R.	CDC. R.I.S.(3). KFD.
7. Charthouse	DAS-2.
8. Aerial Outfits	AOA. APH/4. ARD(mod.)
9. Miscellaneous	52ERT. TBY. 67/2. 66/2. OF.

MONITORS, MINELAYERS

AND

NETLAYERS

ABERCROMBIE - Monitor — 220 Volts

1. T.R. Main.	49MR. AR88/2. CBB. CDC. CDF. TA/2. TC. DTB. EE. GJ.
2. R.C.O.	89M. CDC. AR88. FM12.
3. R/T Office No.1.	87M/2. TBS-7.
4. R/T Office No.2.	86M. TBS-6.
5. Bridge Compartment.	60ER. DTC.
6. A.D.R.	CDC. P38/2. KFA.
7. Bridge Plot.	DAS-2.
8. Aerial Outfits.	AOA. APH/3. APU. ~~AQA.~~ ~~AQJ.~~ ~~ANE.~~
9. Miscellaneous.	53. 66. GQ. GR. OF.

APOLLO - Minelayer — 220 Volts

1. T.R. Main.	TBL-12. 60EMR. TBS/2. TCS-2. TA/2. TC. CAB. CBB. CDC/3. FM12. DTC. EE. GH. KBH.
2. T.R. No.2.	60EM. CAB. CBA. 650. TA.
3. R/T Office.	86M.
4. Charthouse	DAS-2.
5. Aerial Outfits.	AOD. APU. ARD.
6. Miscellaneous.	53. OF.

ARIADNE - Minelayer — 220 Volts

1. T.R. Main.	49MR. TBS-4. TA. TC. CAA. CBB. CDC/3. FM12. DTC. EE. GJ. KBF.
2. T.R. Second.	60EM. TCS-10. CAA. CBA. CDC. TA.
3. R/T Office.	86M.
4. Charthouse.	DAS-2.
5. Aerial Outfits.	AOD. APU. APH. ARD.
6. Miscellaneous.	SCR 300/2. OF.

GUARDIAN - Netlayer — 110 Volts

1. Main Office	37M. 60EQR. 86M. DR.106. CAA. CBB. CDC. AR88. FM7. DQB.
2. Aerial Outfits.	AOF. ARD.
3. Miscellaneous.	

MANXMAN - Minelayer 220 Volts

1. T.R. Main.	49MR. TBS-8. 86M. 87M TA. TC. OB/5 CDC/4. CDF. CDU. FM7 DTC. BBq. EG. GN. GR. KBH. KCR.
2. T.R. Second.	60EQR. CDC/2. DWB. BBq. TCS-12. TA. OB.
3. After position	TBS.
4. Charthouse.	DAS-2. QH3.
5. Aerial Outfits.	AOD. APH/2. APU/2.
6. Miscellaneous.	66/2. 67/2. OF.

PROTECTOR - Netlayer 110 Volts

1. Main Office.	89P. 60EQR. TBS. 86M. CBB. CDC/2. CDF. FM12. DTC. BBq. GN. KCM.
2. Aerial Outfits.	AOF. APH. APU.
3. Miscellaneous.	

1. T.R. Main	49MR. 52FH. CBB. CDC/3. CDF. TA. TC. DRB. EE. GH. KCR.
2. T.R. No.2.	60EMR. CBA.
3. R/T Office No.1.	87M. 89. TBS. DRD/2.
4. R/T Office No.2.	87M.
5. A.D.R.	86M. CDC/2. R1132A.
6. D/F Office.	60FR. CDC. FM5. DO.
7. Charthouse.	QH3.
8. Aerial Outfits.	AOA. APH/3. APU.
9. Miscellaneous.	53/2. 67/2.

DEPOT, REPAIR & MAINTENANCE

SHIPS

ADAMANT - Submarine Depot Ship — 220 Volts

1. T.R. No.1.	57DMR. 59D. 60D. AR88. CDF. GJ. TA/2. TC.
2. T.R. No.2.	57DMR. 59D. 60D. AR88. CDF. GJ. TA/2. TC.
3. C.C.O.	AR88/10. CBB. CDC/2. CDF. DWB. EF. GN. KDD.
4. B.R.R.	60ER. 87. TCS. CBB. RBJ. TA.
5. R/T Office No.1.	89M.
6. R/T Office No.2.	TBS-4. DRB
7. Plot Office	86M. CDC. P.38.
8. D/F Office.	FM2. TBS.
9. Charthouse.	DAS-2.
10. Aerial Outfits.	AOA. ADD/3.

Alamein. Wireless Eqt. fitted June 49.

IMR. Co. M23E.
TBS 7 one in no. and one demonstration set.
86M One demonstration set.
APU one in no.
BBq, " " .
87M One demons. set.
DWB
CDU. One demons. set.
DQB " in no.
60EQR " " "
TCS complete 24V. gen. One demonstration set.
CDC/3.

220 Volts

)QB. BBq.

Vide R.4146/50.

ARTIFEX - Fleet Repair Ship — 220 Volts

1. Main Office.	M23E. AR813. AR8505. RM15.
2. Emergency Position.	M9. RM15C.
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

ADAMANT - Submarine Depot Ship — 220 Volts

1. T.R. No.1.	57DMR. 59D. 60D. AR88. CDF. GJ. TA/2. TC.
2. T.R. No.2.	57DMR. 59D. 60D. AR88. CDF. GJ. TA/2. TC.
3. C.C.O.	AR88/10. CBB. CDC/2. CDF. DWB. EF. GN. KDD.
4. B.R.R.	60ER. 87. TCS. CBB. RBJ. TA.
5. R/T Office No.1.	89M.
6. R/T Office No.2.	TBS-4. DRB
7. Plot Office	86M. CDC. P.38.
8. D/F Office.	FM2. TBS.
9. Charthouse.	DAS-2.
10. Aerial Outfits.	AOA. ARD/3.
1. Miscellaneous.	53. 67/6. Typewriters/3. OF.

ALAUNIA - Fleet Repair Ship — 220 Volts

1. Main Office	M23E. TBS-7. RM15. DQB.
2. Emergency Position	M9. 60EQR. CDC. RM15. BBq.
3. R.M.R.	60EQR. 87M. TBS-7. CDC. CDF. DQB. BBq.
4. Aerial Outfits.	
5. Miscellaneous.	

ARTIFEX - Fleet Repair Ship — 220 Volts

1. Main Office.	M23E. AR813. AR8505. RM15.
2. Emergency Position.	M9. RM15C.
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

AUSONIA - Fleet Repair Ship — 220 Volts

1. Main Office.	M23E. M9. RM15D/2.
2. Emergency Position.	TS3B. SCR20.
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

BERRY HEAD - Escort Maintenance Ship

1. Main Office.	PV500HM. TM11. TBS-6. AR88/2. TE236B. FM12.
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	APU.
5. Miscellaneous.	

BONAVENTURE - "X" Craft Depot Ship

1. Main T.R.	89M/2. 60FR. CAA. CDF. GJ. DRB/2. R1S(1). GN. TA/2. TC.
2. R/T Office No.1.	86H. 87M. DRD.
3. C.R.R.	60ER. CAB/2. CAA. CBB. CDC/4. EJ. DRB. TBS-4. FM7. R1S(1)(3).
4. A.D.R.	87M. CDC. R1S(a). KFA. KGA.
5. Aerial Outfits.	AOA. APH/3. APU.
6. Miscellaneous.	

CAPE WRATH - C/F Maintenance Ship

1. Main Office.	
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

R 5929/50

"Adamant" Final state

No 1. T.R.	59D. 57DMR. 60D. TA/2. TC. CDC. CDF. GW.
No. 2. T.R.	57DMR. 60D. TA/2. TC. CDC. CDF.
B.R.R.	60 EQR. BBz. 1 b/c bay with CDC/2, CDF, DWB.
Plot.	86M CDC. CDW/2.
C.C.O.	1 b/c bay with CDC/2, CDF, DWE, BB 2 bays " H/F — CDC/2, CDF/2 5 bays CDC/5. GN, GR, EF, H/S reception.
No 1 R/T	87M, 89Q.
No 2 R/T.	87M TBS.
Charthouse	DAS-2
D/F Office.	FM12.

DERBY HAVEN - C/F Tender
(ex LOCH ASSYNT)

1. Main Office.	89P. TBS-7. 86M. 608E. CDR/3. FM12. TA. DTC. BBp. EG. GN. GR.
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	APH. APU.
5. Miscellaneous.	DAS-2. OF.

DUNCANSBY HEAD - Escort Maintenance Ship

1. Main Office.	PV500HM. TM11. TBS. CMC. FM12.
2. Emergency Position.	149. AR88/2. TE236B.
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

FORTH - Submarine Depot Ship 220 Volts

1. T.R. Main.	48C. 49C. 57CM. 52CFH. CBB. CSA. DLC. GJ.
2. C.C.O.	60ER. CDF. CDC/6. CBA. H/S(T) and (R). DL. ED. GR. GI.
3: D/F Office:	FM2:
4. Aerial Outfits.	AOA.
5. Miscellaneous.	53. 66/3.

HOLM SOUND - A/C Component Repair Ship

1. Main Office.	TBL-12. TBS-6. AR88. CDF. FM12. DQB. GJ.
2. Emergency Position.	607E.
3. R.M.R.	
4. Aerial Outfits.	APU.
5. Miscellaneous.	HT11.

MAIDSTONE - Submarine Depot Ship — 220 Volts

1. T.R. Main.	48C. 49C. 52CFH/2. CBB. CSA. DLC. GK. TBS.
2. C.C.O.	60ER. 86. TBS. TCS-10. CAB/2. CAD. CDC/3. CDF. DL. FM12. EE. GI.
3. Aerial Outfits.	AOA. ARD.
4. Miscellaneous.	4D. 53.

MONTCLARE - Submarine Depot Ship — 110 Volts

1. T.R. No.1.	SWB8E. 89M/3. 60FR. 60EMR. OB. TA/7. CDC. CBA. R1S(1). 2BF. GJ.
2. T.R. No.2.	SWB8E. 59D/2. 89M/2. TA/3. TC/2. CDC. R1S(1). 2BF. GJ. O.B.
3. T.R. No.3.	89P/E.
4. B.R.R.	TCS/2 60ER. CBB/3. CDC/15. CDF/3. P.38. OB/14 H/S. R/2. FM12. R1S(1)(3). DTD. EF/2. TA.
5. B.R.R. Annexe.	86M. 87M. TBS/2. 682. H/S.T/2. Morse Perforators/3. CDK/3. 3 Channel V.F. Reception/2. 2BF.
6. A.D.R.	KFD.
7. Aerial Outfits.	AOA. APH/2. ARD mod./5.4.
8. Miscellaneous.	GN/2.

MULL OF GALLOWAY - M/C Maintenance Ship

1. Main Office.	PV500HM. TM11. AR88/2. TE236B. FM7. T149.
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	APU.
5. Miscellaneous.	

MULL OF KINTYRE - M/C Maintenance Ship

1. Main Office.	
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

PERSEUS - A/C Repair Ship — 220 Volts

1. Main Office.	TBL-13. 60EQR. TBS-4. CDC/3. CDF. FM12. TA. TC. DRD. DWB. BBr. EG. GN. GR.
2. Emergency Position.	60EQR. CDC. CDF. DWB. BBr. TA.
3. R.M.R.	
4. Aerial Outfits.	APU.
5. Miscellaneous.	DAS-2. 52ERT/2. 66/2. 67/2. HT11. OF.

PIONEER - A/C Repair Ship — 220 Volts

1. Main Office.	TBL-12. 60EQR. CBB. CDC/3. CDF. FM12. TA. TC. DRD. DWB. BBr. EG. GN.
2. Emergency Position.	60EQR. CBB. CDC. CDF. DWB. BBr. TA.
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	HT11.

PORTLAND BILL - Armament Maintenance Ship

1. Main Office.	
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

RAME HEAD - Escort Maintenance Ship

1. Main Office.	
2. Emergency Position.	
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

RANPURA - Fleet Repair Ship — 220 Volts

1. Main Office.	376. 386A. TBS. TV5. CR300/2. MDF5. DQB.
2. Emergency Position.	558. 730.
3. R.M.R.	86M. 87M. 89. TBS. TCS. CDC. CDF. CDU. DTC.
4. Aerial Outfits.	APH. APU/2.
5. Miscellaneous.	

RESOURCE - Fleet Repair Ship — 220 Volts

1. Main Office.	36S. 86. CAB/3. CDC/2. SD. DQB. G13.
2. Emergency Position.	37M. 43. RAF. GP. CG. GN.
3. R.M.R.	
4. Aerial Outfits.	
5. Miscellaneous.	

TYNE - Destroyer Depot Ship — 220 Volts

1. T.R. No.1.	57DR. 59D. 60DR. 5Q. CAA. CDC. GJ. TA/2. TC.
2. T.R. No.2.	57D. 59D. 60DR. CAA. CDC. GJ. TA/2. TC.
3. C.C.O.	CAA. CBB/2. CDC/7. CDE. CDF/2. EF. GI. KDD.
4. R.C.O.	60EMR. CBA. CDC.
5. R/T Office.	86M. 87M. 89P. TBS-4. TBS-6.
6. Air Plot.	CDC. P.38.
7. D/F Office.	TCS-12. CDC. ~~QD.~~ FM12.
8. Aerial Outfits.	AOA. APH/2. APU/2.
9. Miscellaneous.	52ERT. 53/2. 66/2.

UNICORN - A/C Repair Ship — 220 Volts

1. T.R. No.1.	57IMR. 59D. 60D. 89. CAB. CDC. 2BF. GJ. TA/2. TC.
2. T.R. No.2.	57IMR. 59D. 60D. 89/2. CAB. CDC. 2BF. GJ. TA/3. TC.
3. C.C.O.	CAB/4. CBB/2. CDC. CUA. RIS(3). KDE. 2BF. EF.
4. B.R.R.	60ER. CBA. CDC/6. FM7. RBC. RIS(3). 2BF. EF.
5. R/T Office.	87. 87M/2. 86M/2. TBS-5. GN.
6. A.D.R.	P.38/2. R.1132A.
7. "YE" Office.	YE-2.
8. Aerial Outfits.	AOB. ARD/6.
9. Miscellaneous.	66. GL.

WOLFE - Submarine Depot Ship — 110 Volts

1. T.R. No.1.	TAQ-6. TCK-6. TCK-7. TCE-2. RAK-6. RAL-6. LM11.
2. T.R. No.2.	TAJ-11. TBL-6. TCE-1. TCK. RAK-6. RAL-6.
3. C.R.R.	AR88/2. CDC/5. CDF. RAK-6. RAL-6. RIS(1)(3). DRB. EF. LM11.
4. D/F Office.	60ER. FM7. TCS-10.
5. R/T Office.	86M. 87M/2. CDC. DRD. TBS-5. P.38. P.104.
6. H/S T.R. Office.	H/S T&R.
7. Aerial Outfits.	AOA. APH/3. APU.
8. Miscellaneous.	52ERT. 67/8. KFD. CDC/4. AR88LF(Ship & Flot. Spares).

WOOLWICH - Destroyer Depot Ship — 220 Volts

1. T.R. Main.	48. 89M. 87M. DRD/2. TA. TC.
2. C.R.R.	TCS-10/2. TBS-8. 60EMR. AR88/4. CDF. P.38. EA. GI.
3. Second Office.	89P. TCS-12. CDC. DRD. TA/2.
4. D/F Office.	CDC. FM12.
5. Charthouse.	86M. DAS-2.
6. R.M.R.	86M. TBS-4. TCS-10.
7. Aerial Outfits.	AOA. ARD/2.
8. Miscellaneous.	52ERT. 66. 67/2. TBY/3. GN. OF.

FLOTILLA LEADERS

AND

DESTROYERS

AGINCOURT (LDR.)	220 Volts
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

AISNE	220 Volts
1. Main Office	601. 602E. 605. 89Q. 86M. 87M. TBS. CDC/4. CDF. CDU. FM12. TA/3. TC. DQF. DWB. BBu. EL. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E). TBS. DQB. BBu. TF.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	ACE. AOD. APH/2. APU/2. AWA. AWA/B.
5. Miscellaneous	67/2. 66. TEB. TON. OF.

ALAMEIN (LDR.)	220 Volts
1. Main Office	
2. Second office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

ARMADA (LDR.) — 220 Volts

1. Main Office	TAJ-11. TBK-7. 60EQR. 60FR. HT11A. TBS-4. 86M. CBB. CDC/6. CDF. FM12. TA/3. TC. TF. DTC. BBq. EG. GN. GR. KBE. KCK. KCS.
2. Second Office or Emergency Position	60EQR. CBB. CDC. TA. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ.~~ ~~ARH.~~
5. Miscellaneous	52ERT. 53/2. 67/2. OF.

ASHANTI — 220 Volts

1. Main Office	49. 52FH. 60EMR. TV5. 86M. TA. TC. TF. CAA. CAB. CAD. CBB. CDC/2. FM7. DRB. EE . GH.
2. Second Office of Emergency Position	60EMR. CAB. CBB. FH4/CDC. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. ARD. ARH.
5. Miscellaneous	53. 67/2. OF.

BARFLEUR (LDR.) — 220 Volts

1. Main Office	TAJ-10. TBK-13. 60EQR. 60FR. HT11A. TCS. TBS/2. 86M. TA/4. TC. CBB. CDC/6. CDF. FM12. FH4/CDC. DRD. BBq. EG. GN. GR. KBE.
2. Second Office or Emergency Position	60EQR. CBB. CDC. TA. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH, APU/2, ~~AQA.~~ ~~AQJ.~~
5. Miscellaneous	53/4, 66/2. 67/2. OF.

BARROSA 220 Volts

1. Main Office	601. 602E. 605(M/F). 89Q. 87M 86M TBS TA/3 TC CDC/4 CDF. CDU. FM12. DTD DWB. BBy EL GN GR KCL KCU
2. Second Office of Emergency Position	TCS12 TBS DQB BBu TF.
3. Chart House	DAS-2 QH3
4. Aerial Outfits	AOD ACE APH/2 APU/2 AWA/2
5. Aerial Group Outfits	OC/5 OA/2 OF
6. Miscellaneous	

BATTLEAXE (LDR.) 220 Volts

1. Main Office	601. 602E. 605/89Q 86M. TBS. CDC/6. CDF. FM12. EL. KCK. KCU. DQF. DWB. BBy. GN. GR. TA/3. TC. OA/2 OC/5.
2. Second Office or Emergency Position	TBS. CDC. CDF. TF. OC.
3. Chart House	DAS-2. OF.
4. Aerial Outfits	AOC. APH/3. APU/2. AWA/2.
5. Miscellaneous	TOM. TEB.
6. R/T OFFICE.	87M/2 CDU/2.

BROADSWORD (LDR.) 220 Volts

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

CADIZ — 220 Volts

1. Main Office	TAJ, TBK. 60FR. 60EQR. 86M2. TBS. TA/3. TC. CDC/4, CDF, FM12. DTC. DWB. BBz. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E). BBu. TF. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. ~~APH2~~. APU/2. AWA/2. APH/2.
5. Miscellaneous	67/2. TON. TEB. OF

CAESAR (LDR). — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TCS-10. TBS-4. 86M. TA/2, TC, TF. CBB. CDC/5. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN. KBE, KCU.
2. Second Office or Emergency Position	60EQR. TBS-6. CBB. CDC. TA. BBr.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC. APH. APU/2. ~~AOJ.~~
5. Miscellaneous	52ERT. 53/4. 66/2. 67/2. TOM. OF.

CAMBRIAN — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FVR. TBS-4/2. 86M. TA/2. TC. CBB. CDC/4. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN. KBF. KCU.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2.
5. Miscellaneous	OF.

CAMPERDOWN — 220 Volts.

1. Main Office	TAJ-14. TBK-10. 60EQR. 60FR. HT11A. TCS-12. TBS-4. 86M. TA/3. TC. TF. CBB. CDC/4. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN. GR. KBF.
2. Second Office of Emergency Position	TCS. BBu. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	OF. TEB.

CAPRICE — 220 Volts

1. Main Office	TBL-12, 60EQR. TCS-10. TV5. TBS-7. 86M. 60FR. TA/2, TC. CBB. CDC/6. CDF. FM12. DTC. BBq. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS-12. BBu. TBS-7. DQB.
3. Chart House	DAS-2. QH.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67. TBY. OF.

CARRON — 220 Volts

1. Main Office	TBL-12. 60EQR, 60FR. HT11A. TBS-4, 86M. TA/2. TC. CDC/4. CDF. FM12. DTC. BBq. BBl. EG. GN, KBF. KCU.
2. Second Office or Emergency Position	TCS-6. BBu. TBS-7. DQB.
3. Chart House	DAS-2. CDC.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	66/2. 67/2. OF. TEB.

CARYSFORT — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TBS. 86M. TA/2. TC. CDC/4. CDF. FM12. DQB. BBq. EG. GN. KBF.
2. Second Office or Emergency Position	TCS. BBu. TBS. DE.
3. Chart House	DAS-2.
4. Aerial outfits	AOD. APH, APU/2.
5. Miscellaneous	OF.

CASSANDRA — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FVR. HT11. TBS-4. 86M. TA/2, TC, TF. CBB. CDC/4. CDF. FM12. FH4/CDC. DRB. BBq. EG. GN. KBF.
2. Second Office or Emergency Position	TCS-6, BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD (Mod.)
5. Miscellaneous	66/2. 67/2.

CAVALIER — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TBS-4. 86M. HT11A. TA/2. TC. CBB. CDC/3. CDF. AR88/2. FM12. DTC. BBq. EG. GN. KCU.
2. Second Office or Emergency Position	TCS-6. BBu. TBS-4. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AOJ.~~
5. Miscellaneous	OF.

CAVENDISH (LDR.) — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FVR. HT11A. TBS-4. 86M. TA/2. TC. TF. CBB. CDC/5. CDF. FM12. FH4/CDC DTC. BBq. EG. GN. KBE. KCU.
2. Second Office or Emergency Position	60EQR. TBS. CBB. CDC. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	52ERT. 53/4. 66/2. 67/2. OF.

CHAPLET — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TBS-4. 86M. TA/3. TC. CDC/4. CDF. FM12. DTC. DWB. BBq. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS. BBu. TBS-7. DWB.
3. Chart House	DAS.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQK.~~
5. Miscellaneous	67/2. OF.

CHARITY — 220 Volts

1. Main Office	TBL12. 60EQR. 60FR. HT11. TBS-4. 86M. TA/3. TC. CDC/4. CDF. FM12. DTC. DWB. BBq. BBl. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS, BBu. TBS-4. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. TEB. TON. OF.

CHEQUERS (LDR.) — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TCS-12. (T) TBS-7. 86M. 87M. TA/3. TC. TF. CDC/7. CDF. CDU. FM12. FH4/CDC DTC. DWB. BBq. EG. GN. GR. KBE.
2. Second Office or Emergency Position	TCS-6. TBS. CDC. CDF TA. DQB. DWB. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH/2. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. TOM. OF.

CHEVRON — 220 Volts.

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TBS-6. 86M. TA/2. TC. TF. CBB. CDC/4. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN. KBF. KCU.
2. Second Office or Emergency Position	TCS-6. BBw. TBS-4. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	66/2. 67/2. TYPE X. MK.II. TOM. OB/10. OF.

CHEVIOT — 220 Volts

1. Main Office	TBL. 60EQR. 60FR. HT11A. TBS-5. 86M. 87M. TA/2. TC. TF. OB. CBB. CDC/4. CDF. CDU. FM12. FH4/CDC. DTC. BBq. BBl. EG. GN. GR. KCU. KBF.
2. Second Office or Emergency Position	TCS-6. BBu. TBS-7. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APU/2. ARD. ~~AQJ.~~ APH.
5. Miscellaneous	52ERT. CDC/2. (spares). OF.

CHIEFTAIN (LDR.) — 220 Volts

1. Main Office	TBL. 60EQR. 60FR. TBS. 86M. TA/3. TC. CDC/6. CDF. FM12. DTC. DWB. BBq. EG. GN. GR. KCK. KCU.
2. Second Office or Emergency Position	60EQR. TBS. CDC. CDF. TA. DQB, DWB. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ.~~
5. Miscallaneous	67/2. 52ERT. OF.

CHILDERS — 220 Volts

1. Main Office	TBL, 60EQR. 60FR. TBS. 86M. TA/3. TC. CDC/4. CDF. FM12. DTC. DWB. BBz. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E). BBu. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	OF.

CHIVALROUS — 220 Volts

1. Main Office	TBL.60EQR. 60FR. 87M.86M. TBS. TA/3. TC. CDC/4. CDF. P104. FM12. DTC. DWB. BBz. EG.GN.GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E).BBu. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2.
5. Miscellaneous	67/2. 66. OC/7. OF.

COCKADE — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TBS-6. HT11A. 86M. TA/3. TC. TF. CBB. CDC/4. CDF, AR88. FM 12. FH4/CDC. DTC. BBq. EN. GN. GR. KBF.
2. Second Office or Emergency Position	TCS-6, BBu. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQT.~~
5. Miscellaneous	67/2. OF.

COMET — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TBS-4. 86M. TA/3. TC. TF. CDC/5. CDF. FM12. FH4/CDC. DTC. DWB. BBq. BBl. EG. GN. GR. KBF.
2. Second Office or Emergency Position	TCS-6, BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	67/2. TEB. OF.

COMUS — 220 Volts

1. Main Office	TBL-12. 60FR. 60EQR. 86M. 87M. TBS. TA/3. TC. CDC/3. CDF. CDU. FM12. DTC. DWB. BBz. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E) BBu. TF. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD.
5. Miscellaneous	67/2. OF.

CONCORD ex Corso — 220 Volts

1. Main Office	TBL. 60FR. 60EQR. 86M. TBS. 87M. TA/3. TC. CDC/4. CDF. CDU. FM12. DTC. DWB. BBz. EL. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E). BBu. TF. TBS. DQB.
3. Chart House	
4. Aerial Outfits	AOD. APH/2. APU/2.
5. Miscellaneous	

CONSORT — 220 Volts

1. Main Office	TBL. 60EQR. 60FR. TBS. 86M. TA/3. TC. CDC/4. CDF. FM12. DTC. DWB. BBz. EG. GN. GR. KCL. KCU
2. Second Office or Emergency Position	TCS. BBu. TBS. DQB.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~ ACE.
5. Miscellaneous	67/2. OF.

CONSTANCE (LDR) — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TCS-12(TR). TBS. 86M. TA/3. TC. TF. CDC/7. CDF. FM12. FH4. DTC. DWE. BBq. EG. GN. GR. KCK. KCU.
2. Second Office or Emergency Position	60EQR. TBS. CDC. CDF. TA. DWE. DQB. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	52ERT. 67/2. TEB. TOM. OF.

CONTEST — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TBS-4. 86M. TA/3. TC. TF. CDC/4. CDF. FM12. DTC. DWB. BBq. BB1. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS. BBu. TBS APU DQB KCU
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	OF.

CORUNNA — 220 Volts

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

COSSACK (LDR) — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TBS-4. 86M. TA/3.TC. TF. CBB. CDC/6. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN. GR. KBE. KCK.
2. Second Office or Emergency Position	60EQR. TBS. CBB. CDC. TA. DQB. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ~~.
5. Miscellaneous	67/2. TBY/2. TEB. TOM. OF.

CREOLE — 220 Volts

1. Main Office	TBL. 60FR. 60EQR. TBS-7. 86M. 87M. HT11. TA/4. TC. CDC/4. CDF. CDU. FM.12. DTC. DWB. BBz. GN. GR. KCL/2. KCU.
2. Type 89 Office	89Q/2. CDC. TA/2.
3. Second Office or Emergency Position	
4. A.I.C.	DAS-2.
5. After Position	TBS-7. TCS(13). DQB. BBw.
6. Aerial Outfits	AOD. APH/2. APU/2. AWA/2.
7. Miscellaneous	67/2. TON. OF.

CRISPIN — 220 Volts

1. Main Office	TBL-12. 60FR. 60EQR. TBS. 86M. 87M. HT11 TA/3. TC. CDC/4. CDF. CDU. FM12. DTC. DWB. BBq. EL. GN. GR. KCL. KCU.
2. Type 60 Office	60FR/2. CDC.
3. Second Office or After Positiom	TBS-7. TCS-13. DQB. BBu.
4. A.I.C.	DAS-2.
5. Aerial Outfits	AOD. APH/2. APU. ~~AQJ.~~
6. Miscellaneous	TON. TEB. OF.

CROSSBOW — 220 Volts

1. Main Office.	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DAINTY	220 Volts
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DARING (LDR)	220 Volts
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DECOY	115 Volts D.C. 440 Volts A.C.
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DEFENDER	220 Volts
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DELIGHT	220 Volts
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DIAMOND (LDR)	115 Volts D.C. 440 A.C.
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DIANA	115 Volts D.C. 440 A.C.
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DUCHESS	115 Volts D.C. 440 A.C.
1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

DUNKIRK	220 Volts
1. Main Office	601. 602E. 605(M/F) 89Q. 87M. 86M. TBS. TA/3. TC. CDC/4 CDF. CDU. FM12. FH4/CDC. DTD. DWB. BBy. EL. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS. TBS. TF DQB. BBu.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. ACE. APH/2. APU/2 AWA/2
5. Miscellaneous	TON. OC/6. OA/2 OF.

ESKIMO — 220 Volts

1. Main Office	TBL-12. 60EMR. TCS-10. TCS-12. TBS-5. 86M. 87M. TA. TC. TF/3. CBB. CDC/5. CDF. CDU. FM7. DTC. EE. GJ. KBE.
2. Second Office or Emergency Position	60EMR. TBS-6. CBB. CDC. CDF. FH4. TF. DQB.
3. Chart House	DAS-1. QH3.
4. Aerial Outfits	AOC. APH. APU. ARD/2. ARH.
5. Miscellaneous	53. 67. OF.

FAME — 110 Volts

1. Main Office	89M. 4TA. HT11A. TCS. TV5. TBS-4. TA. TC. TF. 86M. CBB. CDC/3. CDF. FM7. FH4/CDC. DRB. EG. GN. KBF.
2. Second Office or Emergency Position	TCS. BBu
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. OF.

FINISTERRE — 220 Volts

1. Main Office	TAJ-14. TBK-9. 60EQR. 60FR. TCS. TBS-4. 86M. TA/3. TC. TF. CDC/4. CDF. FM12. DTC. BBq. BBl. EE. EG. GN. GR. KBF.
2. Second Office or Emergency Position	TCS-12. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	67/2. OF. TOM.

GABBARD — 220 Volts

1. Main Office	TAJ. TBK. 60FV. 60EQR. 86M. 87M. TBS. TA/2. TC. CDC/4. CDF. CDU. FM12. DTD. DWB. BBz. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E). BBu. TF. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH/2. APU/2. AWA/2.
5. Miscellaneous	OF.

GRAVELINES — 220 Volts

1. Main Office	TAJ-15. TBK. 60EQR. 60FR. TBS-4. 86M. TA/3. TC. CDC/4. CDF. FM12. DTC. DWB. BBz. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS-6. BBu. TF. TBS-4. DQB.
3. Chart House	DAS-2
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ~~. AWA/2.
5. MMscellaneous	67/2. OF.

GRENVILLE (LDR.) — 220 Volts

1. Main Office	TBL-12. 4TA. TCS-6. TCS-10. TBS-2. 86M. TA/2. TC. CBB. CDC/3. CDF. FM7. FH4/CDC. DRB. EE. GJ. KBF.
2. Second Office or Emergency Position	60ER. CBB. CDC. CDF. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ~~.
5. Miscellaneous	53/2. OF.

HOGUE — 220 Volts

1. Main Office	TAJ-14, TBK-10. 60EQR. 60FR. HT11A. TBS-4. 86M. TA/3. TC. TF. CBB. CDC/5. CDF. FM12. DTC. BBq. BBl. EG. GN. GR. KBF.
2. Second Office or Emergency Position	TCS-6. BBu. TBS-7. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. OF.

HOTSPUR — 110 Volts

1. Main Office	89. 4TA. HT11A. TV5. TBS. 86M. TA. TC. TF. CBB. CDC/3. CDF. FM7. DRD. EG. GR. KBF.
2. Second Office or Emergency Position	FH3/CDC. TCS. DQB.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2.

JAVELIN — 220 Volts

1. Main Office	49MR. 52FH. HT11A. TCS. TBS. 86M. TA. TC. TF. CAB. CBB. CDC/3. CDF. FM7. FH4. DRB. EE. GH.
2. Second Office Or Emergency Position	R.A.F. G.P.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. AQJ.
5. Miscellaneous	67/2. OF.

JERVIS — 220 Volts

1. Main Office	TAJ-16, TBK-18. 60EQR. 60FR. HT11. TBS-6. 86M. TA/3. TC. TF. CDC/6. CDF. FM12. DTC. DWB. BBq. BB1. EE. GR. KCK.
2. Second Office or Emergency Position	60EQR. TBS-6. CDC. CDF. FH4/CDC. TA. DWB. BBq.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC. APH. APU.
5. Miscellaneous	52ERT. OF.

JUTLAND — 220 Volts

1. Main Office	601. 602E. 605(M/F). 89Q. 87M. 86M. TBS. TA/3. TC. CDC/4. CDF. CDU. FM12. DQF. DWB. BBy. EL. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TBS. TCS. TF. BCe. ~~RU4.~~
3. A.I.C.	DAS-2. QH3.
4. Aerial Outfits	AOD. ANZ. APH. APU/2. AWA/2. ACE. ~~AHD.~~
5. Miscellaneous	67/2. TEB. TON. OF.

KELVIN — 220 Volts

1. Main Office	49MR. 52FH. HT11A. TCS-10. TBS-4. 86. TA. TC. TF. CAB. CBB. CDC/2. RBK-7. FM12. FH4/CDC. DRB. DQB. EE. GJ.
2. Second Office or Emergency Position	R.A.F.G.P.
3. Chart House	QH3.
4. Aerial Outfits	AOD. APH. ARD(mod.). AQJ.
5. Miscellaneous	53. 67/3.

KEMPENFELT (LDR.) — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11. TCS-10. TBS-4. 86M. TA/2. TC. CAB. CBB. CDC/5. FM12. FH4/CDC. DRD. EE. GJ. KBE.
2. SECond Office or Emergency Position	60EQR. TBS-5. CBB. CDC. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2.
5. Miscellaneous	53. 66. 67. OF.

KIMBERLEY — 220 Volts

1. Main Office	49MR. 52FH. TV5. 86M. TA. TC. TF. AR88. CAB. CBB. CDC. CDF. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	AOD. ARD/2.
5. Miscellaneous	67/2.

LAGOS — 220 Volts

1. Main Office	TAJ-15. TBK. 60EQR. 60FR. TBS-4. 86M. TA/3. TC. TF. CDC/5. CDF. FM12. HT11A. DTC. DWB. BBq. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS-6. BBu. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. OF.

LOOKOUT

220 Volts

1. Main Office	49MR. TCS. TBS. 86M. TA/2. TC. AR88. CAB. CBB. CDC. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU. AQJ.
5. Miscellaneous	53. 67/2.

MARNE

220 Volts

1. Main Office	49MR. TCS-10. TBS. 86M. TA. TC. AR88. CAB. CBB. CDC/2. CDF. FM7. DRB. EE. GN.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. SCR609.

MATAPAN

220 Volts

1. Main Office	601. 602E. 605(M/F). 89Q. 87M. 86M. TBS. CDW/5. CDY/3. CDU. FM12. EL. KCL. KCU. DQF. DWB. BBy. TC. TA/3. GN. GR.
2. Second Office or Emergency Position	TBS. APU.
3. "Y" Office	
4. Chart House	DAS-2. QH3.
5. Aerial Outfits	AOD. ANZ. APH. APU. AWA/2. ACE.
6. Miscellaneous	TON. OC/4. OA/2. OF.

MATCHLESS — 220 Volts

1. Main Office	49MR. HT11A TCS.(F). TBS. 86M. TA. TC. TF/2. HRO. RBJ. CDC. CDF. CBB. FM7. FH4/CDC. DRB. AR36 KFD KCS EE. GJ. KBF.
2. Second Office or Emergency Position	R.A.F. GP. H/F D/F office.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. OF.

METEOR — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA. TC. CAB. CBB. CDC/2. CDF. FM7. DRB. EE. GJ. KBE.
2. Second Office or EmergencynPosition	TCS. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67.

MILNE (LDR.) — 220 Volts

1. Main Office	49MR. HT11. TCS-10. TBS-4. 86M. TA. TC. TF. AR88. CBA. CDC/3. CDF/2. FM12. FH4/CDC. DRB. EE. GJ. KBF.
2. Second Office or Emergency Position	60EQR. CAB. R.I.S.(5.).
3. Chart House	DAS-1.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	53/2. 67/2. OF.

MUSKETEER — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DRB. EE. GJ. GR. KBF.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	66. 67/2.

MYNGS (LDR.) — 220 Volts

1. Main Office	TBL-12. 60EQR. TCS-10. TBS-4. 86M. TA/3. TC. TF/2. CBB. CDC/6. CDF. FM12. FH4. DTC. BBq. EG. GN. GR. KBE. KCU.
2. Second Office or Emergency Position	TCS. TBS. CDC. CDF. TA. DQB. BBh.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	52ERT. 53. 67/2. OF.

NAPIER (LDR.) — 220 Volts

1. Main Office	49MR. 60E. TCS-10. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. RBJ/3. FM7. DL. EE. GJ.
2. Second Office or Emergency Position	60FV. TBS. CDC. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2.
5. Miscellaneous	53. 67/2. OF.

NEPAL — 220 Volts

1. Main Office	49MR. HT11A. TBS-4. TCS. 86M. TA/2. TC. CAA/2. CDC/3. RBJ. FM7. FH3/CDC. DRB. EE. GJ.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	53. 67/2.

NIZAM — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA. TC. CBB. CDC/4. CDF. RBJ. FM12. DRB. EE. GJ.
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/3.

NOBLE (ex PIORUN - POLISH) — 220 Volts

1. Main Office	49MR. TBS. HT11A. TCS/2. TA/2. TC. TF. CAB. CDC/2. CBB. FM7. EG. GJ. FH3/CDC. DTC. KBF.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	
4. Aerial Outfits	AOC. APU. ARD.
5. Miscellaneous	

NORMAN — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA. TC. CAA/2. CBB. CDC/4. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. ARD.
5. Miscellaneous	53. OF.

NUBIAN — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA. TC. TF. AR88. CBB. CDC/2. CDF/2. FM12. FH4/CDC. DRB. EE. GJ. KBF.
2. Second Office or Emergency Position	60EMR. CAB. CBB. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ARH.
5. Miscellaneous	53/2. 67. TBY-7. OF.

OBDURATE — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA/3. TC. CAA/2. CDC/3. CBB. FM7. FH4/CDC. DRD. BBd. EE. GJ. KCS.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/3. OF.

OBEDIENT — 220 Volts

1. Main Office	49MR. HT11A. TCS10/2. TBS-6. 86M. TA/2. TC. TF. CAA. CBB. CDC/3. CDF. FM7. FH4/CDC. DRB. BBq. EE. GJ. KCS. KCL.
2. Second Office or Emergency Position	R.A.F. GP. BBu.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. APH. APU. ~~ARH.~~ ACE. ~~AQJ.~~
5. Miscellaneous	67/2. OF.

OFFA — 220 Volts

1. Main Office	49MR. HT11A. TCS-10. TBS-5. 86M. TA/2. TC. TF. CBB. CDC/3. FM7. FH4/CDC. DRD. BBq. EE. GN. GR. KBF.
2. Second Office or Emergency Position	R.A.F. GP. BBu.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. APH. APR. ACE.
5. Miscellaneous	67/2. OF.

ONSLAUGHT — 220 Volts

1. Main Office	49MR. HT11A. TCS-10/2. TBS-4. TBS-7. 86M. TA. TC. TF. AR88. CBB. CDC/3. CDF. FM7. FH4/CDC. DRB. BBq. EE. GJ. KCL.
2. Second Ofcie or Emergency Position	R.A.F. GP.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	ACE. AOD. APH. APU/2.
5. Miscellaneous	67/2. OF.

H.M.P.S. Tippu Sultan.

ONSLOW (LDR.) 220 Volts

1. Main Office	49MR. TV5. TCS-10. TBS-5. 86M. TA. TC. CAA. CBB. CDC/3. FM7. DRB. BBq. EE. GJ. KBF.
2. Second Office or Emergency Position	60EM. TBS-7. CBB. CDC. FH3/CDC. BBr.
3. Chart House	DAS-2. QH2.
4. Aerial Outfits	ACE. AOC. APU/2. ARD.
5. Miscellaneous	52ERT. 53/2. 67/3. OF.

OPPORTUNE 220 Volts

1. Main Office	49MR. HT11A. TCS-10. TBS-4. 86M. TA. TC. TF. CBB. CDC/3. CDF. FM7. FH4/CDC. DRD. EE. GJ. KBF.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	ACE. AOD. APH. APU.
5. Miscellaneous	67/3. OB/6. OF.

ORWELL 220 Volts

1. Main Office	49MR. TCS-10/2. TBS-4. 86M. TB/2. TC. CBB. CDC/3. CDF. FM7. DRD. EG. EL GJ. KCL.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	ACE. AOD. APR. ARD.
5. Miscellaneous	67/2. OF.

PALADIN — 220 Volts

1. Main Office	49MR. TV5. TCS-10. TBS-4. 86M. TA. TB. TC. AR88/2. CBB. CDC/3. CDF. FM7. FH4/CDC. DRB. EE. GJ.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD.
5. Miscellaneous	53. 67/2. TBY.

PENN — 220 Volts

1. Main Office	49MR. TCS-10. TBS/2. 86M. TA. TC. CAA. CBB. CDC/6. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	
4. Aerial Outfits	AOD. APU. ARD.
6. Miscellaneous	67.

PETARD — 220 Volts

1. Main Office	49MR. HT11A. TCS-10. TBS-6. 86M. TA. TC. CAB. CBB. CDC/3. CDF. FM7. FH4/CDC. DRB. EE. GN. GR.
2. Second Office or Emergency Position	R.A.F. GP.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AOJ~~.
5. Miscellaneous	67/2. OF.

RACEHORSE — 220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA/2. TC. CAB. CBB. CDC/3. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APU. ARD.
5. Miscellaneous	53. 67/2.

~~RAIDER~~ Rana (R.I.N.) — 220 Volts

1. Main Office	49MR. TCS. TBS-4/2. 87M. TA. TC. DTC. CDF. CDC/3. FM7. FH3/CDC. CDU EL. GJ.
2. Plot	CDU.
3. Second Office or Emergency Position	
4. Chart House	
5. Aerial Outfits	AOD. APU/2. APH.
6. Miscellaneous	67/2.

RAPID — 220 Volts

1. Main Office	49MR. TCS-6. TBS-5. 86M. TA/2. TC. CBB. CDC/4. CDF. FM7. FH4. DJB. DRB. EE. GJ. KBF.
2. Second Office or Emergency Position	TCS-10. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. TBY. OF.

Ranjit (R.I.N.).

~~REDOUBT~~

220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA/2. TC. CAA. CBB. CDC/4. RBJ. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	TBS.
4. Aerial Outfits	AOD. APH. APU/2.
5. Miscellaneous	67/2. TBY.

RELENTLESS

220 Volts

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

ROCKET

220 Volts

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA/2. TC. CAB. CBB. CDC/3. FM12. DRB. EE. GJ.
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	

ROEBUCK — 220 Volts

1. Main Office	TBL. TBS. 86M. TA/2. TC. CAA. CAB. CBB. CDC/3. FM7. DRB. EE. GH.
2. Second Office or Emergency Position	
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	OF.

~~ROTHERHAM~~ Rajput (R.I.N.) (LDR.) — 220 Volts

1. Main Office	49MR. TCS-10. TBS. 86M. TA. TC. CDC/5. CBB. FM7. DRB. BBr. EE. GN.
2. Second Office or Emergency Position	60EMR. CBB. CDC. BBr. TA.
3. Chart House	
4. Aerial Outfits	AOD. ARD. APU.
5. Miscellaneous	67/2. ARMY22. TBY.

ST. JAMES — 220 Volts

1. Main Office	601. 602E. 605.(less H/F) 89Q. 87M. 86M. TBS. TA/3. TC. CDC/4. CDF. CDU. FM12. DTD. DWB. BBy. EL. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(12V.) TBS. TF. DQB. BBu.
3. Chart House	DAS-2.
3. Aerial Outfits	AOD. APH/2. APU/2. AWA/2.
5. Miscellaneous	OC/5. OA/2. OF.

ST. KITTS — 220 Volts

1. Main Office	TAJ-15. TBK. 6CEQR. 6OFR. TBS. 86M. 87M. TA/2. TC. TF. CDC/4. CDF. CDU. FM12. DTC. DWB. BBz. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS. BBu. TF. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	ACD. APH/2. APU/2. ~~AQJ.~~ AWA/2
5. Miscellaneous	OF.

SAINTES (Ldr) — 220 Volts

1. Main Office	TAJ. TBK. 6CEQR. 6OFR. TBS. 86M. 87M. TA/3. TC. CDU. CDC/5. CDF. FM12. DTC. DWB. BBz. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS(E). BBu. CDC. CDF. TF. TBS. DQB.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC. APH APU/3. ~~AQJ.~~ ACD.
5. Miscellaneous	52ERT. 53/2. 67/2. OF.

SAUMAREZ (Ldr) — 220 Volts

1. Main Office	49MR. TCS-6. TCS-10. TBS-4. 86M. TA. TC. AR88/2. CDC/3. CDF. FM12. FH4. DTC. EE. GN. KBF.
2. Second Office or Emergency Position	TCS-12. TBS-6. AR88. CDC. DHD.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2 ~~AQJ.~~
5. Miscellaneous	53. 66/2. TBY/2. 67. OF.

SAVAGE — 220 Volts

1. Main Office	49MR. TCS-10/2. TBS-4. 86M. TA/2. TC. CBB. CDC/3. CDF. FM7. DRB. EE. GJ. KBF.
2. Second Office or Emergency Position	TCS-12. BBu.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. APH. APU. ACE.
5. Miscellaneous	53. 67/2. OF.

SCORPION (ex TOMAHAWK) — 220 Volts

1. Main Office	601. 602E. 605. 89Q. 86M. TBS-7. TA/3. TC. CDW/6. CDY/3. FM12. GN. EL. KHC. DQF. DWB. BBy.
2. 87M. Office	87M/2. CDU/2.
3. Second Office or Emergency Position	TBS-7. CDW. CDY. BBn. TF.
4. Chart House	DAS-2.
5. Aerial Outfits	AOC. APU/2. AWA/2. APH/3. ~~AHA/2~~. ~~AQA~~. ~~ANE~~.
6. Miscellaneous	66/2. 67/4. 52ERT. TOM. TEB. OC/5. OA/2. OF.

SLUYS — 220 Volts

1. Main Office	TAJ-15. TBK. 60FR. 60EQR. 87M. 86M. TBS-7. TA/3. TC. CDC/4. CDF. CDU. FM12. DTC. DWB. BBz. EE. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS-13. BBu. TF. TBS-7. DQB.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	ACE. AOD. APH/2. APU/2. AWA/2. (One wired for replacement by AWB.)
5. Miscellaneous	. CDC(spare) 67/2. OF.

TBK ?

SOLEBAY (Ldr) — 220 Volts

1. Main Office	TAJ-15. TBM-9. 60EQR. 60FR. HT11A. TBS-6. 87M. 86M. TA/3. TC. TF. CBB. CDC/6. CDF. FM12. KCU. KCK. DTC. BBq. BB1. EE. EG. GN. GR. KBE.
2. Second Office or Emergency Position	TBS-6. 60EQR. CBB. CDC. TA. DQB. BBr.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC APH/2. APU/2. ~~AQJ~~. ACE.
5. Miscellaneous	52ERT. 67/2. TOM. TEA. OF.

TARTAR — 220 Volts

1. Main Office	49MR. TCS-10/2. TBS-4. TBS-7. 86M. TA. TC. TF. AR88/3. CBB. CDC/2. FM7. DRB. EE. GH. KBF. KCS.
2. Second Office or Emergency Position	60EMR. CDC/2. CDF. FH4. TA. DL.
3. Chart House	
4. Aerial Outfits	AOC. APH. APU/2. AQJ.
5. Miscellaneous	53. 67/3. TBY.

TEAZER — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TBS-5. TBS-6. 86M. TA/2. TC. TF. CAB. CBB. CDC/3. FM12. FH4/CDC. DTC. BBq. EE. GJ. KBF.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	
4. Aerial Outfits	AOD. ARD. ARD(mcd). ~~AQJ~~.
5. Miscellaneous	66/2.

TENACIOUS — 220 Volts

1. Main Office	TBL-12. TCS-10. 60EQR. TBS-6. TBS-4. 86M. TA/2. TC. ~~CAB.~~ CBB. CDC/3. FM12. DRB. CDF BBq KBF EE. GJ.
2. Second Office or Emergency Position	TCS-2. BBu.
3. Chart House	DAS-2. OF.
4. Aerial Outfits	AOD. ~~ARD.~~ ~~APU/2.~~ ~~AQJ.~~ ARU/2 APH OB/6
5. Miscellaneous	67/2. OF.

Eqt. vide R1219/50. As fitted at 16/12/49.

TERMAGANT — 220 Volts

1. Main Office	TBL-12. 4TA. 60FV. HT11A. TCS-12. TBS-5. TBS-6 86M. TA/2. TC. TF. AR88. CAB. CBB. CDC/2. FM12. DTC. BBq. EE. GJ. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH/2. ~~AQJ.~~
5. Miscellaneous	66 67. OF.

TERPSICHORE — 220 Volts

1. Main Office	TBL-12. 4TA. HT11A. TCS-10. TBS-4. 86M. TA/2. TC. TF. AR88. CAB. CBB. CDC/3. FH4/CDC. DTC. EE, GJ. KBF.
2. Second Office or Emergency Position	R.A.F.GP. TBS-7
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APU/2. ARD/2. ~~AQJ.~~
5. Miscellaneous	OA/4 OF.

TRAFALGAR (Ldr) — 220 Volts

1. Main Office	TAJ-11. TBK-10. 60EQR. 60FR. HT11A. TBS-4. TBS-6 86M. TA/3. TC. TF. CBB. CDC/6. CDF. FM12. DTC. BBq. EG. GN. KBE.
2. Second Office or Emergency Position	60EQR. CBB. CDC. TA. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ARD. ~~AQJ.~~
5. Miscellaneous	52ERT. 66/2. 67/2. TEB. OF.

TROUBRIDGE (Ldr.) — 220 Volts

1. Main Office	49MR. HT11. TCS/2. TBS-4. 86M. 87M TA/2. TC. CBB. CDC/5. CDF/2. FM7. FH4. DRB. CDU. EE. GJ.
2. Second Office or Emergency Position	60EMR. TBS-4. CBA. CDC. TA.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	53/2. 67/2. OF.

TUMULT — 220 Volts

1. Main Office	49MR. HT11A. TCS-10. TBS-4. 86M. TA/2. TC. AR88. CAA. CAB. CBB. CDC. FM7. FH4/CDC. DTC. EE. GJ.
2. Second Office or Emergency Position	TCS-6. TBS-7. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD. ~~AQJ.~~
5. Miscellaneous	53. 67/2.

TUSCAN — 220 Volts

1. Main Office	HT11A. TCS-12. TBS-6 86M. TA/2. TC. AR88. CAA/2. CBB. CDC/2. FM7. FH3/CDC. DTC. EE. GR. GJ.
2. Second Office or Emergency Position	
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	67/2. OF.

TYRIAN — 220 Volts

1. Main Office	TBL-12. 60EQR. TV5. TCS-10. TBS-6. 86M. TA/2. TC. AR88. CBB. CDC/3. CDF/2. FM7. DTC. EE. GJ.
2. Second Office or Emergency Position	TCS-13. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	53. 67/2. OF.

ULSTER — 220 Volts

1. Main Office	TBL-13. 60FR. 60EQR. 86M. TBS. 87M. TBS. TA/2 TC. CDC/3. CDF. CDU. FM12. DTD. BBz. EL. GN. GR. KCL. KCU.
2. Emergency Position	TCS. BBw. TBS.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH/2. APU/2
5. Miscellaneous	OF.

ULYSSES — 220 Volts

1. Main Office	TBL-12. 4TA. HT11A. TCS-2. TBS-4. TBS-5. 86M. TA/2. TC. TF. CAA. CBB. CDC/4. FM12. DRB. EG. GJ. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APU/2. ARD. ~~AQA.~~
5. Miscellaneous	OF.

UNDAUNTED — 220 Volts

1. Main Office	TBL-12. 4TA. 60FV. TV5. TCS. TBS/2. 86M. TA/2. TC. CAB. CDC/3. FM12. DRD. EE. GJ. KBE.
2. Second Office or Emergency Position	TCS-10. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	67/2.

UNDINE — 220 Volts

1. Main Office	TBL-12.4TA. TCS-10/2. TBS-4. TBS-5. 86M. TA/2. TC. CDC/3. FM12. DRD. EG. GJ. KBF.
2. Second Office or Emergency Position	R.A.F.G.P.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH/2. APU/2.
5. Miscellaneous	TBY. OF.

URANIA — 220 Volts

1. Main Office	TBL-12. 4TA. HT11. TCS. TBS. 86M. TA/2. TC. CBB. CDC/4. DR136. FM12. FH4/CDC. DRD. EE. GJ.
2. Second Office or Emergency Position	R.A.F.GP.
3. Chart House	DAS-2.
4 Aerial Outfits	AOD. ARD/2. ~~AQJ~~.
5. Miscellaneous	OF.

URCHIN — 220 Volts

1. Main Office	TBL-12. 4TA. HT11A. TCS. TBS/2. 86M/2. 60FV. TA/2. TC. CAB. CBB. CDC/3. FM12. DRD. EE. GJ. KBF.
2. Second Office or Emergency Position	R.A.F.GP.
3. Chart House	DAS. QH3.
4. Aerial Outfits	ACE. AOD. APH/2. APU/2. ~~AQJ~~.
5. Miscellaneous	OF.

URSA — 220 Volts

1. Main Office	TBL-12. 60EQR. TCS-2. TCS-10. TBS-4. 86M. TA/2. TC. TF. CAB. CBB. CDC/3. FM12. FH4/CDC. DRD. EG. GJ. KBE.
2. Second Office or Emergency Position	TCS-12. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	67/2. OF.

VENUS — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TCS-10. TBS-4. TBS-5. HT11. 86M. 87M. TA/2. TC. CBB. CDC/4. CDF. P38. FM12. FH4/CDC. DQB. DRB. EE. GJ. KBE.
2. Second Office or Emergency Position	TCS-12. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH/2. ARD/2.
5. Miscellaneous	TBY-8/2. OF.

VERULAM — 220 Volts

1. Main Office	TBL-12. 60EQR 87M. TCS-2. TCS-10. TBS-4. TBS-5. 86M. TA/2. TC. CBB. CDC/4. CDF. FM12. FH4/CDC. DRB. BBq. EE. GJ. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. TBY-8. OF.

VIGILANT — 220 Volts

1. Main Office	TBL-12. 4TA. 60FV. TV5. TCS-10. TBS-5. TBS-6 86M. TA/2. TC. CAA. CBB. CDC/4. FM12. FH4/CDC. DRB. DTC. BBz. EE. GN. GR. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APU/2. APH.
5. Miscellaneous	TBY-8. OF.

VIGO	220 Volts
1. Main Office	601. 602E. 605(M/F) 89Q. 87M. 86M. TBS. TA/3. TC. CDC/4 CDF. CDU. FM12 TF DTD. DWB. BBy. EL. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS. TBS. DQB. BBu.
3. Chart House	DAS-2
4. Aerial Outfits	AOD. APH/2. APU/2.
5. Miscellaneous	OA/2. OC/7. OF.

VIRAGO	220 Volts
1. Main Office	TBL-12. 60EQR. TCS-2. TCS-10. TBS/2. HT11. 87M. 86M. TA/2. TC. CBB. CDC/4. CDF. P38. FM12. FH4/CDC. DTC. EE. GJ. GR.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH/2. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. TBY/2. OF.

VOLAGE	220 Volts
1. Main Office	TBL-12. 60EQR. 60FV. TCS. TBS/2. 86M. 87M. TA/2. TC. CBB. CDC/3. CDF. CDU. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Second Office or Emergency Position	TCS-5. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH/2. APU/2.
5. Miscellaneous	66. 67/2. TBY/2.

WAGER — 220 Volts

1. Main Office	TBL-12. 4TA. 6OFR. TCS-10. TBS-4. 86M. TA/2. TC. TF. CAB. CBB. CDC/3. FM12. DTC. EG. GN. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	
4. Aerial Outfits	AOD. ARD. ARD mod.
5. Miscellaneous	67/2.

WAKEFUL — Volts

1. Main Office	TBL-12. 4TA. HT11A. TCS-2. TBS-3. 86M. TA/3. TC. CBB. CDC/3. FM12. FH4/CDC. DRD. BBq. EG. GJ.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. ARD/2.
5. Miscellaneous	67/2. OF.

WESSEX — 220 Volts

1. Main Office	TBL-12. 6OEQR. 6OFR. HT11. TBS-5. 86M. TA/2. TC. TF. CBB. CDC/4. CDF. FM12. DRD. BBq. EG. GN. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD.
5. Miscellaneous	67/2.

WHELP — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11. TCS-10. TBS-4. 86M. TA/2. TC. TF. CAB. CBB. CDC/3. FM12. FH4/CDC. DTC. BBq. EG. GN. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. APR
5. Miscellaneous	67/2.

WHIRLWIND — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11. TBS-4. 86M. TA/2. TC. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN. KBF.
2. Second Office or Emergency Position	TCS-2. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD.
5. Miscellaneous	66/2. 67/2.

WIZARD — 220 Volts

1. Main Office	TBL-12. 4TA. 60FV. TBS-4. TBS-5. 86M. TA/2. TC. CAB. CBB. CDC/3. FM12. /CDC. DRD. BBq. EG. GJ. KBE.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. APH. APU/2. ACE.
5. Miscellaneous	67/2. OF.

WRANGLER — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11. TBS. 86M. TA/2. TC. TF. CBB. CDC/4. CDF. FM12. FH4/CDC. DRD. BBq. EG. GN. KBE.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD.
5. Miscellaneous	67/2

ZAMBESI — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FVR. TBS-4. 86M. TA. TC. TF. CBB. CDC/4. CDF. FM12. DRD. BBq. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS-9. BBu. TBS-7. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. OD.

ZEALOUS — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FV. TBS-5. 86M.TA/2. TC. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN. GR. KCL. KCU.
2. Second Office or Emergency Position	TCS. BBu. TBS-7. DQB.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQA.~~ ~~AQJ.~~ ACE.
5. Miscellaneous	67/2. OF.

ZEBRA — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. TBS-4. 86M. TA/2. TC. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN. KBF. KCU.
2. Second Office or Emergency Position	TCS-6. BBu. TBS-7. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	66/2. 67/2. TED. OF.

ZENITH — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TBS-4. 86M TA/2. TC. TF. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN. KBF. KCU.
2. Second Office or Emergency Position	TCS-12. BBu. TBS-7. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	67/2. OF.

ZEPHYR (Ldr) — 220 Volts

1. Main Office	TBL-12. 60EQR. 60FR. HT11A. TBS-4. 86M. TA/2. TC. CDF. CBB. CDC/5. FM12. DRD. BBq. EG. GN. KCK.
2. Second Office or Emergency Position	TCS. TBS. CBB. CDC. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ.~~
5. Miscellaneous	52 ERT. 53/4. 66/2. OF.

ZEST	220 Volts
1. Main Office	TBL-12. 60EQR. 60FVR. TBS-4. 86M. TA/2. TC. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. G.J. KBF. KCU.
2. Second Office or Emergency Position	TCS-9. BBu. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ~~.
5. Miscellaneous	66/2. 67/2. OF.

ZODIAC	220 Volts
1. Main Office	TBL-12. 60EQR. 60FVR. TBS-4. 86M. TA/2. TC. TF. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN. KCL. KCU.
2. Second Office or Emergency Position	TCS-6. BBu. TBS. DQB.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. ~~AQJ~~.
5. Miscellaneous	66/2. 67/2. OB/5. OF.

FRIGATES

HUNTS

ALBRIGHTON — 220 Volts

1. Main Office	TBL-13. 4T. TCS-10. TCS-12. TBS-1. 86M. TA. TC. CDC/5. CDF. FM7. DRD. DWB. EG. GN. KCL. KCS.
2. Chart House	RBK-8.
3. Emergency Position	TCS-9. BBw.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	67/2. ~~QD~~.

ATHERSTONE — 220 Volts

1. Main Office	49MR. TV5. 86. TA. TC. CBB. CDC/2. CDF. AR88. FM7. DRB. EG GJ.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOD. ARD.
5. Miscellaneous	66/2. TBY.

AVONVALE — 220 Volts

1. Main Office	TBL-12. 60FV. 4TA. TCS. TBS-5. 86M. TA/3 TC. CBB. CDC/4. CDF. FM12. DRD. 60EQR. EG. GN. DTC.
2. Chart House	T1199.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	~~AOD~~. APH. ~~ARD~~ mod., ~~APH~~. ~~AQJ~~. APU.
5. Miscellaneous	~~QD~~. TCS6 (Aft Superstructure) KCM. US. Motor Gen replaced by AP5G450.
6. Equipment stowed in main W/T office.	DAS2. TBS RCUnit. TCS R.C.Unit. APW522 box. T1199. APBug3 Board. CRN66015 Aerial assembly.

REMOTE CONTROLS.
Type TBL-13 on key in W/T Office
Type 60EQR ditto & on Bridge
Type TBS Plat and Bridge
Type 86M " - "

BEAUFORT — 220 Volts

1. Main Office	TBL-13 60EQR. TV5. TBS. 68M. TA. TC. CAD. CBB. CDC/2. CDF. AR88. FM7. DRB. EG. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	67/2. ~~QD~~. OF.

BEDALE (ex SLAZAK. P.S.).	220 Volts
1. Main Office	49MR. TCS-10/2. TBS-6 86. TA/2. TC. CAB. CBB. CDC/2. FM7. DRB. GJ. EE.
2. Chart House	
3. Emergency Position	RAF. GP.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	67/2. ~~QD~~

BELVOIR	220 Volts
1. Main Office	TBL-13. 60EQR. TCS-10. TBS. 86M TA. TC. CBB. CDC/4. CDF. FM7. DTC. DWB. BBz. EG. GN. GR. KCL.
2. Chart House	DAS-2.
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. TBY. OF.

BICESTER	220 Volts
1. Main Office	49MR. TV5. TBS. 86M. TCS-10. TA. TC. CBB. CDC/3 FM7. CDF. DRB. GN. GR.
2. Chart House	QM(3) QH3.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APU. ARD ACE.
5. Miscellaneous	67/2. TBY.

BLACKMORE	220 Volts
1. Main Office	49MR. TCS-10. TV5. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM7. DQB. DRB. EG. GJ.
2. Chart House	DAS-2
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	TBY. ~~QD~~. OF.

	BLANKNEY	220 Volts
1. Main Office	TBL-13. 4T. TCS-10/2. TBS-6. 86M. TA. TC. CDC/5. CDF. FM12. DRB. EG. GN.	
2. Chart House	DAS-2	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOD. APH. APU.	
5. Miscellaneous	67/2. OF.	

	BLEASDALE	220 Volts
1. Main Office	49MR. TCS-10. TVS. TBS-5. 86. TA. TC. CBB. CDC/3. CDF. FM7. DRB. EG. GJ. GR.	
2. Chart House	DAS-2 QM(3). QH3.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOD. APH. APU. ARH. ACE. ~~AQJ.~~	
5. Miscellaneous	67/2. ~~QD.~~ OF.	

	BLENCATHRA	220 Volts
1. Main Office	49MR. TV5. TCS-10. TBS-5. 86. TA. TC. CAB. CBB. CDC/2. FM7. DRB. EE. GJ.	
2. Chart House	QH3.	
3. Emergency Position	R.A.F.GP.	
4. Aerial Outfits	AOD. APH. ARD. ~~AQJ.~~ ACE.	
5. Miscellaneous	67/2. T1199. ~~QD.~~	

	BRECON	220 Volts
1. Main Office	49MR. TV5. TBS-4 86M. TA. TC. AR88. CBB. CDC/2. CDF. FM7. DRB. EG. GJ.	
2. Chart House	DAS-2	
3. Emergency Position	TCS. BBu.	
4. Aerial Outfits	AOD. ARD. ARD mod. ARH. ~~AQJ.~~	
5. Miscellaneous	66. 67/2 ~~QD.~~ OF.	

BRISSENDEN — 220 Volts

1. Main Office	49MR. TCS-10/2. TBS-6. 86M. TA. TC. AR88/2. CDF. FMY. DRB. EG. GN.
2. Chart House	
3. Emergency Position	TCS-6
4. Aerial Outfits	AOD. APH. APU
5. Miscellaneous	67/2.

BROCKLESBY — 220 Volts

1. Main Office	49MR. TV5. 86M. TA. TC. CAB. CBB. CDC. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOD. ARD. ~~AOJ.~~
5. Miscellaneous	67/2. ~~OD.~~

CALPE — 220 Volts

1. Main Office	49MR. TCS-12. TV5. TBS-5. 86M. TA. TC. CBB. CDC. CDF. RBJ/2. FM7. DRB. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. OF.

CATTISTOCK — 220 Volts

1. Main Office	49MR. TCS-10. TV5. TBS-7. 86M. TA. TC. TF. CBB. CDC/3. CDF. FM12. DRB. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2.

CHIDDINGFOLD — 220 Volts

1. Main Office	49MR. TCS-12. TBS. 86M. TA. TC. CAB. CBB. CDC/2. AR88. RBK-5 FM7. DRB. GJ.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APU. ARD/2. ~~AQJ.~~
5. Miscellaneous.	67/2. ~~QD.~~ TBY.

CLEVELAND — 220 Volts

1. Main Office	49MR. TV5. TBS-4. 86M. TA. TC. TF. CAB. CBB. CDC/2. AR88. FM7. DRB. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. ARD. ARD mod. ~~AQJ.~~
5. Miscellaneous	67/2. ~~QD.~~

COTSWOLD — 220 Volts

1. Main Office	49MR. TCS-10. TV5. TBS-4 TA. TC. TF. CBB. CDC/3. CDF. FM7. DRB. EG. GJ.
2. Chart House	T1199. QH3.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. ~~AQJ.~~ APU. ARD. ACE.
5. Miscellaneous	67/2. ~~QD.~~

COTTESMORE — 220 Volts

1. Main Office	TBL-12. 4TA. TCS-10. TV5. TBS-6 86M. TB. TC. CAB. CBB. CDC/2. FM12. DRB. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP. BBu.
4. Aerial Outfits	AOD. APU. ARD.
5. Miscellaneous	67/2. TBY.

COWDRAY — 220 Volts

1. Main Office	TBL-12. 4TA. 60FR. TV5. TBS-4. 86M. TA/3. TC. CBB. CDC/4. CDF. FM12. DRD. EG. GN. GR.
2. Chart House.	DAS-2. T1199. QM(3) QH3.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~ ACE.
5. Miscellaneous	67/4. TBY. ~~QD.~~ OF.

CROOME — 220 Volts

1. Main Office	49MR. TV5. TBS-5. 86. TA. TC. CBB. CDC/3. CDF. FM7. DRB. EE.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. TBY-7.

EASTON — 220 Volts

1. Main Office	49MR. TCS-12. TBS-3 SCR-20 86. TA.TA. CAB. CBB. CDC/2. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APU. ARD. ARH. ~~AQJ.~~
5. Miscellaneous	67/2. ~~QD.~~

EGGESFORD — 220 Volts

1. Main Office	49MR. TV5. TBS-4. 86M. TA. TC. AR88. CAB. CBB. CDC. FM7. DRB. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOD. ARD. ARD mod.
5. Miscellaneous	66/2. 67/2. TBY. OF.

EGLINTON — 220 Volts

1. Main Office	TBL-12. TCS-10. 60EMR. TV5. TBS-4. 86. TA. TC. CAA. CBB. CDC/3. FM7. DRB. EE. GJ. GR.
2. Chart House	QH3. T1199.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APU. ARD. ~~AQJ.~~ ACE.
5. Miscellaneous	67/2. ~~QD.~~

EXMOOR — 220 Volts

1. Main Office	49MR. TV5. TBS-5. 86M. TA. TC. AR88/2. CBB. CDC. CDF. FM7. DRB. EF. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APU. ARD.
5. Miscellaneous	67/2. TBY.

FARNDALE — 220 Volts

1. Main Office	TBL-13. 60EMR. TCS-12. TV5. TBS-4. 86M. TA. TC. TF. AR88. CBB. CDC/2. CDF. FM7. DRB. EG. GN.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	67/2. TBY. ~~QD.~~ TEA.

FERNIE — 220 Volts

1. Main Office	49MR. TCS-10. TV5. TBS-6. 86M TA. TC. CBB. CDC/2. CDF. FM7 DRB. EE. GJ. GR. KCL. KCS.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2

GARTH — 220 Volts

1. Main Office	TBL-12. 60EMR. TCS-10. TV5. TBS-6. 86M. TA. TC. CBB. CDC/3. CDF. FM7. DRB. EE. GJ. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2. TBY-4.

HAMBLEDON — 220 Volts

1. Main Office	49MR. TCS-10. TV5. TBS-4. 86. TA. TC. TF. CAB. CBB. CDC/2. FM12. DRB. EG. GJ.
2. Chart House	T.1199. QH3.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APH. APU. ACE.
5. Miscellaneous	67/2.

HAYDON — 220 Volts

1. Main Office	TBL-13. 60ER. TCS-12. TCS-10. TBS-4. 86M. TA. TC. AR88/3. CBB. CDC. CDF. FM7. DTC. EE. GJ.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APH. APU. ARH. ~~AQJ~~.
5. Miscellaneous	TBY-7. ~~QD~~.

HOLDERNESS — 220 Volts

1. Main Office	49MR. TCS-10. TV5. TBS-5. 86 TB. TC. TF. CBB. CDC/3. CDF. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A. F.GP. BBu.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2.

LAMERTON — 220 Volts

1. Main Office	49MR. TCS-12. TV5. TBS-4. 86. TA. TC. AR88. CBB. CDC/2. FM7. DRB. GJ. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ~~.
5. Miscellaneous	67/2. ~~QD~~.

LEDBURY — 220 Volts

1. Main Office	49MR. TV5 86. TA. TC. AR88. CAB. CBB. RBJ/2. FM7. FV3. DRB. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APH. ~~AQJ~~
5. Miscellaneous	67/2. TBY. ~~QD~~.

LIDDESDALE — 220 Volts

1. Main Office	49MR. TV5. 86M. TA. TC. CAB. CBB. CDC/2. FM12. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APH.
5. Miscellaneous	

MELBREAK — 220 Volts

1. Main Office	49MR. TCS-10. TCS-12. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12 DRB. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6
4. Aerial Outfits	AOD. APH. APU. ARH. ~~AQJ~~.
5. Miscellaneous	67/2. ~~QD~~. OF.

MENDIP	220 Volts
1. Main Office	49MR. TCS-10. TV5. TBS-4. 86. TB. TC. CBB. CDC/3. CDF. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APU. ARD.
5. Miscellaneous	67/2.

MEYNELL	220 Volts
1. Main Office	49MR. TCS-10. TV5. TBS-6. 86M. TA. TC. CAB. CBB. CDC/2. FM12. DRB. EG. GJ. GR.
2. Chart House	
3. Emergency Position	TCS-13. BBu.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2.

MIDDLETON	220 Volts
1. Main Office	49MR. TCS-10. TV5. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APH. ~~AQJ.~~
5. Miscellaneous	67/2. ~~QD.~~

OAKLEY	220 Volts
1. Main Office	49MR. TCS-12. TV5. TBS-4. 86M. TA. TC. CAA. CAB. CBB. FM7. DRB. GJ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOD. APU. ARD. ARH. ~~AQJ.~~
5. Miscellaneous	67/2. ~~QD.~~

PYTCHLEY — 220 Volts

1. Main Office	49MR. TCS-10. TV5. TBS-7. 86. TA. TC. CAB. CBB. CDC/2. FM12. DRB. EG. GJ. GR.
2. Chart House	
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	67/2

QUANTOCK — 220 Volts

1. Main Office	49MR. TCS. TV5. TBS. 86M. TA. TC. CAB. CBB. CDC/2. AR88. DRB. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. ARD. ARD mod.
5. Miscellaneous	67/2. TBY. TR1196.

SILVERTON (es KRAKOWIAK. P.S.) — 220 Volts

1. Main Office	49MR. TV5. TBS-6. 86M. TA/2. TC. CBB. CDC. CDF. FM7. DRB. GN. EG.
2. Chart House	QH3.
3. Emergency Position	RAF. GP.
4. Aerial Outfits	AOD. APH. APU. ACE. ~~AQJ~~.
5. Miscellaneous	~~QD~~.

SOUTHDOWN — 220 Volts

1. Main Office	49MR. TCS. TV5. 86M. TA. TC. TF. CAA. CBB. CDC/2. FM7. DRB. EE. GJ.
2. Chart House	T1199. QH3.
3. Emergency Position	R.A.F. GP.
4. Aerial Outfits	AOD. ARD. ~~AQJ~~. ACE.
5. Miscellaneous	67/2. ~~QD~~.

STEVENSTONE — 220 Volts

1. Main Office	49MR. TCS-10/2. TBS. 60EQR. 86M. TA. TC. CBB CDC/2. CDF. FM7. DRB. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOD. APH. APU. ~~ARH~~.
5. Miscellaneous	66/2. OF.

TALYBONT — 220 Volts

1. Main Office	TBL. TCS-10. TCS. TBS-5. 86M. TA. TC. CAD. CBB. CDC/2. CDF. FM7. DRD. DWB. EE. GN.
2. Chart House	
3. Emergency Position	TCS. BBu
4. Aerial Outfits	AOD. APH. APU. ~~ARH~~. ~~AQJ~~.
5. Miscellaneous	67/2. ~~QD~~.

TETCOTT — 220 Volts

1. Main Office	89P. 60EMR. TCS-12. TBS-4. 86M. TB. TC. TF. AR88. CBB. CDC/2. CDF. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. ARD/2.
5. Miscellaneous	67/2

WHADDON — 220 Volts

1. Main Office	49M. TV5. TBS. 86. TA. TC. CAB. CBB. CDC/2. AR88. FM7. DRB. GJ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOD. APU. ~~AQJ~~. ARD.
5. Miscellaneous	~~QD~~.

WHEATLAND — 220 Volts

1. Main Office	49MR. TV5. TBS-4. 86M. TA. TC. AR88. CAB. CBB. CDC. FM7. DRB. EE. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. ARD. ARD mod. ~~ARH.~~ ~~AQJ.~~
5. Miscellaneous	67/2. ~~QD.~~

WILTON — 220 Volts

1. Main Office	49MR. TV5. TBS-4. 86M. TA. TC. AR88/2. CAA. CAD. CBB. CDC. FM7. FV3. DRB. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. APH. APU. ~~AQJ.~~
5. Miscellaneous	67/2. TBY. ~~QD.~~

ZETLAND — 220 Volts

1. Main Office	49MR. TCS-12. 86. TA. TC. CAB. CBB. CDC/2. FM7. FV3. DRB. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOD. ARD. ~~ARH.~~ ~~AQJ.~~
5. Miscellaneous	67/2. TBY-2. ~~QD.~~

FRIGATES — SLOOPS

A/A

ACTAEON — 220 Volts

1. Main Office	TBL-13. 60EQR. 87M. TBS. TA. TC. CDC/3. CDF. CDU/2. FM12. DTC. DWB. BBz. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS(E). BBw. TF.
4. Aerial Outfits	AOE. APH/2. APU.
5. Miscellaneous	67/2. TEB. TON. KCM. KCS. OF.

ALACRITY — 220 Volts

1. Main Office	89P. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-12. BBw.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53. 67/2. CDC. (for S.R.E.) OF.

AMETHYST — 220 Volts

1. Main Office	89M. 4TA. TCS-10. TBS. 86M. TA. TC. CBB. ~~89~~ CDC/3. CDF. FM12. DTC. BBq. EG. GJ. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-12. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	OF.

BLACK SWAN — 220 Volts

1. Main Office	89P. 4TA. TV5. TBS-4. TCS-6. 86M. TA. TC. CAA. CDC/5. CDF. FM7. DTC. BBq. EE. GD. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. ARD. ARD mod.
5. Miscellaneous	67/2. TBY-8/4. AVO. Valve Test Board. Avometer Megger

CRANE — 220 Volts

1. Main Office	89, 60EQR. TCS-6. TBS-4. 86M. TA. TC. CBB. CDC/4. CDF. FM7. DTC. BBq. EG. GJ. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-10. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TBY-2. TBY-8. OF.

CYGNET — 220 Volts

1. Main Office	TBL. TCS-10/2. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. ~~FVI~~. ~~QD~~. DRB. BBq. EG. GJ. GR.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS-9. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	67/2. TBY-4. OF.

FLAMINGO — 220 Volts

1. Main Office	89Q. 60EQR. 87M. 86M. TBS. TA. TC. CDC/3. CDF. CDU. FM12. DTC. DWB. BBz. EG. GN.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE. APH/2. APU.
5. Miscellaneous	OC/5.

FLEETWOOD — 220 Volts

1. Main Office	49. TV5. HT11A. TBS-4. 86. TA. TC. CAA. CBB. CDC/2. FM7. FH3/CDC. DQB/2. GD. EG.
2. Chart House	QH3.
3. Emergency Position	
4. Aerial Outfits	AOD. APH. APU. ACE.
5. Miscellaneous	67/2. TBY.

	HART	220 Volts
1. Main Office	89M. 4TA. TCS-10. TBS-6. 86M. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.	TA. TB.
2. Chart House	QH3. DAS-2.	
3. Emergency Position	R.A.F.GP.	
4. Aerial Outfits	AOE. APH. ARD. ACE.	
5. Miscellaneous	TBY. OF.	

	HIND	220 Volts
1. Main Office	89M. 4TA. TCS-10/2. TBS-3. 86M. CBB. CDC/3. CDF. FM12. ~~QD~~/RBK. DTC. BBq. EG. GN.	TA. TC.
2. Chart House	QH3.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APH. APU. ACE.	
5. Miscellaneous		

	MAGPIE	220 Volts
1. Main Office	89M. 60EQR. TCS-12. TV5. TBS-4. 86M. TA. TC. TF. CBB. CDC/3. CDF. AR88. FM12. DTC. BBq. EG. GN.	
2. Chart House	QH3. DAS-2.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APU. APU. ACE.	
5. Miscellaneous	53. 67/2. TBY-8. OF,	

	MERMAID	220 Volts
1. Main Office	TBL-12. 60EQR. TBS-4. 86M. CBB. CDC/3. CDF. FM12. DRD. BBq. EG. GN.	TA. TC.
2. Chart House	DAS-2.	
3. Emergency Position	TCS. BBu.	
4. Aerial Outfits	AOE. APH. ARD.	
5. Miscellaneous	53. 67/2. OF.	

HART		220 Volts
1. Main Office	89M. 4TA. TCS-10. TBS-6. 86M. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.	TA. TB.
2. Chart House	QH3. DAS-2.	
3. Emergency Position	R.A.F.GP.	
4. Aerial Outfits	AOE. APH. ARD. ACE.	
5. Miscellaneous	TBY. OF.	

HIND		220 Volts
1. Main Office	89M. 4TA. TCS-10/2. TBS-3. 86M. CBB. CDC/3. CDF. FM12. ~~QD~~/RBK. DTC. BBq. EG. GN.	TA. TC.
2. Chart House	QH3.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APH. APU. ACE.	
5. Miscellaneous		

MAGPIE		220 Volts
1. Main Office	89M. 60EQR. TCS-12. TV5. TBS-4. 86M. TA. TC. TF. CBB. CDC/3. CDF. AR88. FM12. DTC. BBq. EG. GN.	
2. Chart House	QH3. DAS-2.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APU. APU. ACE.	
5. Miscellaneous	53. 67/2. TBY-8. OF,	

MERMAID		220 Volts
1. Main Office	TBL-12. 60EQR. TBS-4. 86M. CBB. CDC/3. CDF. FM12. DRD. BBq. EG. GN.	TA. TC.
2. Chart House	DAS-2.	
3. Emergency Position	TCS. BBu.	
4. Aerial Outfits	AOE. APH. ARD.	
5. Miscellaneous	53. 67/2. OF.	

MODESTE	220 Volts
1. Main Office	TBL-12. 60EQR. TBS-5. 86M. TA. TC. CDC/3. CDF. FM12. DRD. DWB. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53. 67/2. KCM. KCS. OF.

NEREIDE	220 Volts
1. Main Office	TBL-12. 60EQR. TBS-4. 86M. TA. TC. CDC/3. CDF. FM12. DRD. DWB. BBz. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS(E). BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53. 67/2. TEB. TON. KCM. KCS. OF.

OPOSSUM	220 Volts
1. Main Office	89P. 60EQR. TBS-4. 86M. TA/4. TC. TF. CDC/3. CDF. FM12. DTC. DWB. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TEB. TON. OF.

PEACOCK	220 Volts
1. Main Office	89M. 60EQR. TCS-10. TBS. 86M. TA. TC. CDF. CBB. CDC/3. FM12. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53. 67/2. OF.

PELICAN — 220 Volts

1. Main Office	49. TCS-10/2. TGY-1. TBS-4. 86. CBA. CDC/3. CDF. FM7. DRB. GE.	TA. TC.
2. Chart House		
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APH. APU.	
5. Miscellaneous	67/2. TEB.	

PHEASANT — 220 Volts

1. Main Office	TBL-12. 60EMR. TV5. TCS. TBS. 86M. CAA. CBB. CDC/3. FM7. DRB. BBq. EG. GJ.	TA. TC.
2. Chart House	DAS-2.	
3. Emergency Position	R.A.F.GP.	
4. Aerial Outfits	AOE. APH. APU.	
5. Miscellaneous	53. 67/2. OF.	

REDPOLE — 220 Volts

1. Main Office	89. TV5. 4TA. TBS. 86M. CAB. CBB. CDC/2. FM7. FH3. /CDC. DTC. BBq. E.G. GJ.	TA. TC.
2. Chart House	QH3. DAS-1.	
3. Emergency Position	TCS. BBu.	
4. Aerial Outfits	AOE. APH. APU. ACE.	
5. Miscellaneous	OF.	

SNIPE — 220 Volts

1. Main Office	TBL-13. 60EQR. 87M. TBS-7. CDC/3. CDF. CDU/2. FM12. DTC. DWB. BBz. EL. GN. GR.	TA. TC.
2. Chart House	DAS-2.	
3. Emergency Position	TCS-12. BBw.	
4. Aerial Outfits	AOE. APH/2. APU.	
5. Miscellaneous	67/2. KCM. KCS. TEB. TON. OC/5. OF. CDC [with S.R.E.]	

SPARROW	220 Volts
1. Main Office	TBL. 60EQR 87M TBS. TA. TC. CDC/3. CDF. CDU/2 FM12. DTC. DWB. BBz. EL.GN.GR.
2. Chart House	DAS-2
3. Emergency Position	TCS(E) BBu.
4. Aerial Outfits	AOE. APH/2. APU.
5. Miscellaneous	67/2 KCM. KCS. OC/7. OF.

STARLING	220 Volts
1. Main Office	89P. 60EQR. HT11. TBS-3. 86M. TA. TC. CBB. CDC/3. CDF. FM7. DTC. BBq. EG.GN.
2. Chart House	
3. Emergency Position	TCS-10. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

STORK	220 Volts
1. Main Office	TBL-7. 4TA. TV5. TCS-5. HT11A. 86M. TBS. TA. TC. CBB. CDC/3. CDF. 394G. FM7. DRB. EE. GJ. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU. ~~AQJ~~.
5. Miscellaneous	67/2. QD. OF.

WHIMBREL	220 Volts
1. Main Office	89P. 60EQR. HT11A. TBS-6. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DRB. BBq. EG. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-12. BBw.
4. Aerial Outfits	AOE. APU. ARD.
5. Miscellaneous	67/2. TBY. OF.

WILD GOOSE — 220 Volts

1. Main Office	89P. 60EQR. 86M. TBS-4. TA. TC. CBB. CDC/3. CDF. FM7. DTC. BBz. EG. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-9. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53. 67/2. OF.

WOODCOCK — 220 Volts

1. Main Office	49MR. HT11A. TCS/2. TBS-4. 86M. TA. TC. TF/2. CBB. CDC/3. CDF. FM7. ~~QD.~~ DRB. BBq. EE. GJ. GR.
2. Chart House	QH3.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	

WREN — 220 Volts

1. Main Office	TBL-12. 60EMR. TCS-10. HT11. TBS-3. 86M. TA. TC. CBB. CDC/3. CDF. FM7. DRB. BBq. EG. GJ. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-10.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	66/2. OF.

FRIGATES

"BAY" CLASS

BIGBURY BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS-4. 86M. TA.TE.TF CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TON. OF.

BURGHEAD BAY — 220 Volts

1. Main Office	89M. 60EMR. HT11A. TBS-4. 86M TA. TE. TF. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-12. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

CARDIGAN BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS-5. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APu.
5. Miscellaneous	67/2. TEB. TON. OF.

CARNARVON BAY — 220 Volts

1. Main Office	89P. 60EQR. HT11A. TBS. 86M TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

CAWSAND BAY	220 Volts
1. Main Office	89P. 60EQR. HT11A. TBS-7. 86M. TA. TE. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

ENARD BAY	220 Volts
1. Main Office	89M. 60EQR. HT11. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-12. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

LARGO BAY	220 Volts
1. Main Office	89M. 60EQR. HT11. TBS-4. 86M. TA. TE. CBB. CDC/3. CDF. FM12. DTC. BBq. BBw. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-13. BBu.
4. Aerial Outfits	AOE. APH. APU.
4. Miscellaneous	67/2. OF.

MORECAMBE BAY	220 Volts
1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

MOUNTS BAY — 220 Volts

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

PADSTOW BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TEB. TON. OF.

PORLOCK BAY — 220 Volts

1. Main Office	89P. 60EQR. HT11. TBS. 86M. TA. TE. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR. KCM. KCS.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	
5. Miscellaneous	OF

ST. AUSTELL BAY — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TC. TF. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

ST. BRIDE'S BAY — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	67/2.

START BAY — 220 Volts

1. Main Office	89P. 60EQR. HT11A. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. 66. OF.

TREMADOC BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS(E) BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

VERYAN BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS. 86M. TA. TF. CBB. CDC/5. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	
3. Emergency Position	TCS. BBw.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

WHITESAND BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	
3. Emergency Position	TCS-9. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

WIDEMOUTH BAY — 220 Volts

1. Main Office	89M. 60EQR. HT11. TBS-4. 86M. TA. TE. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

WIGTOWN BAY — 220 Volts

1. Main Office	89P. 60EQR. HT11A. TBS. 86M. TA. TE. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TON. OF.

FRIGATES

"LOCH" CLASS

LOCH ACHANALT — 220 Volts

1. Main Office	89. 6OEQR. TCS. TBS-5. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

LOCH ACHRAY — 220 Volts

1. Main Office	89M. 6OEQR. HT11A. TBS-5. 86M. TA. TC. CBB. CDC/4. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	67/2. TBY.

LOCH ALVIE — 220 Volts

1. Main Office	89. 6OEQR. TCS. TBS-5. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	OF.

LOCH ARKAIG — 220 Volts

1. Main Office	89M. 6OEQR. HT11A. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4. / CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TEB. OF.

LOCH CRAGGIE — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2
3. Emergency Position	TCS-6 BBu
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

LOCH DUNVEGAN — 220 Volts

1. Main Office	89M. 60EQR. TCS-10. TBS-4 86M. TA. TC. CBB. CDC/4. CDF. FM12. FH3./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	QH3.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	67/2.

LOCH ECK — 220 Volts

1. Main Office	89M. 60EQR. TCS-10. TBS-4. 86M. TA. TC CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH APU. ACE.
5. Miscellaneous	67/2. OF.

LOCH FADA — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-3. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH3./ CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-10. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

LOCH FYNE — 220 Volts

1. Main Office	89. 60EQR. HT11. TBS-5. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. ARD mcd. ACE.
5. Miscellaneous	OF.

LOCH GLENDHU — 220 Volts

TBL

1. Main Office	~~89M.~~ 60EQR. HT11A. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	OF.

LOCH GORM — 220 Volts

1. Main Office	89M. 60EQR. TCS-10. TBS-4. 86M. TA. TC. CBB. CDC/4. CDF. FM12. FH4X. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	67/2. OF.

LOCH INSH — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-5. 86M. TA. TE. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

LOCH KATRINE — 220 Volts

1. Main Office	89M. 6OEQR. TCS-6. TBS-5. 86M. TA. TC. CBB. CDC/4. CDF. FM12. FH4. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. ARD mod. ACE.
5. Miscellaneous	67/2. TBY. OF.

LOCH KILLIN — 220 Volts

1. Main Office	89M. 6OEQR. TV5. TBS-3. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH3./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	QH3. DAS-2.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOE. ARD. ANG. ACE.
5. Miscellaneous	67/2. OF.

LOCH KILLISPORT — 220 Volts

1. Main Office	89M. 6OEQR. HT11A. TBS-4. 86M. TA. TE. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

LOCH LOMOND — 220 Volts

1. Main Office	89. 6OEQR. TV5. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

LOCH MORE — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4. /CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2. QH3.
3. Emergency Position	TCS-10. BBu.
4. Aerial Outfits	AOE. APH. ARD mod. ACE.
5. Miscellaneous	67/2. TBY. OF. TEB.

LOCH MORLICH — 220 volts

1. Main Office	89M. 60EQR. TCS. TBS-4. 86M. TA. TE. CBB. CDC/3. CDF. FM12. FH3. / CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

LOCH QUOICH — 220 Volts

TBL

1. Main Office	89M. 60EQR. TCS-6. TBS-4. 86M. TA. TE. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	67/2. OF. 66.

LOCH RUTHVEN — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	67/2. OF.

LOCH SCAVAIG — 220 Volts

1. Main Office	89M. 6OEQR. TCS-12. TBS-4. 86M. TA TC. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

LOCH SHIN — 220 Volts

1. Main Office	89M. 6OEQR. TV5. TBS-4. 86M. TA. TE. CBB. CDC/4. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. ARD.(mod).
5. Miscellaneous	67/2. OF.

LOCH TARBERT — 220 Volts

1. Main Office	89M. 6OEQR. TCS. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4. / CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. ARD(mod).
5. Miscellaneous	

LOCH TRALAIG — 220 Volts

1. Main Office	89M. 6OEQR. TV5. TBS-4. 86M. TA. TC. CBB. CDC/4. CDF. FM12. FH4. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TEB. TON OF.

1. Main Office	89M. 60EQR. HT11A. TBS. 86M. TA. TE. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. BBl. EG. GN. GR,
2. Chart House	DAS-2.
3. Emergency Position	TCS(E) (12V.) BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TEB. TON. OC/7. OF.

FRIGATES

"RIVER" CLASS

AVON — 220 Volts

1. Main Office	89M. 4TA. HT11A. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH3./ CDC. DTC. BBq. EG.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE. APU. ARD.
5. Miscellaneous	TBY.

AWE — 220 Volts

1. Main Office	89M. 6OEQR. HT11. TBS/2. 86M. TA/2. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. ARD mod/2. APU/2.
5. Miscellaneous	67/2. OF.

BALINDERRY — 220 Volts

1. Main Office	89M. 4TA. TV5. TBS-4. 86M. TA. TC. CAD. CDC/3. CDF. FM12. FH4./ CDC. DRD. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

CHELMER — 220 Volts

1. Main Office	4TA. TV5. TBS-4. 86. CBB. CDC/3. TA. TC. CDF. FM12. FH3./CDC. DTC. BBq. EG. GR.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	TBY. 67/2. OF.

DART — 220 Volts

1. Main Office	49MR. TV5. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM7. DRB. BBq. EE. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

DERG — 220 Volts

1. Main Office	49MR. TV5. TBS-5. TA. TC. CAB. CBB. CDC/2. FM7. FH4. / CDC. DRB. BBq. EE. GJ.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	

DOVEY — 220 Volts

1. Main Office	89. 4TA. HT11. TA. TC. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GQ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE.
5. Miscellaneous	

ETTRICK — 220 Volts

1. Main Office	49MR. TV5. TBS-4. TA. TC. CAB. CBB. CDC/2. FM7. FH3. DRB. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE.
5. Miscellaneous	

EXE — 220 Volts

1. Main Office	89. 4TA. HT11A. TV5. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM7. FH4./CDC. DTC. BBq. EG. GJ. GR.
2. Chart House	
3. Emergenxy Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

FAL. re-named MAYU whilst on loan to Burma R.N.V.R. — 220 Volts

1. Main Office	49MR. TV5. TBS-7. TA. TC. CAB. CDC/2. FM7. FH3./ CDC. DRB. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	TCS-13. BBu.
4. Aerial Outfits	AOE. APH. APR.
5. Miscellaneous	67/2.

HALLADALE — 220 Volts

1. Main Office	89M. 6OEQR. HT11A. TBS-4. 86M. TA/2. CBB. CDC/4. CDF. FM12. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

HELFORD — 220 Volts

1. Main Office	49MR. TV5. TBS-5. 86M. TA. TC. CAB. CBB. CDC/2. FM7. FH4./CDC. DRB. BBq. EE. GJ.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	

HELMSDALE — 220 Volts

1. Main Office	89. 4TA. HT11. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH3./ CDC. DTC. BBq. EG.
2. Chart House	QH3.
3. Emergency Position	
4. Aerial Outfits	ACE. APH. ARD.mod. ACE.
5. Miscellaneous	

JED — 220 Volts

1. Main Office	89. 4TA. HT11. TBS-4. 86M. TA. TC. CAB. CDC/3. CBB. FM7. FH3. / CDC. DRD. BBq. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

KALE — 220 Volts

1. Main Office	49MR. HT11A. 86M. TA. TC. CAB. CBB. CDC/2. FM7. FH3./ CDC. DRB. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOE. APH.
5. Miscellaneous	

LOCHY — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS-4. TA/2. CBB. CDC/3. CDF. FM12. FH4. / CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APU.
5. Miscellaneous	67/2.

MEON — 220 Volts

1. Main Office	89. 4TA. HT11. TBS-4. 86M. TA. TC. CDC/3. CDF. MSL5. FM12. FH4. / CDC. DTC. FR12TH. EG. GN.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE. ARD. ARD mod.
5. Miscellaneous	

NENE — 220 Volts

1. Main Office	89P. 4TA. HT11. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM7. FH3. / CDC. DTC. BBq. EG.
2. Chart House	QH3. DAS-1.
3. Emergency Position	
4. Aerial Outfits	AOE. APH. ARD. ACE.
5. Miscellaneous	67/2. OF.

NESS — 220 Volts

1. Main Office	89P. 60EQR. TCS-10. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM7. FH4. / CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-13. BBu.
4. Aerial Outfits	AOE. ARD/2.
5. Miscellaneous	67/2. OF.

NITH — 220 Volts

1. Main Office	87M. 89M. T.1154. Army Types 12/4. 22/4. TA. TC. DRD. DTC. GJ. GN.
2. C.R.R.	60EMR. CDC/11. CDF. P48. FM7. DTC. GR. KGA.
3. Chart House	DAS-2. QD. R. I.S.(5).
4. Emergency Position	86M/2. R.I.S.(5). TBS-1. R.I.S.(5).
5. Aerial Outfits	AOE. APH/3. APU. AQJ.
6. Miscellaneous	OF.

ODZANI — 220 Volts

1. Main Office	89M. ~~4TA.~~ 60EMR TV5. ~~TBS.~~ TA/2. CBB. CDC/3. CDF. FM12. TF DTC. BBq. ~~BBw.~~ EG. OB/6
2. Chart House	291 Radar Office – TBS
3. Emergency Position	Vide R426/50
4. Aerial Outfits	AOE. APU. ARD/ARD mod.
5. Miscellaneous	TBY.

PLYM — 220 Volts

1. Main Office	49MR. TV5. TW12EH. 86M. TA. TC. CAB. CBB. CDC/2. FM7. FH3. / CDC. 394G. DRB. BBq. EE. GJ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE.
5. Miscellaneous	

RIBBLE — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS. 86M. TA/2. CBB. CDC/3. CDF. FM12. FH4. /CDC. DTC. BBq. EG. GN.
2. Chart House	QH 3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. ARD mod. ACE.
5. Miscellaneous	OF.

ROTHER — 220 Volts

1. Main Office	89P. 60EQR. HT11A. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM7. FH4./ CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/3. OF.

SPEY — 220 Volts

1. Main Office	89M. HT11. TW12EH. 86M. TA. TC. CAB. CBB. CDC/2. FM7. FH4./ CDC. 394G. DQB. DRB. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE. APH.
5. Miscellaneous	

SWALE — 220 Volts

1. Main Office	89M. 4TA TV5. TBS-5/2. 86M/2. 87M. TA. TC. CBB. CDC/4. CDF. FM7. P38. DRD/2. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH/2. APU/2.
5. Miscellaneous	TBY/2. OF.

TAFF — 220 Volts

1. Main Office	89M. 4TA. TV5. TBS. 86M. TA/2. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4.Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

TAVY — 220 Volts

1. Main Office	89M. 4TA. HT11A. TBS-6. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH3./CDC. DTC. BBq. EG.
2. Chart House	QH3.
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	

TAY — 220 Volts

1. Main Office	49MR. HT11A. TBS-7. 86M. TA. TC. CBB. CDC/3. CDF. FM7. FH3./CDC. DRB. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

TEES — 220 Volts

1. Main Office	89. 4TA. TV5. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH3./ CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

TEST — 220 Volts

1. Main Office	49MR. ~~TW12EH~~. 86M. TA. TC. ~~CAB~~. CBB. CDC/3. ~~394G~~. FM7. FH4./ CDC. DRB. BBq. EG. GJ. 60EQR. TBS. TCS. GN. CDF.
2. Chart House	DAS-2
3. Emergency Position	TW12EH. 394G
4. Aerial Outfits	AOE. APH.
5. Miscellaneous	OF.

TEVIOT — 220 Volts

1. Main Office	89P. 4TA. HT11. TBS-5. 87M. TCS-6. TA. TC. CAA. CBB. CDC/4. P38. FM7. DRB. DRD. BBq. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH/2. APU.
5. Miscellaneous	67/2. OF.

TOWY — 220 Volts

1. Main Office	89M. 4TA. TV5. TBS-3. 86M. TA. TC. TF. CAB. CBB. CDC/2. FM7. FH4./CDC. DTC. BBq. EG. GJ.
2. Chart House	QH3. DAS-1.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	TBY. OF.

USK — 220 Volts

1. Main Office	89M. 4TA. TV5. 86M. TA/2. TF. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GR.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOE. ARD.
5. Miscellaneous	TBY.

WAVENEY

1. Main Office	87M. 89P. T.1154. Army Types. 12/4. 22/4. TA. TC. CDC. DRD. DTC. GJ. GN.
2. C.R.R.	60EMR. CDC/11. CDF. FM7. DTC. EF.
3. Chart House	DAS-2.
4. Emergency Position	86M/2. R.I.S(5). TBS-4. QD. R.I.S(5). KGA.
5. Aerial Outfits	AOE. APH/3. APU. AQJ.
6. Miscellaneous	66/2. OF.

WEAR — 220 Volts

1. Main Office	49MR. HT11A. TBS-5. 4TA. TA. TC. CAB. CDC/3. FM7. DRB. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	TBS.
4. Aerial Outfits	AOE. APU.
5. Miscellaneous	67/2. TBy.

TOWY — 220 Volts

1. Main Office	89M. 4TA. TV5. TBS-3. 86M. TA. TC. TF. CAB. CBB. CDC/2. FM7. FH4./CDC. DTC. BBq. EG. GJ.
2. Chart House	QH3. DAS-1.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	TBY. OF.

USK — 220 Volts

1. Main Office	89M. 4TA. TV5. 86M. TA/2. TF. CBB. CDC/3. CDF. FM12. FH4./CDC. DTC. BBq. EG. GR.
2. Chart House	
3. Emergency Position	R.A.F.GP.
4. Aerial Outfits	AOE. ARD.
5. Miscellaneous	TBY.

WAVENEY

1. Main Office	87M. 89P. T.1154. Army Types. 12/4. 22/4. TA. TC. CDC. DRD. DTC. GJ. GN.
2. C.R.R.	60EMR. CDC/11. CDF. FM7. DTC. EF.
3. Chart House	DAS-2.
4. Emergency Position	86M/2. R.I.S(5). TBS-4. QD. R.I.S(5). KGA.
5. Aerial Outfits	AOE. APH/3. APU. AQJ.
6. Miscellaneous	66/2. OF.

WEAR — 220 Volts

1. Main Office	49MR. HT11A. TBS-5. 4TA. TA. TC. CAB. CDC/3. FM7. DRB. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	TBS.
4. Aerial Outfits	AOE. APU.
5. Miscellaneous	67/2. TBy.

1. Main Office	89. 4TA. HT11. TBS. 86M. TA/2. CBB. CDC/3. CDF. FM12. FH4./ CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	

FRIGATES.

~~CORVETTES~~

"CASTLE" CLASS

ALLINGTON CASTLE		220 Volts
1. Main Office	89. 60EQR. TV5. TBS-5. 86M. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.	TA. TE. TF.
2. Chart House	DAS-2.	
3. Emergency Position	TCS. BBu.	
4. Aerial Outfits	AOE. APH. APU.	
5. Miscellaneous	OF.	

ALNWICK CASTLE		220 Volts
1. Main Office	89. 60EQR. TV5. TBS. 86M. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.	TA. TE. TF.
2. Chart House	DAS-2.	
3. Emergency Position	TCS. BBu.	
4. Aerial Outfits	AOE. APH. APU.	
5. Miscellaneous	OF	

AMBERLEY CASTLE		220 Volts
1. Main Office	89M. 60FR. TBS-3. TCS-12. 86M. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.	TA. TE. TF.
2. Chart House	DAS-2.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APH. APU.	
5. Miscellaneous	67/2. OF.	

BAMBOROUGH CASTLE		220 Volts
1. Main Office	89M. 60EQR. TV5. TBS-5. 86M. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GN. GR.	TA. TE. TF.
2. Chart House	QH3. DAS-2.	
3. Emergency Position	TCS-6. BBu.	
4. Aerial Outfits	AOE. APH. APU. ACE.	
5. Miscellaneous	OF.	

BERKELEY CASTLE — 220 Volts

1. Main Office	89M. 4TA. TV5. TBS-3. 86M. TA. TE. TF. CBB. CDC/3. FM12. FH3/CDC. DTC. BBq. EG. GN. GR.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	ACE. APH. APU. ACE.
5. Miscellaneous	TBY. 67/2. 66/2. OF

CAISTOR CASTLE — 220 Volts

1. Main Office	89. 60EQR. TCS. TBS. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	67/2. OF.

CARISBROOKE CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3 /CDC. DTC. BBq. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

DUMBARTON CASTLE — 220 Volts

1. Main Office	89M. ~~60FR~~ 60EQR. TCS-12. TBS-3. 86M. TA. TE. TF. CBB. CDC/4. CDF. FM12. FH3/CDC. DTC. ~~BBq~~ BBz. 3 EG. GN. GR.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS-(E)-6. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	66. 67/2. TEB. OF.

Group M for TCS

Vide S 5231/49/MC

FARNHAM CASTLE	220 Volts
1. Main Office	89M. 60EQR. TV5. TBS-5. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

FLINT CASTLE	220 Volts
1. Main Office	89M. 60EQR. TV5. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

HADLEIGH CASTLE	220 Volts
1. Main Office	89M. 60FR. TV5. TBS-3. 86M. TA. TE. TF. CDC/5. CDF. CBB. FM12. FH3 DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-1.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	66. 67/2. OF.

HEDINGHAM CASTLE	220 Volts
1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	

KENILWORTH CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TCS. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-1.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

KNARESBOROUGH CASTLE — 220 Volts

1. Main Office	89. 60EQR. TV5. TBS-3. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EE. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	66. 67/2. OF.

LANCASTER CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-5. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APU. ARD.
5. Miscellaneous	66. 67/2. OF.

LAUNCESTON CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TCS. TBS-3. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-1.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	OF.

LEEDS CASTLE — 220 Volts

1. Main Office	89M. 60FR. TCS-12. TBS-3. 86M. TA. TE. TF. CBB. CDC/4. CDF. FM12. FH3. DTC. BBp. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBw.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	66. OF.

MORPETH CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-3. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APU. ARD.
5. Miscellaneous	67/2. OF.

OAKHAM CASTLE — 220 Volts

1. Main Office	89M. 60EQR. HT11A. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. BBc. EG. GN. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2.

OXFORD CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TV5. TBS-3. 86M. TA. TC. TF. CBB. CDC/5. CDF. FM12. FH3 DTC. BBq. EG. GN. GR.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. ARD. ARD mod.
5. Miscellaneous	67/2.

PEVENSEY CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TCS. TBS-4. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-1.
3. Emergancy Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU. ACE.
5. Miscellaneous	67/2. OF.

PORTCHESTER CASTLE — 220 Volts

1. Main Office	89M. 60EQR. TCS-10. TBS-2. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-1.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. ARD/2.
5. Miscellaneous	67/2. OF.

RUSHEN CASTLE — 220 Volts

1. Main Office	89M. 60FR. TV5. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DTC. BBq. EG. GN.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. TEB.

TINTAGEL CASTLE — 220 Volts

1. Main Office	89. 4T. TCS-6. TBS. 86M. TA. TE. TF. CBB. CDC/3. CDF. FM12. FH3/CDC. DRD. BBq. EG. GN.
2. Chart House	DAS-1.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	ACE. APH. APU.
5. Miscellaneous	67/2. OF.

MINESWEEPERS

"ALGERINE" CLASS

ACUTE — 220 Volts

1. Main Office	50MR. TBS. 86M. TA. TC. CAA. CDC/2. FM7. DQB. GE.
2. Aerial Outfits	AOF. APU. APH.
3. Miscellaneous	

ALBACORE — 220 Volts

1. Main Office	50MR. 86m. TBS. TA. TC. TF. CBB. CDC/2. CDF. FM7. DQB. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. TBY.

BRAMBLE — 220 Volts

1. Main Office	89P. 60EQR. TBS-6. 86M. TCS(F). TA. TC. CDC/2. CDF. FM12. DTC. DWE. BBq. EG. GN. GR.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. DAS-2. TEB. TON. OF.

BRAVE — 220 Volts

1. Main Office	50MR. 60EMR. 86M. TBS-7. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EG. GE. GR.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	

CADMUS — 220 Volts

1. Main Office	50MR. 86M. TA. TC. CAB. CBB. CDC. FM7. DQB. GE.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	67/2.

CHAMELEON — 220 Volts

1. Main Office	89M. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GN.
2. Aerial Outfits	AOF. APH. ARD mod.
3. Miscellaneous	67/2

CHEERFUL — 220 Volts

1. Main Office	89M. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. QH3

CIRCE — 220 Volts

1. Main Office	50MR. 4TA. 86M. TA. TC. CBB. CDC. CDF. FM7. DQB. GE. GR.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	67/2. TBY.

COCKATRICE — 220 Volts

1. Main Office	50MR. TBS. 86M. TCS. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EE. GE.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. QH2.

COQUETTE — 220 Volts

1. Main Office	PV500HM. TM11. TBS-4. 86M. AR88/2. TE149. TE236B. FM12.
2. Aerial Outfits	AOF. APU. APH. ACE.
3. Miscellaneous	TBY. QH2.

COURIER — 220 Volts

1. Main Office	PV500HM. TM11. TBS-5. 86M. AR88/2. TE236B. FM12. CMC110-837. BATM. 8/86.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	TBY/5. DAS-2. OF.

ESPIEGLE — 220 Volts

1. Main Office	50MR. 86M. TA. TC. CAA. CBB. CDC/2. FM7. DQB. GE.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	67/2. TBY.

FANCY — 220 Volts

1. Main Office	89M. 4TA. TBS-7. TA. TC. CBB. CDC/2. CDF. FM12. DTC. GE.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

FIERCE — 220 Volts

1. Main Office	89Q. 60EQR. TBS. 86M. TA. TC. CDC/2. CDF. FM12. DWB. DTC. BBz. EG. GN. GR. KCM. KCS.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	DAS-2. QH2. OF.

FLY — 220 Volts

1. ~~Main Office~~	50MR. 60EMR. TV5. TBS. 86M. TA. TC. CAA. CBB. CDC/2. FM7. ~~DQB.~~ GE.
2. Aerial Outfits	AOF. ARD mod.
3. Miscellaneous	67/2.

FLYING FISH — 220 Volts

1. Main Office	PV500HM. TM11. TBS. 86M. AR88/2. TE236B1. FM12. TE. 149.
2. Aerial Outfits	AOF. ARD. APU.
3. Miscellaneous	

GOLDEN FLEECE — 220 Volts

1. Main Office	PV500. TM11. TBS-4. 86M. AR88/2. CDF. FM12. TCS(aft.) TE149.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

HARE — 220 Volts

1. Main Office	89P. 60EQR. TBS-5. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. DAS-2. OF.

HOUND — 220 Volts

1. Main Office	50MR. TBS-6. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EG. GD.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

JASEUR — 220 Volts

1. Main Office	PV500. TM11. TBS-6. 86M. TA. TC. AR88/2. RAK. FM12. TE149
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

JEWEL — 220 Volts

1. Main Office	89P. 60EQR. TBS-5. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE. GR.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. QH2.

LAERTES — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

LENNOX — 220 Volts

1. Main Office	89M. 60EQR. TBS-6. 86M. TA. TC. AR88. CBB. CDC/2. FM12. RIS(2). DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

LIBERTY — 220 Volts

1. Main Office	89P. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE. GR.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. QH3.

LIONESS — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

LYSANDER — 220 Volts

1. Main Office	PV500HM. TM11. TBS-4. TA. TC. AR88/2. TE236B. FM12. TE149
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

MAENAD — 220 Volts

1. Main Office	PV500HM. TM11. TBS-6. TA. TC. AR88/2. TE236B. FM12. TE149
2. Aerial Outfits	AOF. APU. ACE.
3. Miscellaneous	QH2

MAGICIENNE — 220 Volts

1. Main Office	PV500HM. TM11. TBS-6. 86M. AR88/2. TE236B. FM12. GN. GR. TE149.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellameous	

MAMELUKE — 220 Volts

1. ~~Main~~ Office	PV500HM. TM11. TBS-6. 86M. AR88/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. ~~APH. APU. ACE.~~
3. Miscellaneous	QH3.

MANDATE — 220 Volts

1. Main Office	PV500HM. TM11. TBS-6. 86M. AR88. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	QH3.

MARINER 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

MARMION 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

MARVEL 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

MARY ROSE 220 Volts

1. Main Office	~~PV500HM.~~ TM11. TBS-4. AR88/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. PU.
3. Miscellaneous	

MELITA 220 Volts

1. Main Office	PV500HM. TW12EH. TBS. 86M. RBJ3/2. AR88. FM12. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. DAS-2. OF.

MICHAEL — 220 Volts

1. Main Office	PV500HM. TM11. TBS-7. 86M. AR88/2. TE236B. FM12.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

MOON — 220 Volts

1. Main Office	PV500HM. TM11. TBS-5. AR88/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

MUTINE — 220 Volts

1. ~~Main~~ Office	50 MR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EE. GN.
2. Aerial Outfits	AOF. APH. ~~ARD.~~
3. Miscellaneous	67/2.

MYRMIDON — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

✓

MYSTIC — 220 Volts

1. Main Office	PV500HM. TM11. TBS-7. 86M. TA/2. AR88/2. TE236B. FM12. TE149M.
2. Aerial Outfits	AOF. APH. PPU.
3. Miscellaneous	

NERISSA — 220 Volts

1. Main Office	PV500HM. TM11. TBS-7. 86M. AR88/2. TE236B. FM12. TE149.
2. Aerial Outftts	AOF. APH. APU.
3. Miscellaneous	

NIGER — 220 Volts

1. Main Office	89P. 60EQR. TBS. 86M. TA. TC. CDC/2. CDF. FM12. DTC. DWB. BBq. EG. GN. GR. KCM. KCS.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

OCTAVIA — 220 Volts

1. Main Office	PV500HM. TW12EH. TBS-4. RBJ/2. TE236B. FM12. DQB. 724A.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

ONYX — 220 Volts

1. Main Office	50MR. 60ER. TBS-7. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DQB. EG. GN.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. TBY.

ORCADIA — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

ORESTES — 220 Volts

1. Main Office	50MR. TA. TC. CBB. CDC/2. CDF/2. FM7. DQB. EE. GE.
2. Aerial Outfits	AOF. ACD.
3. Miscellaneous	67/2. TBY. QH2.

OSSORY — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

PICKLE — 220 Volts

1. Main Office	89M. 4TA. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

PINCHER — 220 Volts

1. Main Office	89M. 4TA. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	

PLUCKY — 220 Volts

1. Main Office	89M. 4TA. TBS-6. 86M. TA. TC. CBB. CDC/2. CDF. AR88. FM12. DTC. EG. GE. GN.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2.

PLUTO — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

POLARIS — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

PROVIDENCE — 220 Volts

1. Main Office	PV500HM. TM11. TBS-4. 86M AR88/2. TE236B. TE149.
2. Aerial Outfits	AOF. ARD mod. APH.
3. Miscellaneous	

PYRRHUS — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

RATTLESNAKE — 220 Volts

1. Main Office	TBL-12. 60EQR. TBS-6. 86M. TA. TC. CAA. CBB. CDC/2. FM7 DRB. EG. GN. GR.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

READY — 220 Volts

1. Main Office	50MR. 86M. TBS-7. TA. TC. CBB. CDC/2. CDF. FM7. DRB. EG. GN.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. TBY. QH2.

RECRUIT — 220 Volts

1. Main Office	89M. 4TA. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. ~~AQJ.~~ ACE.
3. Miscellaneous	67/2. ~~QD.~~ QM. QH2.

RIFLEMAN — 220 Volts

1. Main Office	89M. 60EMR. TBS-6. 86M. TA. TC. CBB. CDC/2. AR88. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ARD.
3. Miscellaneous	67/2.

RINALDO — 220 Volts

1. Main Office	50MR. TBS. 86M. TA. TC. CBB. CDC/2. CDF. FM7 DQB. EE.
2. Aerial Outfits	AOF. APH. ARD mod.
4. Miscellaneous	67/2.

ROMOLA — 220 Volts

1. Main Office	PV500-HM. PTM11. TBS. TDF6. AR88/2. TE236B. FM12.
2. Aerial Outfits	AOF. APU. ACE.
3. Miscellaneous	QH3.

ROSARIO — 220 Volts

1. Main Office	89M. 60EMR. 86M. TA. TC. CBB. CDC/2. CDF. FM7. DTC. EE. GE. GN.
2. Aerial Outfits	AOF. APH.
3. Miscellaneous	TBY-8.

ROWENA — 220 Volts

1, Main Office	89P. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GN.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

SEABEAR — 220 Volts

1. Main Office	PV500HM. TM11. TBS-5. 86M. AR88/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APU. ARD.
3. Miscellaneous	

SERENE — 220 Volts

1. Main Office	PV500HM. TM11. TBS-5. 86M AR88/2. TE236B. FM12. GN. GR.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	DAS-2. OF.

SKIPJACK — 220 Volts

1. Main Office	PV500HM. TW12EH. TBS-4. CDF. CDC/2. TE236B. FM12. TE149.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	66/2

SPANKER	220 Volts
1. Main Office	89. 4TA. 86M. TBS-4. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

STORMCLOUD	220 Volts
1. Main Office	89M. 60EQR. TBS-3. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	67/2

SYLVIA	220 Volts
1. Main Office	89M. 60EQR. TBS-5. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ACE.
3. Miscellaneous	67/2. TBY. QH2.

TANGANYIKA	220 Volts
1. Main Office	89M. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE.
2. Aerial Outfits	AOF. APH. APU. ACE. ARD.
3. Miscellaneous	67/2. QH2. OB/2.

THISBE	220 Volts
1. Main Office	PV500HM. TW12EH. TBS-5. AR88. CDC. CDF. FM12. 724A.
2. Aerial Outfits	AOF. APU. ACE.
3. Miscellaneous	QH2.

TRUELOVE — 220 Volts

1. Main Office	PV500HM. TW12EH. TBS-3. RBJ/2. TE236B. FM12. 724A.
2. Aerial Outfits	AOF. APU.
3. Miscellaneous	

WATERWITCH — 220 Volts

1. Main Office	89M. 4TA. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	TBY.

WAVE — 220 Volts

1. Main Office	89P. 60EQR. TBS-5. 86M. TA. TC. CBB. CDC/3. CDF. FM12. DTC. BBq. EG. GE.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. DAS-2. OF.

WELCOME — 220 Volts

1. Main Office	89P. 60EQR. TBS-4. 86M. TA. TC. CBB. CDC/2. CDF. FM12. DTC. BBq. EG. GE. GR.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

WELFARE — 220 Volts

1. Main Office	PV500HM. TW12EH. TBS-5. 86M. RBJ/2. TE236B. FM12. 724A.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2. TBY.

SUBMARINES

ACHERON		220 Volts
1. Main Office		
2. Aerial Outfits		
3. Miscellaneous		

AENEAS		220 Volts
1. Main Office	55M, TCS. 86M. CDC/2. FM11. DXA. GR.	TD.
2. Aerial Outfits	AR. S.	
3. Miscellaneous	~~CDC~~. (for S.R.E.) AN/APN-4. B28.	

AFFRAY		220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DXA. GR.	~~TD.~~
2. Aerial Outfits	AR. S.	
3. Miscellaneous	~~AN/APN4.~~	

ALARIC		220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DXA. EG. GR.	TJ.
2. Aerial Outfits	ALA. ALB. ALD.	
3. Miscellaneous	APN-4. B28 (for S.R.E.)	

ALCIDE		220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DXA. EG. GR.	TJ.
2. Aerial Outfits	ALA. ALB. ALD.	
3. Miscellaneous	APN-4. B28 (for S.R.E.)	

ALDERNEY	220 Volts
1. Main Office	55M. TCS. 86M. TJ. CDC/2. FM11. DXA. EG. GR.
2. Aerial Outfits	ALA. ALB. ALD.
3. Miscellaneous	B28 (for S.R.E.) APN-4.

ALLIANCE	220 Volts
1. Main Office	55M. TCS. 86M. TJ. CDC/2. FM11. DXA. EG. GR.
2. Aerial Outfits	ALA. ALB. ALC.
3. Miscellaneous	APN-4. B.28. (for S.R.E.)

AMBUSH	220 Volts
1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

AMPHION	220 Volts
1. Main Office	55. TCS-12. (TR. Only). 86M. TD. CDC/2. FM11. DXA. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	AN/APN-4.

ANCHORITE	220 Volts
1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

ANDREW — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

ARTEMIS — 220 Volts

1. Main Office	55M. TCS. 86M. TJ. CDC/2. FM11. DXA. EG. GR.
2; Aerial Outfits	ALA. ALB. ALC.
3. Miscellaneous	APN4. B28. (for S.R.E.).

ARTFUL — 220 Volts

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

ASTUTE — 220 Volts

1. Main Office	55. TCS-12. 86M. TD. CDC/2. FM11. DXA. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	AN/APN-4.

AURIGA — 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/2. FM11. DXA. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	AN/APN-4. B28/(for S.R.E.)

AUROCHS — 220 Volts

1. Main Office	55M. TCS-12. 86M. TJ. CDC/2. FM11 DXA EG. GR.
2. Aerial Outfits	ALA. ALB. ALD.
3. Miscellaneous	APN-4. CDC (for S.R.E.)

SAGA — 220 Volts

1. Main Office	55. TCS-12. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR. S.
3. Miscellaneous	

SANGUINE — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. ~~CDF.~~ FM11. DDD. EG. GR.
2. Aerial Outfits	~~AR. S.~~ ALA. ALB. ALC.
3. Miscellaneous	B28 (for S.R.E.).

SCORCHER — 220 Volts

1. Main Office	55. TCS. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR. S.
3. Miscellaneous	

SCOTSMAN — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR. S.
3. Miscellaneous	

~~SCYTHIAN~~ SATYR. 220 Volts

1. Main Office	55, TCS. 86M. ~~ED.~~ TD. CDC/2. CDF. ~~FM11~~. FM4 DDD. EG. ~~GK~~. GR
2. Aerial Outfits	AR. S.
3. Miscellaneous	B28 (for S.R.E)

SEA DEVIL 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. CDF. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

~~SEA ROVER~~ SELENE. 220 Volts

1. Main Office	55. ~~HT11B.~~ TCS. TD. CDC/2. CDF. ~~FM1~~. FM11. DDD. EG. GK.
2. Aerial Outfits	AR. S.
3. Miscellaneous	

~~SEA SCOUT~~ SERAPH. 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. CDF. ~~FM11~~. FM4. DDD. EG. ~~GK~~. GR
2. Aerial Outfits	AR. S.
3. Miscellaneous	B28 (for S.R.E.)

SENESCHAL 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR. S. Modernized
3. Miscellaneous	

SENTINEL — 220 Volts

1. Main Office	55M. TCS. 86M. TD. ~~CDC~~/2. ~~FM11~~. ~~DDD~~. EG. GR.
2. Aerial Outfits	~~AR. S.~~
3. Miscellaneous	

~~SIDON~~ SLEUTH. — 220 Volts

1. Main Office	55. TCS. TD. CDC/2. CDF. FM11. DDD. EG. ~~GR.~~ GK.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SIRDAR — 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SPEARHEAD — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. CDF. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SPIRIT — 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SPITEFUL — 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SPORTSMAN — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. CDF. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SPRINGER — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

SPUR — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

~~STORM~~ SOLENT. — 220 Volts

1. Main Office	55. ~~HT11B~~. TD. CDC/2. ~~CDF~~. ~~FM1~~. FM11. DDD. EG. GK.
3. Aerial Outfits	AR. S.
3. Miscellaneous	

STURDY — 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/3. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Mkscellaneous	

SUBTLE — 220 Volts

1. Main Office	55. TD. CDC/2. FM11. DDD. EG. GK.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

~~SURF~~ STATESMAN. — 220 Volts

1. Main Office	55M ~~HT11B~~. TCS/2. 86M. TD. CDC/2. CDF. ~~FM4~~. FM11. DDD. EG. ~~GK~~. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	B28 (for S.R.E.)

TABARD — 220 Volts

1. Main Office	55M. TCS(G) 86M. TD. CDC/2. FM11. DDD. EG. GR.
2. Aerial Outfits	ALA. ALB. ALC.
3. Miscellaneous	CDC (For S.R.E.)

TACITURN — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. FM11. DDD. EG. GK.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

TACTICIAN — 220 Volts

1. Main Office	601. TCS. 86M. CDC/3. DXA.	TH. FM11. EG. GR.
2. Aerial Outfits	ALA. ALB. ALD.	
3. Miscellaneous	APN-4.	

TALENT — 220 Volts

1. Main Office	55. TCS. 86M. CDC/2. DDD.	TD. FM11. EG. GR.
2. Aerial Outfits	AR.S.	
3. Miscellaneous	B28. ~~CDC~~. (for S.R.E.)	

TALLY-HO — 220 Volts

1. Main Office	55. TCS. 86M. CDC/2. CDF. DDD.	TD. FM4. EG. GR.
2. Aerial Outfits	AR.S.	
3. Miscellaneous	B28. ~~CDC~~. (for S.R.E.)	

TANTALUS — 220 Volts

1. Main Office	55M. TCS. 86M. CDC/2. DDD.	TD. FM11. EG. GR.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

TANTIVY — 220 Volts

1. Main Office	55. TCS. 86M. CDC/2. DDD.	TD. FM11. EG. GR.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

	TAPIR	220 Volts
1. Main Office	55. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous	B28. ~~CDC~~ (for S.R.E.)	

	TAURUS	220 Volts
1. Main Office	55. TCS. 86M. CDC/2. FM4. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous	B28. ~~CDC~~. (for S.R.E.)	

	TELEMACHUS	220 Volts
1. Main Office	55M. TCS. 86M. CDC/3. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

	TEMPLAR	220 Volts
1. Main Office	55. TCS. 86M. CDC/2. CDF. FM4. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

	TEREDO	220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

	THERMOPYLAE	220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

	THOROUGH	220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TH.
2. Aerial Outfits	ALA. ALB. ALD.	
3. Miscellaneous	B28. (for S.R.E.)	

	THULE	220 Volts
1. Main Office	55M. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR. S.	
3. Miscellaneous		

	TIPTOE	220 Volts
1. Main Office	55. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

	TIRELESS	220 Volts
1. Main Office	55. TCS. 86M. CDC/2. CDF. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous	B28. ~~CDC.~~ (for S.R.E.)	

TOKEN — 220 Volts

1. Main Office	55M. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

TOTEM — 220 Volts

1. Main Office	55. TCS. 86M. CDC/2. FM11. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous	B28. ~~CDC~~ (for S.R.E.)	

TRADEWIND — 220 Volts

1. Main Office	55. TCS. 86M. CDC/3 FM4. DDD. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

TRENCHANT — 220 Volts

1. Main Office	601. TCS. 86M. CDC/3. FM11. DXA. EG. GR.	TH.
2. Aerial Outfits	ALA. ALB. ALD.	
3. Miscellaneous	APN-4.	

TRESPASSER — 220 Volts

1. Main Office	601. TCS. 86M. CDC/3. FM11. DXA. EG. GR.	TD.
2. Aerial Outfits	AR.S.	
3. Miscellaneous		

TRUCULENT — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. CDF. FM4. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	

TRUMP — 220 Volts

1. Main Office	601. TCS. 86M. TH. CDC/3 FM11. DXA. EG. GR.
2. Aerial Outfits	ALA. ALB. ALD.
3. Miscellaneous	APN-4.

TRUNCHEON — 220 Volts

1. Main Office	55. TCS. 86M. TD. CDC/2. CDF. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	~~CDC~~ (for S.R.E.) B28.

TUDOR — 220 Volts

1. Main Office	55M. TCS. 86M. TD. CDC/3. FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	AN/APN-4

TURPIN — 220 Volts

1. Main Office	55. TCS. 86M. TD. ~~CDC/2.~~ FM11. DDD. EG. GR.
2. Aerial Outfits	AR.S.
3. Miscellaneous	~~CDC~~. (for S.R.E.) B28.

SURVEY VESSEL

AND

GUNBOATS

CHALLENGER (Survey Vessel)

1. Main Office	89Q. 602E. TBS-4. TA/2. CDC/2. CDF. FM12. DTC. DWB. BBy. EL. GN. GR. KCM. KCS.
2. Chart House	DAS-2.
3. Emergency Position	
4. Aerial Outfits	AOF. APU. AWA.
5. Miscellaneous	TON. OF.

DALRYMPLE - (Survey Vessel) 220 Volts
ex LUCE BAY

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

DAMPIER - (Survey Vessel) 220 Volts
ex HERNE BAY

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

FRANKLIN (Survey Vessel) 110 Volts

1. Main Office	50MR. TA. CDC/2. CDF. DQB. EG. GE.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOF. ACE.
5. Miscellaneous	53. 66/5. QM1. QH3.

GULNAR (Survey Vessel) 220 Volts

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

LOCUST (Gunboat)

1. Main Office	89Q. 60EQR. 87M. TBS. TA. CDC/3. CDF. CDU. DTC. DWB. BBz. EL. GN. KCM.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOF. APH. APU.
5. Miscellaneous	

COOK. ~~PEGWELL BAY~~ (Survey Vessel)

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

SCOTT (Survey Vessel)

1. Main Office	50M. 60EQR. TA. CDF. CBB. CDC/2. FM7. DQB. EG. GN. GR.
2. Chart House	DAS-2. QH2. QM(1).
3. Emergency Position	
4. Aerial Outfits	AOF. ACE.
5. Miscellaneous	66/4. OF.

SEAGULL (Survey Vessel)

1. Main Office	89Q. TGY. TNS. TBS. TA. CDC/2. CDF. FM12.
2. Chart House	
3. Emergency Position	TCS-12. BBu.
4. Aerial Outfits	AOF. APU. ACE.
5. Miscellaneous	Army 18/3. TBY/3. QH3.

SHARPSHOOTER (Survey Vessel)

1. Main Office	89Q. 608E. TBS. TA. CDC/2. CDF. FM12. DTC. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	
4. Aerial Outfits	AOF. APU.
5. Miscellaneous	66/3. 686M/4. TBY/3. OF.

OWEN. ~~THURSO BAY~~ (Survey Vessel)

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

DANLAYERS, TRAWLERS, WRECK DISPERSAL VESSELS

NAME OR NUMBER	EQUIPMENT FITTED
ANNET (W.D.V.)	TW12EH. CSB. 394G. QH2. ACE.
BARDSEY (W.D.V.)	TW12EH. CSB. 579.
BERN (W.D.V.)	TW12EH. CSB. 394G. 67.
CALDY (W.D.V.)	TW12EH. CSB. FM12. DJB.
~~COLL.~~ (~~W.D.V.~~)	~~TW12EH. CSB. 394G.~~
DAMSAY (W.D.C.)	TW12EH. CSB. 394G. 67. FM12. DQB.
~~EARRAID~~ (~~W.D.V.~~)	~~TW12EH. CSB. 394G. QH3.~~
FETLAR (W.D.V.)	TW12EH. CSB. FM12. DJB.
FLATHOLM (W.D.V.)	TW12EH. CSB. 394G. 579. QM3. QH2. ACE.
FOULNESS (TR.)	TW12EH. CSB. 394G. FM12. DJB.
GATESHEAD (TR.)	394G.
GORREGAN (TR.)	TW12EP. CSB. 394G. FM12. DJB.
~~GRAEMSAY~~ (~~W.D.V.~~)	~~TW12EH. CSB. 394G. 579. QH3. ACE.~~
IMERSAY (D'layer)	TW12EP. CSB. 394G.
LINDISFARNE (W.D.V.)	TW12EH. CSB. 394G. QM2. FM12. DJB.
LUNDY (W.D.C.)	TW12EH. CSB. 394G. QM2.
Neave (W.D.V.)	TW12EH. CSB. 394G. QH3. FM7. ACE.
OLIVE (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
ORSAY (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.

NAME OR NUMBER	EQUIPMENT FITTED
RONAY (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
SANDRAY (D'layer)	TGY1. CSB. 394G. CDC. TBY. FM12. DJB.
~~SCALPAY (W.D.V.)~~	~~TW12EH. CSB. 394G.~~ ~~FM7.~~ ~~DJB.~~
SHILLAY (D'layer)	~~TW12EP.~~ 607 619 ~~CSB. 394G.~~ 561 FM12. ~~DJB.~~
SKOMER (W.D.V.)	TW12EH. CSB. 394G. QM2.
SKYE (TR.)	TW12EH. CSB. 394G. 579.
STEEPHOLM (W.D.V.)	TW12EH. CSB. 394G.
SURSAY (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
~~SWITHA (W.D.V.)~~	~~TW12EH. CSB. 394G. 579.~~
TAHAY (D'layer)	TW12EP. CSB. 394G. QH3. 86M. FM12. ACE. DQB.
TIREE (W.D.V.)	TW12EH. CSB. 394G. 579.
TOCOGAY (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
TRODDAY (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
TRONDRA (W.D.V.)	TW12EH. CSB. 579.
VACESAY (D'layer)	86M.
VALLAY (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
WALNUT (D'layer)	TW12EP. CSB. 394G. 86M. FM12. DQB.
WIAY	TGY1. 394G. CSC. 86M. FM12. DQB.

BOOM DEFENCE VESSELS

NAME OR NUMBER	EQUIPMENT FITTED
BARBAIN (B.DV.)	TW12B. 394F.
BARBASTEL (B.D.V.)	TW12EF. CSB. 394G.
BARBERRY (B.D.V.)	TW12EH. CSB. 394G.
BARBETTE (B.D.V.)	TW12EH. CSB. 394G.
BARBICAN (B.D.V.)	CSA. 51L.
BARBOUR (B.D.V.)	TW12EM. 394G. 730.
BARBOURNE B.D.V.)	730. TV5. H/F.
BARBRIDGE (B.D.V.)	TW12E. 394G.
BARBROOK (B.D.V.)	CSA. 51L.
BARCAROLE (B.D.V.)	TGY1. CSB. 394G.
BARCASTLE (B.D.V.)	CSA. 51L.
BARCLIFF (B.D.V.)	TW12EH. CSB. 394G.
BARCLOSE (B.D.V.)	TW12EM. 394G.
BARCOTE ((.D.V.)	TW12B. 394F.
BARCROFT (B.D.V.)	CSA. 51L.
BARDELL (B.D.V.)	730. TV5. H/F.
BARDOLF (B.D.V.)	730/763. TV5. H/F.
BARFIELD (B.D.V.)	CSA. 51L.
BARFOAM (B.D.V.)	TW12E. 394G.
BARFOIL (B.D.V.)	730. TV5. H/F.

NAME OR NUMBER	EQUIPMENT FITTED
BARFOOT (B.D.V.)	TW12EH. CSB. 394G.
BARFORD (B.D.V.)	TW12EH. 394G.
BARFOSS (B.D.V.)	730. TV5. H/F.
BARFOUNT (B.D.V.)	TW12EA. CSB. 394G.
BARHILL (B.D.V.)	TW12EH. CSB. 394G.
BARHOLM (B.D.V.)	TW12EH. CSB. 394G.
BARILLA (B.D.V.)	TW12EH. CSB. 394G.
BARITONE (B.D.V.)	
BARKING (B.D.V.)	TW12EM. 394G.
BARKIS (B.D.V.)	TGY. CSB. 394G.
BARLAKE (B.D.V.)	TW12B. 394G.
BARLANE (B.D.V.)	CSA. 51L.
BARLOW (B.D.V.)	CSA. 51L.
BARMILL (B.D.V.)	TW12BM. 394F.
BARMOND (B.D.V.)	TW12EH. CSB. 394G.
BARNABY (B.D.V.	TW12EH. CSB. 394G.
BARNARD (B.D.V.)	TW12EH. CSB. 394G.
BARNEATH (B.D.V.)	TW12EH. CSB. 394G.
BARNESTONE (B.D.V.)	TW12B. CSB. 394E.
BARNET (B.D.V.)	

BOOM DEFENCE VESSELS

NAME OF NUMBER	EQUIPMENT FITTED				
BARNWELL (B.D.V.)	TW12EP.	CSB.	394G.		
BARON (B.D.V.)	TW12EP.		394G.	730.	
BARONIA (B.D.V.)	TW12B.		394F.	730.	
BAROVA (B.D.V.)	TW12E.		394F.		
BARRAGE (B.D.V.)				51L.	TY5.
BARRANCA (B.D.V.)		CSA.		51L.	
BARRHEAD (B.D.V.)	TW12B.		394F.		
BARRICADE (B.D.V.)		CSA.		51L.	
BARRIER (B.D.V.)		CSA.		51L.	
BARRINGTON (B.D.V.)	TW12B.		394F.		
BARSING (B.D.V.)	TW12B.		394F.		
BARSOUND (B.D.V.)	TW12E.		394F.		
BARSPEAR (B.D.V.)	TW12EH.	CSB.	394G.		
BARTHORPE (B.D.V.)	TW12B.		394F.		
BARTIZAN (B.D.V.)	TW12EH.	CSB.	394G.		
BARWIND (B.D.V.)	TW12EH.	CSB.	394G.		
BOWNET (B.D.V.)		CSA.		51L.	
BURGONET (B.D.V.)		CSA.		51L.	
DRAGONET (B.D.V.)					TV5.
FALCONET (B.D.V.)		CSA.		51L.	

NAME OR NUMBER	EQUIPMENT FITTED		
MARTINET (B.D.V.)	CSA.		TV5.
PLANET (B.D.V.)	CSA.	51L.	
PLANTAGENET (B.D.V.)			TV5.
SIGNET (B.D.V.)	CSA.	51L.	
SONNET (B.D.V.)	CSA.	51L.	

NUMBERED CRAFT

AIRCRAFT SAFETY LAUNCHES	(A.S.L.)
CONTROLLED TARGET BOATS	(C.T.)
FAST DESPATCH BOATS	(F.D.B.)
MOTOR GUN BOATS	(M.G.B.)
MOTOR LAUNCHES	(M.L.)
MOTOR MINESWEEPERS	(M.M.S.)
MOTOR TORPEDO BOATS	M.T.B.
SURVEY MOTOR LAUNCHES	S.M.L.

A.S.L's

NAME OR NUMBER	EQUIPMENT FITTED
A.S.L. 7 (M.L.1140).	TW12CH. 394G.
A.S.L. 14. (M.L.1419)	

C.T's

220 Volts
24 Volts

C.T. 44 (M.T.B.531)	TCS-12. CNY2. 86M. AJA. KCY. TF/2.
C.T. 45. (M.T.B.537).	
C.T. 46. (M.T.B.499).	
C.T. 49	
C.T. 101.	TCS.12. CNY2. 86M. AJA. KCY.
C.T. 102.	
C.T. 103.	
C.T. 104.	

F.D.B's

F.D.B. 37. (M.L. 1483).	TW12CP.	394G.
F.D.B. 38 (M.L. 1489).	TW12CP.	394G.
F.D.B. 39. (M.L. 1493).	TW12CP.	394G.
~~F.D.B. 48. (M.L. 1034).~~	~~TW12C.~~	~~394F.~~

F.D.B's

NAME OR NUMBER	EQUIPMENT FITTED	
F.D.B. ~~49.~~ (~~M.L.~~ 1035).	~~TW12C.~~	~~394F.~~
F.D.B. 50. (M.L. 1036).		
F.D.B. 55.$\frac{3}{4}$ (M.L. 1070).	TW12CM.	394G.
F.D.B. 56. (M.L. 1071).	TW12CM.	394G.
F.D.B. 58. (M.L. 1389).	TW12CH.	394G.
F.D.B. 64 (M.L. 1301	TW12CH.	394G.
F.D.B. 72. (M.L. 1391).	TW12CH.	394G.
F.D.B. ~~73.~~ (~~M.L.~~ 1392).	~~TW12CP.~~	~~394G.~~
F.D.B. ~~79.~~ (~~M.L.~~ 1310).	~~TW12CP.~~	~~394G.~~
F.D.B. 80. (M.L. 1378).	TW12CH.	394G.
F.D.B. 81. (M.L. 1379).	TW12CH.	394G.
F.D.B. 82. (M.L. 1396).	TW12CP.	394G.

M.G.B's

M.G.B. 538.	
M.G.B. 2009.	

NAME OR NUMBER	EQUIPMENT FITTED
M.L. 106.	TW12CP. 394G.
~~M.L. 124.~~	~~TW12CH.~~ ~~394G.~~
~~M.L. 150.~~	~~TW12CH.~~ ~~394G.~~
M.L. 154.	TW12CH. 394G.
M.L. 155.	TW12CH. TCS-12. 394G. 730.
M.L. 187.	
M.L. 189.	
M.L. 193.	
M.L. 194.	
M.L. 196.	TW12CH. 394G.
M.L. 201.	
M.L. 214.	
M.L. 217.	TW12CH. 394G. TCS.
M.L. 221.	TW12DH. 394G. TCS. QH2.
M.L. 223.	
M.L. 237	TW12CH. 394G.
M.L. 245.	
M.L. 248	TW12CH. 394G.
M.L. 250	TW12CH. 394G.
M.L. 338	TW12CH. 394G.

NAME OR NUMBER	EQUIPMENT FITTED
M.L. 342.	TW12CH. 394G.
M.L. 357.	TW12CH. SCR. 274N. 394G.
M.L. 360.	TW12CH. SCR. 274N. 394G.
M.L. 366.	
M.L. 367.	
~~M.L. 450~~	~~TW12CH. 394G.~~
M.L. 464.	
M.L. 489.	
M.L. 491.	TW12DH. 394G. TCS.
M.L. 493	TW12CH. 394G.
~~M.L. 495.~~	
~~M.L. 496.~~	
~~M.L. 498.~~	
~~M.L. 512.~~	
~~M.L. 515.~~	
~~M.L. 529.~~	
M.L. 564.	TW12CH. 394G.
M.L. 571.	TW12CH. 394G.
M.L. 582.	TGY1. TCS-14. 394G.
M.L. 583.	TGY1. TCS. 394G.

NAME OR NUMBER	EQUIPMENT FITTED
M.L. 585.	TW12CH. HT11A. 394G. QM2.
M.L. 586.	TW12CH. 394G. TCS. QM2.
M.L. 592.	TW12CH. HT11A. 394G.
M.L. 593.	TW12CH. 394G. TCS.
M.L. 595.	TW12CH. 394G.
M.L. 833.	
M.L. 850.	
M.L. 851.	
M.L. 897.	
M.L. 898.	
M.L. 899.	
M.L. 900.	
M.L. 906.	TW12CP. 394G.
M.L. 918	TW12CP. 394G.
M.L. 919.	TW12CP. 394G.
M.L. 923.	
M.L. 4002.	
M.L. 1080.	TW12CM. 394G.
M.L. 1082	TW12CM. 394G.
M.L. 1098	TW12CH. 394G.

M.L's.

NAME OR NUMBER	EQUIPMENT FITTED
M.L. 1105.	TW12CH. 394G.
M.L. 1107.	TW12CH. 394G.
M.L. 1150.	TW12CH. 394G.
M.L. 1280.	
M.L. 1333.	TW12CH. 394G.
M.L. 1334.	TW12CH. 394G.
M.L. 1385.	TW12CH. 394G.
M.L. 1386.	TW12CH. 394G.
M.L. 1411.	TW12CP. 394G.
M.L. 1420	TW12CP. 394G.

M.M.S's.

M.M.S. 56.	TW12DH. 394G.
M.M.S. 57.	TV5. QH3. ACE.
M.M.S. 69.	TV5. QH3. ACE.
M.M.S. 79.	TW12D. 394G.
M.M.S. 109.	TW12DH. 394G. QH3. ACE.

M.M.S's.

NAME OR NUMBER	EQUIPMENT FITTED	
M.M.S. 110.	TW12DH.	394G.
M.M.S. 174.	TW12DH.	394G.
M.M.S. 181.	TW12DH.	394G.
M.M.S. 197.	TW12DH.	394G.
M.M.S. 199.	TW12DH.	394G.
M.M.S. 201.	TW12DH.	394G.
M.M.S. 217.	TW12DH.	394G.
M.M.S. 224.	TW12DH.	394G.
M.M.S. 228.	TW12DH.	394G.
M.M.S. 233.	TW12DH.	394G.
M.M.S. 236.	TW12DH.	394G.
M.M.S. 261.	TW12DH.	394G.
M.M.S. 271.	TW12DH.	394G.
M.M.S. 272.	TW12DH.	394G.
M.M.S. 275.	TW12DH.	394G.
M.M.S. 283.	TW12DH.	394G.
M.M.S. 285.	TW12DH.	394G.
M.M.S. 286.	TW12DH.	394G.
M.M.S. 288.	TW12DH.	394G.
M.M.S. 289.	TW12DH.	394G.

M.M.S's.

NAME OR NUMBER	EQUIPMENT FITTED	
M.M.S. 290.	TW12DH.	394G.
M.M.S. 291.	TW12DH.	394G.
M.M.S. 293.		
M.M.S. 294.	TW12DH.	394G.
M.M.S. 296.	TW12DH.	394G.
M.M.S. 297.		
M.M.S. 301.	TW12DH.	394G.
M.M.S. 1002.	TW12DH.	394G.
M.M.S. 1003.	TW12DH.	394G.
M.M.S. 1004.	TW12DH.	394G.
M.N.S. 1011.	TW12DH.	394G.
CURZON. ~~M.M.S.~~ 1017.	TW12DH.	394G.
M.M.S. 1030.	TW12DH.	394G.
M.M.S. 1034.	TW12DP.	394G.
M.M.S. 1048.	TW12DH.	394G.
M.M.S. 1060.	TW12DH.	394G.
M.M.S. 1061.	TW12DH.	394G.
M.M.S. 1075.	TW12DP.	394G.
M.M.S. 1077.	TW12DP.	394G.
M.M.S. 1089.	TW12DP.	394G.

M.M.S's.

NAME OR NUMBER	EQUIPMENT FITTED
M.M.S. 1090.	TW12DP. 394G.

M.T.B's.

M.T.B. 381.	TW12CP. TCS. 394G. RIS(5).
~~M.T.B. 384.~~	~~TW12CP. TCS. 394G. RIS(5).~~
M.T.B. 457.	TW12CH. TCS. 394G.
M.T.B. 470.	TW12CP. TCS. 394G. RIS(5).
M.T.B. 480.	TW12CP. TCS. 394G. RIS(5).
M.T.B. 488.	TW12CP. TCS. 394G. RIS(5).
M.T.B. 496.	TW12CP. TCS. 394G. QH2. ACE.
M.T.B. 498.	TW12CP. TCS. 394G.

M.T.B.'s.

NAME OR NUMBER	EQUIPMENT FITTED
M.T.B. 505.	TW12CP. TCS. 394G. QH2. ACE.
M.T.B. 506.	TW12CP. TCS. 394G. QH2. ACE.
M.T.B. 507.	TW12CP. TCS. 394G.
M.T.B. 508.	TW12CP. TCS. 394G.
M.T.B. 509.	TW12CP. TCS. 394G.
M.T.B. 519.	TW12CP. TCS. 394G.
M.T.B. 520.	TW12CP. TCS 394G. QH2. ACE.
M.T.B. 521.	TW12CP. TCS. 394G. QH2. ACE.
~~M.T.B. 522.~~	~~TGY.~~ ~~TCS.12.~~ ~~394G.~~ ~~QH2.~~ ~~ACE.~~
M.T.B. 523.	
M.T.B. 524.	QH2. ACE.
M.T.B. 525	607. TCS(24v).
M.T.B. 526.	607E. TCS. CDR. TF.
M.T.B. 527.	607E. TCS. CDR. TF.
M.T.B. 528.	607E. TCS. CDR. TF.
~~M.T.B. 529.~~	~~QH2.~~ ~~ACE.~~
M.T.B. 530.	QH2. ACE.
M.T.B. 532.	607E. TCS. CDR. TF.
M.T.B. 533.	607. TCS. CDR. TF.
M.T.B. 539.	QH2. ACE.

NAME OR NUMBER	EQUIPMENT FITTED
M.T.B. 731.	607. TCS. CDR/2. RIS(5). TF.
M.T.B. 750.	607. TCS. CDR/2. RIS(5). TF.
M.T.B. 758.	TW12FP. TCS. 394G. RIS(5). QH2. ACE.
M.T.B. 773.	TW12FP. TCS. 394G. RIS(5). QH2. ACE.
M.T.B. 774.	607. TCS. CDR/2. RIS(5). QH2. ACE.
M.T.B. 779.	607. TCS. CDR/2. RIS(5).
M.T.B. 780.	607. TCS. CDR/2. RIS(5).
~~M.T.B. 784.~~	~~607. TCS. CDR/2. RIS(5). QH2. ACE.~~
M.T.B. 785.	607. TCS. CDR/2. RIS(5). QH2. ACE.
M.T.B. 790.	607. TCS-12. CDR/2. RIS(5). QH2. ACE.
~~M.T.B. 792.~~	~~607. TCS. CDR/2. RIS(5). QH2. ACE.~~
M.T.B. 794.	607. TCS. CDR/2. RIS(5). QH2. ACE.
~~M.T.B. 797.~~	~~607. TCS. CDR/2. RIS(5).~~
M.T.B. 2009.	
M.T.B. 2011.	TW12FP. 394G. TCS. RIS(5). QH2. ACE.
M.T.B* 2012.	TW12FP. 394G. TCS. RIS(5). QH2. ACE.
M.T.B. 2013.	607. TCS. CDR/2. 86M. APH. TF.
M.T.B. 2014.	607. TCS-12. CDR/2. 86M. APH. TF.
M.T.B. 2015.	TCS. TW12. 394G. QH2. ACE,
M.T.B. 2016.	607. TCS. CDR/2. 86M. APH. TF.

M.T.B's.

NAME OR NUMBER	EQUIPMENT FITTED
M.T.B. 2017.	607. TCS. CDR/2. 86M. QH2. APH. APU. TF.
M.T.B. 2018.	TW12FP. 394G.
M.T.B. 5002.	607. TCS. CDR/2. RIS(5). QH2. ACE.
~~M.T.B. 5003.~~	~~607. TCS. CDR/2. RIS(5). QH2. ACE.~~
M.T.B. 5005.	607. TCS. CDR/2. RIS(5). QH2. ACE.
M.T.B. 5007.	607. TCS. CDR/2. RIS(5). QH2. ACE.
M.T.B. 5008.	607. TCS. CDR/2. RIS(5). QH2. ACE.
M.T.B. 5009.	607. TCS. CDR/2. RIS(5). QH2. ACE.
M.T.B. 5010.	607. TCS. CDR/2.
M.T.B. 5013.	607. TCS. 86M. CDR/2. QH2. ACE.
M.T.B. 5015.	607. TCS. CDR/2.
M.T.B. 5020.	607. TCS. CDR/2. RIS(5).

S.M.L's.

S.M.L. 1.	TW12C. 394F.
S.M.L. 2.	TW12CM. 394G.
S.M.L. 3.	TW12CM. 394G.
S.M.L. 4.	TW12CM. 394G.
S.M.L. 5.	TW12CH. 394G. ARMY TYPE 22.
S.M.L. 6.	TGY1. 394G.

FLEET TUGS
MINING VESSELS
MISCELLANEOUS

FLEET TUGS

NAME OR NUMBER	EQUIPMENT FITTED
ANTIC	381. 398. 727/8. 730. 394G. 579.
BRIGAND	TW12EH. 394G. 379T.
BRITON	TW12EH. 394G. CSB. 379. 558.
ENCORE	381. 398. TGY. 394G. 579. 730.
FREEBOOTER	60EMR. CBB. 579.
HENGIST	381. 398. TW12EH. 394G. 579. 730.
MARAUDER	TV5. TW12EH. 394G. 579. QH2. ACE.
MEDIATOR	381. 398. TW12EP. 394G. 579. 730.
REWARD	381. 398. TGY1. 394G. 730. 763.

MINING VESSELS

DABCHICK	TW12EH. 394G. CSB.
~~MENELAUS~~	~~TW12B. 60EMR. 394F. CBB.~~
MINER 2	
MINER 3	
MINER 4	
MINER 5	
MINER 6	TV5. CSB.
MINER 7	
MINER 8	
PLOVER 110 V.	50MR. CDC. CDF. FM7. DJ. 67/2.
REDSHANK	TW12EH. 394G. CSB.
REDWING	
RINGDOVE 220 V.	TW12EP. 394G. CSB. FM12. DQB.
STONECHAT	TW12EP. 394G. CSB.

MISCELLANEOUS

ALERT.

Despatch Vessel — 220 Volts

1. Main Office	89P. 60EQR. TBS/2. TCS(F). 86M. TA. TE. TF. CDC/4. CDF. FM12. DTC. DWB. BBz. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	
4. Aerial Outfits	AOE. APH. APU/2. AWA. AWB.
5. Miscellaneous	67/2. 66. TBY/3. OF.

BOXER

R.P. Training-Vessel

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

CLEARWATER

Diving School Tender

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

METEORITE

ex U. 1407

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

NONSUCH
ex Z. 38.

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

RECLAIM
Deep Diving Vessel

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

SURPRISE
Despatch Vessel — 220 Volts

1. Main Office	89P. 60EQR. TBS/2. TCS(F). 86M. TA. TE. TF. CDC/4. CDF. FM12. DTD. DWB. BBz. EG. GN. GE.
2. Chart House	DAS-2.
3. Emergency Position	
4. Aerial Outfits	AOE. APH. APU/2. AWA. AWB.
5. Miscellaneous	67/2. 66. TBY/3. OF.

WOODBRIDGE HAVEN
ex Submarine Target Vessel — 220 Volts

1. Main Office	89P. 608E. TBS-7. 86M. TA. CDR/3. FM12. DTC. BBp. EG. GN. GR.
2. Chart House	DAS-2.
3. Emergency Position	
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	OF.

BULAWAYO. (Fleet Replenishment Ship)

220 volts.

1. Main W/T Office. SK12305. S18205. SR430.
TBS. CNY2. L06L39. E381/2. E437
L06L39. E374M.

2. Chart house. D/F Rec. Outfit Telefunken E374M.

SRE. Room. B29 Telefunken Commercial. Receiver
Phillips H2L/7.

COMBINED OPERATION SHIPS

NAME OR NUMBER	EQUIPMENT FITTED
ANZIO ex L.S.T.(3) 3003.	608E. CDR/2. BBp. TF.
ATTACKER ex L.S.T.(3) 3010.	608E. CDR/2.
AVENGER ex L.S.T.(3) 3011.	608E. CDR/2. BBq. TF.
BATTLER ex L.S.T.(3) 3015.	608E. CDR/2.
BEN LOMOND ex L.S.T.(Q) 2.	89P. TBL. TBS. TCS. 608E. FM12. CDC/3. CDR. CDF. EG. FM12. GN. GR. DTC. BBp. TA. TC. TF/2. APU. Whip Aerials/4. OF.
BEN NEVIS ex L.S.T.(Q) 1.	89P. TBL. 608E. CDC/3. CDF. CDR/2. DAS-2. TBS. TCS. FM12. GN. GR. DTC. BBp. TA. TC. TF/2. EG. APU. Whip Aerials SPecial/4. OF.
BRUISER ex L.S.T.(3) 3025.	608E. CDR/2. BBp. TF.
BUCHAN NESS (M.S.(L.C.))	PV500HM. TM11. AR88/2. TE236B. FM12. TBS.
CHARGER ex L.S.T.(3) 3026	608E. CDR/2. BBp. TF.
CHASER ex L.S.T.(3) 3029	607E. TGY2. TNS2. CDR/2. CR300. 889E. 884. 887.

NAME OR NUMBER	EQUIPMENT FITTED
DIEPPE ex L.S.T.(3) 3016	608E. CDR/2. BBp. TF.
DODMAN'S POINT (M.S.(L.S.))	
FIGHTER ex L.S.T.(3) 3038	608E. CDR/2.
GIRDLE NESS (M.S.(L.C.))	
HARTLAND POINT (M.S.(L.S.))	
HUNTER ex L.S.T.(3) 3042	608E. CDR/2.
KEREN (L.S.H.(C.))	
LOFOTEN ex L.S.T.(3) 3027	608E. CDR/2. BBp. TF.
MESSINA ex L.S.T.(c) 3043	608E. CDR/2.
NARVIK ex L.S.T.(C) 3044	608E. CDR/2. TGY2. TNS2. BBp.

NAME OR NUMBER	EQUIPMENT FITTED
PUNCHER ex L.S.T.(3) 3036.	608E. CDR/2.
PURSUER Ex L.S.T.(3) 3504.	
RAVAGER ex L.S.T.(3) 3505.	TM11. AR88/2. TE236B. TE149. TE311B.
REGGIO ex L.S.T.(3) 3511.	
ST. NAZAIRE ex L.S.T.(3) 3517.	
SALERNO ex L.S.T.(3) 3513.	
SEARCHER ex L.S.T.(3) 3508.	
SLINGER ex L.S.T.(3) 3510.	TM11. TE236B. AR88/2. SM11. TE311B. TM11-615
SMITER ex L.S.T.(3) 3514.	
STALKER ex L.S.T.(3) 3515.	FM12. DAS-2. OF.

NAME OR NUMBER	EQUIPMENT FITTED
STRIKER ex L.S.T.(3) 3516.	
SUVLA ex L.S.T.(3) 3518.	
THRUSTER ex L.S.T.(3) 3520.	TM11. TE236B. FM12. AR88/2. TE149. CMC.
TRACKER ex L.S.T.(3) 3522.	
TROUNCER ex L.S.T.(3) 3523	TM11. TE236B. AR88/2. TE149. CMC.
TRUMPETER ex L.S.T.(3) 3524.	TM11. TE236B. AR88/2. CMC. FM12.
WALCHEREN ex L.S.T.(3) 3525.	
ZEEBRUGGE Ex L.S.T.(3) 3532.	

ROYAL FLEET AUXILIARIES

ABBEYDALE Oiler 12,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W. 550 (Receivers. 730. D/F 579. (Auto Alarm. 700 Service Equipment.
AIRSPRITE Oiler 500 tons	Commercial (Transmitters. ¼KW. 533/4. & Emergency. (Receivers. 730. D/F.579. (Auto Alarm. Nil. Service Equipment.
ARNDALE Oiler 12,000 tons	Commercial (Transmitters. 2KW. 387/389. Emergency 558. (Receivers. 352A/384. S/W531. D/F 579. (Auto Alarm. 332/3 Service Equipment. TBS. DQB. APU. CNY1.
BACCHUS Store Ship	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment.
BELGOL Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment.
BIRCHOL Oiler 1,000 tons	Commercial (Transmitters. ¼KW. 533/4 and Emergency. (Receivers. 730. D/F 579. (Auto Alarm. Service Equipment. CNY2.

BISHOPDALE Oiler 12,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. Commercial (Receivers. 352A/384. S/W 372. D/F 579. Commercial (Auto Alarm. 332/3. Service Equipment. CNY2. TBS. DQB. APU.
BOXOL Oiler 1,000 tons	Commercial (Transmitters. Commercial (Receivers. Commercial (Auto Alarm. Service Equipment.
BLACK RANGER Oiler 3,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. Commercial (Receivers. 730. S/W 521. D/F 579. Commercial (Auto Alarm. 700/1/535A. Service Equipment. CNY2. TBS. DQB. APU.
BLUE RANGER Oiler 3,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. Commercial (Receivers. 730. S/W 521. D/F 579. Commercial (Auto Alarm. 700/1/535A. Service Equipment. CNY2.
BROOMDALE Oiler 12,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. Commercial (Receivers. 352A/384. D/F 579. Commercial (Auto Alarm. 332/3. Service Equipment. CNY2.
BROWN RANGER Oiler 3,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. Commercial (Receivers. 730. S/W 521. D/F 579. Commercial (Auto Alarm. 700/1/535A. Service Equipment. CNY2. TBS. DQB. APU.

CEDARDALE Oiler 12,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 352A/740. S/W 521. D/F 359. (Auto Alarm. 700/1/535A. Service Equipment. CNY2. TBS. DQB. APU.
CELEROL Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. CR300/2. D/F 579 (Auto Alarm. 700/1/535A. Service Equipment. TCS.
DERWENTDALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. (Receivers. 730. D/F 579. (Auto Alarm. 700. Service Equipment. TBS. DQB. APU. CNY2.
DEWDALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. (Receivers. 730. D/F 579 (Auto Alarm. 700/1/535. Service Equipment. CNY2. TBS. APU. DQB.
DINGLEDALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535. Service Equipment. TBS. DQB. APU. CNY2.
EAGLESDALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W.398. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535. Service Equipment. TBS. APU. DQB. CNY2

EASEDALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W.398. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535. Service Equipment. TBS. DQB. APU. CNY2.
ECHODALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. (Receivers. 730. D/F 379T. (Auto Alarm. 700/1/535. Service Equipment. CNY2.
ELDEROL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment. CNY2.
ELMOL Oiler 1,000 tons	Commercial. (Transmitters. TS3B. (Receivers. (Auto Alarm. Service Equipment.
MAINE. ~~EMPIRE CLYDE~~ Hospital Ship	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment.
EMPIRE TEGYIKA (ex German) Oiler 2,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment. CNY2.

ENNERDALE Oiler 12,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558 S/W 398. (Receivers. 730. D/F 379T. (Auto Alarm. 700/1/535. Service Equipment. CNY2. TBS. APU. DQB.
FORTOL Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. (Receivers. CR 300/2. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment. CNY2.
GOLD RANGER Oiler 3,000 tons	Commercial (Transmitters. Ocean Span. (Receiver. CR 300/2. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment. CNY2. TBS. APU. DQB.
GREEN RANGER Oiler 3,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 730. S/W 521. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment. CNY2. TBS. APU. DQB.
HICKEROL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment.
LARCHOL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment. CNY2.

LIMOL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment. CNY2.
MIXOL Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 352A/740. S/W 521. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment.
NASPRITE Oiler 500 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 730. S/W 521. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment
OAKOL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment. CNY2.
OLNA Oiler 16,000 tons	Commercial (Transmitters. 1½KW. 386A. Emergency 558. S/W.398. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535. Service Equipment. CNY2. TBS. APU. DTC.
PETROBUS Oiler 300 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment

PHILOL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment. CNY2.
Prestol Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. (Receivers. 730. S/W 521. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment. CNY2.
RAPIDOL Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 173A. S/W 521. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment.
RELIANT Store Ship.	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. (Receivers. CR 300/2. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment.
ROBERT DUNDAS Store Ship	Commercial (Transmitters. TW12C. (Receivers. 394A. (Auto Alarm. Service Equipment.
ROBERT MIDDLETON Store Ship	Commercial (Transmitters. TW12C. (Receivers. 394A. (Auto Alarm. Service Equipment.

ROWANOL Oiler 1,000 tons	Commercial (Transmitters. ¼KW. 533/752 & Emergency. S/W 719A. (Receivers. 730. (Auto Alarm. 700. Service Equipment. CNY2.
SERBOL Oiler 2,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. 352A/730. S/W 521. D/F 579. (Auto Alarm. 700/1/535A. Service Equipment. TV5.
SCOTOL Oiler 1,000 tons	Commercial (Transmitters. ¼KW. 533/752 & Emergency. S/W 719A. (Receivers. 730. (Auto Alarm. Service Equipment.
SPA Water Carrier	Commercial (Transmitters. ¼KW. 533/752 & Emergency. (Receivers. 730. (Auto Alarm. Nil. Service Equipment.
SPABECK Water Carrier	Commercial (Transmitters. ¼KW. 533/4 & Emergency. (Receivers. 730 (Auto Alarm. Nil. Service Equipment.
SPABROOK Water Carrier	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment

TEAKOL Oiler 1,000 tons	Commercial (Transmitters. ¼KW. 535/752 & Emergency. (Receivers. 730. (Auto Alarm. Service Equipment. CNY2.
VISCOL Oiler 1,000 tons	Commercial (Transmitters. (Receivers. (Auto Alarm. Service Equipment.
WAR AFRIDI Oiler 8,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. (Receivers. CR 300/2. D/F 379T. (Auto Alarm. 700/1/535A. Service Equipment.
WAR BHARATA Oiler 8,000 tons	Commercial (Transmitters, ½KW. 381. Emergency 558. (Receivers. 730. D/F 379T. (Auto Alarm. 700/1/535A. Service Equipment
WAR BRAHMIN Oiler 8,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. (Receivers. 352A. S/W 521. D/F 379T. (Auto Alarm. 332/3. Service Equipment. CNY2. TBS. APU. DQB.
WAR HINDOO Oiler 8,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. (Receivers. 730. D/F 379T. (Auto Alarm. 700/1/535. Service Equipment. CNY2.

WAR PINDARI Oiler 8,000 tons	Commercial	(Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550. (Receivers. 352A/384. S/W 521. D/F 379T. (Auto Alarm. 700/1/535A. Service Equipment
WAR SUDRA Oiler 8,000 tons	Commercial	(Transmitters. ½KW. 381. Emergency 558. (Receivers. 730. D/F.379T. (Auto Alarm. 332/3. Service Equipment.
WAVE BARRON (ex Empire Flodden) Oiler 10,000 tons	Commercial	(Transmitters. 1½KW. 386A. Emergency 558. S/W 398. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535. Service Equipment. CNY2.
WAVE CHIEF (ex Empire Edgehill) Oiler 10,000 tons	Commercial	(Transmitters. 1½KW. 386A. Emergency 558. S/W 398. (Receivers. 730. D/F 579. (Auto Alarm. 700/1/535. Service Equipment. TBS. DQB. APU. CNY2.
WAVE COMMANDER (ex Empire Paladin) Oiler 10,000 tons	Commercial	(Transmitters. ½KW. 381. Emergency 558. (Receivers. 173. D/F 579. (Auto Alarm. 700. Service Equipment. TBS. CNY2. DQB. APU. TF.
WAVE CONQUEROR (ex Empire Law) Oiler 10,000 tons	Commercial	(Transmitters. ½KW. 381. Emergency 558. S/W 398. (Receivers. 730. D/F 579. (Auto Alarm. 700 Service Equipment. CNY2.

WAVE DUKE (ex Empire Mars) Oiler 10,000 tons	Commercial	Transmitters.	½KW. 381. Emergency 558. S/W 186/595.
		Receivers.	CR 300/2. D/F 579.
		Auto Alarm.	700/1/535.
	Service Equipment.		
WAVE EMPEROR Oiler 10,000 tons	Commercial	Transmitters.	2KW. 387/8/9. Emergency 558. S/W 550D.
		Receivers.	730. S/W 521. D/F 579.
		Auto Alarm.	700/1/535.
	Service Equipment. TBS. APU. AQB. CNY2.		
WAVE GOVERNOR Oiler 10,000 tons	Commercial	Transmitters.	2KW. 387/8/9. Emergency 558A. S/W 550D.
		Receivers.	CR 300/2. D/F 579.
		Auto Alarm.	700/1/535.
	Service Equipment. CNY2.		
WAVE KING Oiler 10,000 tons	Commercial	Transmitters.	2KW. 387/8/9. Emergency 558. S/W 550A/595.
		Receivers.	730. D/F 579/354N/32.
		Auto Alarm.	700/1/535A.
	Service Equipment. CNY2.		
WAVE KNIGHT (ex Empire Naseby) Oiler 10,000 tons	Commercial	Transmitters.	2KW. 387/8/9. Emergency 558.
		Receivers.	730. D/F 579.
		Auto Alarm.	700/1/535.
	Service Equipment. CNY2.		
WAVE LAIRD (ex Empire Dunbar) Oiler 10,000 tons	Commercial	Transmitters.	½KW. 381. Emergency 558. S/W 398.
		Receivers.	730. D/F 579.
		Auto Alarm.	700.
	Service Equipment. CNY2. TBS. DQB. APU.		

WAVE LIBERATOR (ex Empire Milner) Oiler 10,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. Commercial (Receivers. 730. D/F 579. Commercial (Auto Alarm. 700 Service Equipment.
WAVE MASTER (ex Empire Salisbury) Oiler 10,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W.186. Commercial (Receivers. 173A. D/F 579. Commercial (Auto Alarm. 700/1/535A. Service Equipment.
WAVE MONARCH Oiler 10,000 tons	Commercial (Transmitters. 2KW. 387/8/9. Emergency 558. S/W 550A. Commercial (Receivers. 730. S/W 521. D/F 579. Commercial (Auto Alarm. 700/1/535A. Service Equipment. CNY2. TBS. APU. DQB.
WAVE PREMIER (ex Empire Marston) Oiler 10,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. Commercial (Receivers. 730. D/F 579. Commercial (Auto Alarm. 700. Service Equipment. TBS. APU. DQB. CNY2.
WAVE PRINCE (Ex Empire Herald) Oiler 10,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. Commercial (Receivers. 730. D/F 579. Commercial (Auto Alarm. 700. Service Equipment. CNY2.
WAVE PROTECTOR (ex Empire Protector) Oiler 10,000 tons	Commercial (Transmitters. ½KW. 381. Emergency 558. S/W 398. Commercial (Receivers. 730. D/F 579. Commercial (Auto Alarm. 700 Service Equipment.

WAVE REGENT Oiler 10,000 tons	Commercial	Transmitters.	2KW. 387/8/9. Emergency 558. S/W 550D.
		Receivers.	CR 300/2. D/F 579.
		Auto Alarm.	700/1/535.
	Service Equipment. TBS. DQB. APU. CNY2.		
WAVE RULER (ex Empire Evesham) Oiler 10,000 tons.	Commercial	Transmitters.	½KW. 381. Emergency 558. S/W 398.
		Receivers.	730. D/F 579.
		Auto Alarm.	700
	Service Equipment. CNY2.		
Wave Sovereign Oiler 10,000 tons	Commercial	Transmitters.	2KW. 387/8/9. Emergency 558. S/W 550D/595.
		Receivers.	CR 300/2. D/F 579/354N/32.
		Auto Alarm.	700/1/535A.
	Service Equipment. CNY2.		
WAVE VICTOR (ex Empire Bounty) Oiler 10,000 tons	Commercial	Transmitters.	½KW. 381. Emergency 558. S/W 398.
		Receivers.	730. D/F 579.
		Auto Alarm.	700.
	Service Equipment. CNY2. TBS. APU. DQB.		

ROYAL AUSTRALIAN NAVY

CRUISERS

ADELAIDE 220 Volts

1. No. 1. TR.	36S. CI. CJ. QK. TA. TC.
2. No. 2. T.R.	13. C.M.H. NB.
3. No. 3. T.R.	9-33. 43X. C.M.H. NB. CG.
4. No. 4. T.R.	81. RA.
5. Portable Sets	1492B.W/M.
6. Aerials	AOA.

AUSTRALIA 220 Volts

1. U.T.R.	AWA. Type 13C. 57CMR. 60FR/2. TBS. 86M. CDC. TA/2. TC.
2. L.T.R.	AWA. Type J21/22. AT5/AR8. CDC. CDF. DQB. TA/2. TC.
3. L.R.R.	CDC/4. CDF/2 DTC. EJ. GJ.
4. B.R.R.	RC8. DTD.
5. R/T Office	87M/2.
6. Aerial Cutfits	AOA. APH/2.
7. Miscellaneous	

HOBART — 220 Volts

1. T.R. Main	48. CN/3. CO. CQ. EA. GB. TA. TC.
2. T.R. Second	49. CN. CQ. CSC.
3. T.R. Third	43A. 45. CN. CQ. CSC.
4. R.C.O.	60ER. CBA. TBS.
5. A.D.R.	
6. D/F Office	RA1.
7. Aerial Outfits	AOA.
8. Miscellaneous	53.

SHROPSHIRE — 220 Volts

1. T.R. Main	36M. 5F. 89. TA. TC. CAB/2. CBB/2. CDC/2. RIS(3). DRD. DTB. EF. GH.
2. T.R. Second	37M. 4TA. CAB. RIS(1). DO. TA.
3. T.R. Third	52FH/2. CAD/2. DRB. TA.
4. R.C.O.	60ER. 86. CBA. CDC/4. RIS(3).
5. A.D.R.	CDC. R1132A. RIS(3). DRD. KFA.
6. D/F Office	87. TBS-3. FM2. RIS(1).
7. Aerial Outfits	AOA. APU.
8. Miscellaneous	

REPAIR SHIPS

PLATYPUS -
REPAIR SHIP

DESTROYERS

ARUNTA

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

BATAAN

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

QUADRANT

1. Main Office	49MR. 60ER. TCS. TBS/2. 86M. TA/2. TC. CBB. CDC/3. CDF. RBJ. FM7. DRB. EE. GJ. KBF.
2. Second Office or Emergency Position	TCS-6. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	ACD. APH. APU/2. ~~AQJ.~~
5. Miscellaneous	OF.

QUALITY

1. Main Office	49MR. TCS-10 TBS-4. 86M. TA/2. TC. CAB. CBB. CDC/3. DR106. FM7. DRB. EE. GH.
2. Second Office or Emergency Position	TCS-12. BBu.
3. Chart House	
4. Aerial Outfits	AOD. ARD. ~~AQJ~~. APU.
5. Miscellaneous	

QUEENBOROUGH

1. Main Office	49MR. TCS-10. TBS-4. 86M. TA/2. TC. CBB. CDC/4. CDF/2. FM7. DRB. EE. GH.
2. Second Office or Emergency Position	TCS-12. BBw.
3. Chart House	
4. Aerial Outfits	AOD. APH. ARD.
5. Miscellaneous	67/2.

QUIBERON

1. Main Office	49MR. TBS-4. 86M. TA. TC. CAB/2. CBB. CDC/3. FM7. DRB. EE. GJ.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	

QUICKMATCH

1. Main Office	49MR. TCS. TBS-4. 86M. TA/2. TC. CAB/2. CDC/4. RBJ. FM7. DH. EE. GJ.
2. Second Office or Emergency Position	TCS. BBu. TBS.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU/2. AWA.
5. Miscellaneous	67/2. OF.

STUART

1. Main Office	38M. 4TA. 5C. TA. CN. CO. CP. CSC. FM7.
2. Second Office or Emergency Position	44. CL.
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

WARRAMUNGA

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

1 VESSEL (un-named)

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

1 VESSEL (Un-named)

1. Main Office	
2. Second Office or Emergeny Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

FRIGATES

AND

SLOOPS

BARCOO - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

BARWON - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

BURDEKIN - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

CONDAMINE - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

CULGOA - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

DIAMANTINA - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

GASCOYNE - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

HAWKESBURY - Frigate

1. Main Office	
2. Chart House	DAS-1
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

LACHLAN - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

MACQUARIE - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

MORESBY - Sloop

1. Main Office	
2.Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

MURCHISON - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

SHOALHAVEN - Frigate

1. Main Office	
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5.Miscellaneous	

SWAN - Sloop

1. Main Office	49. CN. CQ. CSC. GE.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	
5. Miscellaneous	

MINESWEEPERS

ARARAT

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

BENALLA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

BOWEN

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

BUNBURY

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

BUNDABERG

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

CASTLEMAINE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

COLAC

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

COOTAMUNDRA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

COWRA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

DELORAINE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

DUBBO

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

ECHUCA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

FREMANTLE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

GLADSTONE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

GLENELG

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

GYMPIE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

HORSHAM

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

INVERELL

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

JUNEE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

KAPUNDA

1. Main Office	
2. Aerial Outdits	
3. Miscellaneous	

KATOOMBA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

KIAMA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

LATROBE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

LITHGOW

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

MILDURA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

PARKES

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

ROCKHAMPTON

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

SHEPPARTON

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

STAWELL

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

STRAHAN

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

TOWNSVILLE

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

WAGGA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

SMALL CRAFT

NAME OR NUMBER	EQUIPMENT FITTED
KANGAROO B.D.V.	
KARANGI B.D.V.	
KOALA B.D.V.	
RESERVE TUG	
SPRIGHTLY TUG	
M.L. 813	
M.L. 814	
M.L. 815	
M.L. 816	
M.L. 817	
M.L. 818.	
M.L. 820	
M.L. 821	
M.L. 822	
M.L. 823	
M.L. 824	
M.L. 825	
M.L. 826	
~~M.L. 1074~~	~~TW12CM. 394G.~~
~~M.L. 1129.~~	~~TW12CH. 394G~~

NAME OR NUMBER	EQUIPMENT FITTED
~~M.L. 1161~~	TW12CH. ~~394G.~~
M.L. 1322	
M.L. 1323	
M.L. 1324	
M.L. 1325	
M.L. 1326	
M.L. 1327	
M.L. 1328	
M.L. 1329	

BR 299 (47)

HANDBOOK

FOR

WIRELESS EQUIPMENT

(OTHER THAN V/S.)

FITTED IN HM SHIPS

ROYAL

CANADIAN

NAVY

1947

LIGHT

FLEET CARRIERS

WARRIOR 220 Volts

1. T.R.No.1.	TAJ-15. TBM-9. 89P/2. 60FR/2. TA/5. TC. CDC/4. CDF/2. R.I.S(1). EF. GJ. GN. GR.
2. T.R. No.2.	TAJ-15. TBM-9. 89P/2. 60EQR. CDC. TA/4. TC. DWB. BBz. GJ. GS.
3. B.R.R.	TCS(E). CDC/8. CDF. CDU/5 + 2 spares. FM12. R.I.S(1). DWB. DWE. BBn/2. EK. GN. GR. TF.
4. R/T Office	YE-2. 87M/5. 86M/2. TBS-7/2.(87M Spare). BBn/2.
5. A.D.R.	CDC/4. RII.S(3). EG. GR. KFE. KGA/2.
6. Operations Room	ZB/ARA. BBd.
7. D/F Office	FV5.
8. Beacon Office	93. DHD.
9. Chart House	DAS-2.
10. Aerial Outfits	AOB. ~~ANE.~~ APU/2. ~~AQA.~~ ~~AQJ/2.~~ APZ. ARU/6.
11. Miscellaneous	52ERT. 66/2. 67/2. TEA. TOM. OF. KBK. KCQ.

CRUISERS

ONTARIO — 220 Volts

1. U.T.R.	57DMR. 59D. 60EQR. 60DR. 89P. TA/4. TC. CAB. CBB. R.I.S(1). BBr. GJ.
2. L.T.R.	57DMR. 59D. 60DR. CAB. GJ. TA/2. TC.
3. L.R.R.	CDC/4. CDF/2. R.I.S(1). EJ. GN. GR. KDC.
4. B.R.R.	60EQR. CBB. CDC/6. CDU. TF. BBq. GN. GR.
5. R/T Office	87M. 86M. TBS-6.
6. A.D.R.	CDC. R.I.S(3). KFD. KGA/2.
7. D/F Office	FM12. R.I.S(1).
8. Chart House	DAS-2.
9. Aerial Outfits	AOA. APH/2. APU. AWA. ~~AQK.~~ ~~AQJ/2.~~
10. Miscellaneous	52ERT. 53. 66/2. 67/2. 611. OF.

UGANDA — 220 Volts

1. T.R. No.1.	57DMR. 59D. 60D. TBS. TCS. CAB. GJ. TA/2. TC.
2. T.R. No.2.	57DMR. 59D. 60D. CAB. GJ. TA/2. TC.
3. L.R.R.	CAB. CBB/2. CDC/2. RBJ/2. R.I.S.(1). EF. GN.
4. B.R.R.	60ER. TCS. CBA. CDC/5. RBJ. ~~QB.~~ FM7. R.I.S(3). EF. GN.
5. R/T Office No.1.	86M. 87M. TBS-5.
6. " " No.2.	89M.
7. A.D.R.	SCR608. AN/ARC-1. CDC. P38. KFD.
8. D/F Office	FM7.
9. Chart House	DAS-2.
10. Aerial Outfits	AOA. APH/3. APU/2.
11. Miscellaneous	52ERT. 53. 67/2. OF.

DESTROYERS

ALGONQUIN — 220 Volts

1. Main Office	TBL-12. 4TA. HT11. TCS. TBS-4. 86M. TA/2. TC. CAB. CBB. CDC/3. FM12. FH4/CDC. TF. DRD. EG. GJ.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	DAS-2.
4. Aerial Outfits	AOD. APH. APU.
5. Miscellaneous	OF.

ATHABASKAN — 220 Volts

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

CAYUGA — 220 Volts

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

CRESCENT (on loan) — 220 Volts

1. Main Office	TBL. 60EQR. 60FR. HT11. TBS. 86M. TA/3. TC. TF. CBB. CDC/5. CDF. FM12. DTC. BBq. BBl. EG. GN. GR. KBE.
2. Second Office or Emergency Position	60EQR. CBB. CDC. CDF. TA. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ.~~
5. Miscellaneous	OF.

CRUSADER (on Loan) — 220 Volts

1. Main Office	TBL. 60EQR. 60FR. HT11. TBS. 86M. TA/3. TC. TF. CDC/5. CDF. FM12. DTC. DWB. BBq. BBl. EG. GN. GR. KCK. KCS.
2. Second Office or Emergency Position	60EQR. CDC. CDF. TA. DWB. BBr.
3. Chart House	DAS-2.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ~~.
5. Miscellaneous	OF.

HAIDA — 220 Volts

1. Main Office	TBL-12. 4T. 60FV. HT11. TV5. TBS. 86M. TA/2. TC. TF. CBB. CDC/3. CDF. FM12. FH4/CDC. DRB. EE.
2. Second Office or Emergency Position	60EMR. CBB. CDC/2. DHD.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC. APH. APU. ACE.
5. Miscellaneous	53/2. OF.

HURON — 220 Volts

1. Main Office	PV500H. 4T. TBS-4. TCS-10. HT11. 86M. TA/2. TC. TF. CDC. CDF. CSR-5. HRO/2. FM12. FH4/CDC. DTC. EE. GJ.
2. Second Office or Emergency Position	60EMR. CBB. CDC. CSR-5. HRO.
3. Chart House	DAS-2. QH3.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ.~~ ACE.
5. Miscellaneous	53/2. OF.

IROQUOIS — 220 Volts

1. Main Office	49MR. HT11. TBS-4. 86M. TA. TC. TF. CBB. CDE/3. RAK5. FM7. FH4/CDC. DRB. EE. GJ.
2. Second Office or Emergency Position	60EMR. CBB. CDE. DHD.
3. Chart House	DAS-1. QH3.
4. Aerial Outfits	AOC. APH. APU. ~~AQJ.~~ ACE.
5. Miscellaneous	53/2. 67/2. OF.

MICMAC

1. Main Office	PV500HM/LM. FR12. HT11. TBS. TDQ. TM11/2. CSR-5/5. RAK. RCK. FM12. DAU/CSR-5.
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
6. Miscellaneous	

NOOTKA

1. Main Office	
2. Second Office or Emergency Position	
3. Chart House	
4. Aerial Outfits	
5. Miscellaneous	

SIOUX 220 Volts

1. Main Office	TBL-12. 4TA. 60FV. TV5. TBS-4. 86M. TA/2. TC. CDC/3. CDF. CSR-5/4. FM12. FH4/CDC. DRD. EG. GJ.
2. Second Office or Emergency Position	TCS. BBu.
3. Chart House	QH3.
4. Aerial Outfits	AOD. APH. APU. ACE
5. Miscellaneous	

FRIGATES

ANTIGONISH

1. Main Office	PV500HM. FR12/2. CM11. MSL5. CSR-5/2. FM12. FH3/CSR-5. GR.
2. Aerial Outfits	
3. Miscellaneous	

BEACON HILL

1. Main Office	PV500HM/LM. FR12. HT11 TBS-4. 86M. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APH APU.
3. Miscellaneous	TBY. DAS-1. OF.

LA HULLOISE

1. Main Office	PV500HM/LM. FR12. HT11. TBS. MSL5. CSR-5/2. MDF5. FH4/CSR-4.
2. Aerial Outfits	APU.
3. Miscellaneous	

NEW WATERFORD

1. Main Office	PV500HM/LM. FR12. HT11. TCS-10. TBS. 86M. MSL5. CSR-5/2. MDF5. FH3/CSR-5. GR.
2. Aerial Outfits	APH. ARD
3. Miscellaneous	67/2. TBY-8.

ST. STÈPHEN

1. Main Office	PV500HM. FR12. CM11/2. HT11. TBS. MSL5. CSR-5/2. FM12. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	DAS-2. OF.

1. Main Office	PV500HM/LM. CM11/2. HT11. TBS-4. TDQ. MSL5. CSR-5/2. RCK. MDF5. DAU/CSR-5. LRN-1A.
2. Aerial Outfits	APU.
3. Miscellaneous	

MINESWEEPERS

"ALGERINE" CLASS

FORT FRANCIS

1. Main Office	PV500HM. FR12/2. CM11/2. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

KAPUSKASING

1. Main Office	PV500HM. FR12. CM11/2. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

NEW LISKEARD

1. Main Office	PV500HM. FR12/2. CM11/2. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

OSHAWA

1. Main Office	PV500HM/LM. FR12. HT11. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

PORTAGE

1. Main Office	PV500HM/LM. FR12/2. CM11. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

ROCKCLIFFE

1. Main Office	PV500HM. FR12. CM11/2. HT11. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

SAULT STE. MARIE

1. Main Office	PV500HM/LM. FR12. CM11. HT11. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	APU.
3. Miscellaneous	

WALLACEBURG

1. Main Office	PV500HM/LM. FR12. HT11. TW12. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	
3. Miscellaneous	

WINNIPEG

1. Main Office	PV500HM/LM. FR12. CM11. HT11. TBS. MSL5. CSR-5/2. MDF5. FH3/CSR-5.
2. Aerial Outfits	
3. Miscellaneous	

MISCELLANEOUS

VESSELS

SACKVILLE - Loop Laying Vessel (Corvette)

1. Main Office	PV50CHM. FR12T. TW12EH. MSL5. SMR3. MDF5.
2. Aerial Outfits	
3. Miscellaneous	

WOODSTOCK - Meteorological Ship (Corvette)

1. Main Office	PV50CH. FR12T. MSL5. CSR5. MDF5.
2. Aerial Outfits	
3. Miscellaneous	

ROYAL

INDIAN

NAVY

SLOOPS

CAUVERY — 220 Volts

1. Main Office	89M. 60EMR. TCS-10/2. TV5. TBS. 86M. TA. TC. CAB. CBB. CDC/2. FM12. FH4/CDC. DTC. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	

GODAVARI — 220 Volts

1. Main Office	49MR. TCS/2. TBS. 86M. TA. TC. CBB. CDC/3. CDF. DRB. BBq. EG. GJ. GR.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67.

JUMNA — 220 Volts

1. Main Office	49MR. TCS/2. TBS. 86M. TA. TC. CAD. CBB. CDC/2. CDF. FM12. DRB. BBq. GJ. GR.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	52ERT.

KISTNA

1. Main Office	89M. 4TA. TV5. TCS/2. TBS. 86M. TA. TC. CAB. CBB. CDC/3. FM7. FH3 / CDC. DTC. BBq. EG. GJ.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53.

NARBADA — 220 Volts

1. Main Office	49MR. TCS/2. TBS. 86M. TA. TC. CAA. CBB. CDC/2. FM7. DRB. BBq. EG. GJ. GR.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	53. 67.

SUTLEJ — 220 Volts

1. Main Office	49MR. TCS/2. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM12. DRB. BBq. EE. GJ.
2. Chart House	
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	52ERT. 53

FRIGATES

AND

CORVETTES

ASSAM — 220 Volts

1. Main Office	TW12EH. CNS1. TBS. 86M. CDC. CSB. 394G. FM12. DQB. GR.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOF. ARD. APU.
5. Miscellaneous	

DHANUSH — 220 Volts

1. Main Office	89M. 4TA. TCS. TBS. 86M. TA. TC. CAA. CBB. CDC/3. FM7. DTC. BBq. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

KUKRI (ex TRENT) — 220 Volts

1. Main Office	49MR. HT11A. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM7. FH3/CDC. DRB. BBq. GN.
2. Chart House	DAS-2.
3. Emergency Position	TW12. 394G.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

MAHRATTA — 220 Volts

1. Main Office	TW12EP. CNS1. CDC. CSB. 394G. FM12. DQB. GR.
2. Chart House	
3. Emergency Position	
4. Aerial Outfits	AOF.
5. Miscellaneous	67/2.

SHAM SHER — 220 Volts

1. Main Office	89M. 4TA. HT11. TBS. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

TIR — 220 Volts

1. Main Office	89P. 4TA. TV5. TBS. 86M. TA. TC. CBA. CDC/3. CDF. FM7. DRB. DRD. BBq. EG. GJ.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	67/2. OF.

MINESWEEPERS

AMRITSAR

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

BALUCHISTAN - Bangor

1. Main Office	50MR. TBS. 86M. TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

BARODA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

BENGAL - Bathurst

1. Main Office	607E. 86M. TBY. AWA 300. CDC. CDR. FM12. AWA1-2-3. GN. GR. DJB.
2. Aerial Outfits	AOF. APH.
3. Miscellaneous	

BIHAR - Bangor

1. Main Office	607E. 86M. TBY. AWA300. CDC. CDR. FM12. AWA1-2-3-. GN. GR. DJB.
2. Aerial Outfits	AOF. APH.
3. Miscellaneous	

BOMBAY - Bathurst

1. Main Office	607E. 86M. TBY. AWA 300. CDC. CDR. FM12. AWA1-2-3. GN. GR. DJB.
2. Aerial Outfits	AOF. APH.
3. Miscellaneous	

CALCUTTA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

CARNATIC - Bangor

1. Main Office	50MR. TBS. 86M. TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

COCHIN

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

DECCAN - Bangor

1. Main Office	50MR. TBS. 86M. TA. CBB. CDC/2. CDF. FM12. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

KATHIAWAR - Bangor

1. Main Office	50MR. TBS. 86M. TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67/2.

KHYBER - Bangor

1. Main Office	50MR. TBS. 86M. TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	67

KONKAN - Bangor

1. Main Office	50MR. TBS. 86M. TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

KUMAON - Bangor

1. Main Office	50MR. TA. CAB. CBB. FM7. GE. DQB.
2. Aerial Outfits	AOF.
3. Miscellaneous	

MADRAS - Bathurst - (RADAR TRAINING SHIP)

1. Main Office	607E. 86M. TBY. AWA300. CDC. CDR. FM12. AWA1-2-3. GN. GR. DJB.
2. Aerial Outfits	AOF. APH.
3. Miscellaneous	

MALWA - Bangor

1. Main Office	50MR. 86M. TBS. TA. CBB. CDC/2. CDF. FM12. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

ORISSA - Bangor

1. Main Office	50MR. 86M. TBS TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

OUDH - Bangor

1. Main Office	607E. 86M. TBY. AWA300. CDC. CDR. FM12. AWA1-2-3. GN. GR. DJB.
2. Aerial Outfits	AOF. APH.
3. Miscellaneous	

RAJPUTANA - Bangor

1. Main Office	50MR. 86M. TBS TA. CAB. CBB. CDC. FM7. GN. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

RAMPUR

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

1. Main Office	50MR. 86M. TBS. TA. CAB. CBB. CDC. FM7. GR. DQB.
2. Aerial Outfits	AOF. APH. APU.
3. Miscellaneous	

SMALL CRAFT

NAME OR NUMBER	EQUIPMENT FITTED
INVESTIGATOR Survey Vessel	TW12EH. 86M. TCS. 394G. CQ. CDC. DJB. 53. 66.
NASIK Trawler	
M.L. 391	TW12CH. 394G.
M.L. 414	TW12CH. 394G.
M.L. 415	TW12CH. 394G.
M.L. 418	TW12CH. 394G.
M.L. 420	
M.L. 1110	TW12CH. 394G.
M.L. 1112	
~~M.L. 1113~~	
M.L. 1117	TW12CH. 394G.
M.L. 1118	TW12CH. 394G.
M.L. 1261	TW12CH. 394G.
M.L. 1262	TW12CH. 394G.
M.L. 1263	TW12CH. 394G.
M.L. 1266	TW12CH. 394G.
~~M.M.S. 97~~	
~~M.M.S. 98~~	
M.M.S. 129	TW12DH. 394G.
M.M.S. 130	TW12DH. 394G.

NAME OR NUMBER	EQUIPMENT FITTED	
M.M.S. 131	TW12DH.	394G.
M.M.S. 132 renamed BARQ.		
M.M.S. 151		
M.M.S. 154		
~~M.T.B. 275~~	~~TW12CH.~~	~~394G.~~
M.T.B. 276	TW12CH.	394G.
M.T.B. 277	TW12CH.	394G.
~~M.T.B. 278~~	~~TW12CH.~~	~~394G.~~
~~M.T.B. 279~~	~~TW12CH.~~	~~394G.~~
~~M.T.B. 280~~	~~TW12CH.~~	~~394G.~~
~~M.T.B. 281~~	~~TW12CH.~~	~~394G.~~
~~M.T.B. 282~~	~~TW12CH.~~	~~394G.~~
~~M.T.B. 283~~		
~~M.T.B. 286~~		
~~M.T.B. 291~~		
~~M.T.B. 292~~		
~~M.T.B. 293~~		
~~M.T.B. 294~~		
~~M.T.B. 299~~		
~~M.T.B. 300~~		

NAME OR NUMBER	EQUIPMENT FITTED
~~M.T.B. 301~~	
~~M.T.B. 302~~	
~~M.T.B. 303~~	
~~M.T.B. 304~~	
~~M.T.B. 305~~	
~~M.T.B. 306~~	

ROYAL

NEW ZEALAND

NAVY

CRUISERS

1. T.R. No. 1	57DMR. 59D. 60D. CAB. CDC. RIS(1). GJ. TA/2. TC.
2. T.R. No. 2	57DMR. 59D. 60D. CAB. CDC. RIS(1). GJ. TA/2. TC.
3. C.C.O.	4D. CAB. CBB/2. CDC/5. CDF. RIS(1)(3). EH. GI.
4. B.R.R.	60EMR. TBS-4/2. CBB. CDC/4. RIS(1)(3). EE.
5. R/T Office	86M. 87M/2. 89M.
6. A.D.R.	CDC. P38/2. RIS(3). KFA.
7. D/F Office	FM7.
8. Chart House	DAS-2. QH3.
9. Aerial Outfits	AOA. APH. APU. ARD/3. ACE.
10. Miscellaneous	52ERT. 53. 66/2. 67/2. OF.

BLACK PRINCE

1. T.R. No. 1	57DMR. 59D. 60D. CAB. RIS(1). GJ. TA/2. TC.
2. T.R. No. 2	57DMR. 59D. 60D. CAB. RIS(1). GJ. TA/2. TC.
3. T.R. No. 3	89.
4. C.C.O.	CAB/2. CBB/2. CDC/4. CDF. RIS(1)(3). EH. GJ. KDC.
5. R.C.O.	60ER. 87. TBS-4. CBA. CDC/4. RIS(3). EE.
6. A.D.R.	86M. CDC. R.1132A. RIS(3). KFA.
7. D/F Office	FM7. RIS(1)
8. Aerial Outfits	AOA. APH/2. APU. ~~AQJ~~.
9. Miscellaneous	52ERT. 53. 67/2.

CORVETTES

ARABIS — 220 Volts

1. Main Office	TW12EP. CNSI. TBS. 86M. CDC. CSB. 394G. FM12. DQB.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	

ARBUTUS — 220 Volts

1. Main Office	TW12EP. CNSI. TBS. 86M. CDC. CSB. 394G. FM12. DQB.
2. Aerial Outfits	AOF. ARD.
3. Miscellaneous	

SMALL CRAFT

NAME OR NUMBER	EQUIPMENT FITTED
CLAYMORE Trawler	
INCHKEITH Trawler	TW12EH. 394G. CSB.
KILLEGRAY Trawler	TW12EH. 394G. CSB.
KIWI Trawler	
SANDA Trawler	TW12EH. 394G. CSB.
SCARBA Trawler	TW12EH. 394G. CSB.
HAUTAPU Special Service Vessel	
M.L. 1183	
M.L. 1184	
M.L. 1191	TW12CH. 394G.
M.L. 1192	TW12CH. 394G.
M.L. 1193	TW12CH. 394G.
M.L. 1194	TW12CH. 394G.

SOUTH AFRICAN

NAVAL FORCES

FRIGATES

GOOD HOPE	220 Volts
1. Main Office	89, 60EQR. TV5. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4/~~CDC~~.CDC. DTC. BBq. EG. GN.
2. Chart House	QH3. DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. ARD mod. ACE.
5. Miscellaneous	OF.

NATAL	220 Volts
1. Main Office	89. 60EQR. HT11A. TBS-4. 86M. TA. TC. CBB. CDC/3. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS. BBu.
4. Aerial Outfits	AOE. APH. ARD mod.
5. Miscellaneous	OF.

TRANSVAAL	220 Volts
1. Main Office	89M. 60EQR. TV5. TBS-4. 86M. TA. TE. TF. CBB. CDC/4. CDF. FM12. FH4/CDC. DTC. BBq. EG. GN.
2. Chart House	DAS-2.
3. Emergency Position	TCS-6. BBu.
4. Aerial Outfits	AOE. APH. APU.
5. Miscellaneous	66/2. OF.

MINESWEEPERS

AFRICANA

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

DAVID HAIG

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

PIETERMARITZBURG.

~~PELORUS~~ 220 Volts

1. Main Office	89M. 4TA. TBS-6. 86M. TA. TC. AR88. CDC/2. FM12. DTC. EG. GE.
2. Aerial Outfits	AOF. APU. ARD.
3. Miscellaneous	67/2.

BLOEMFONTEIN.

~~ROSAMUND~~

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

SOUTHERN BARRIER

1. Main Office	
2. Aerial Outfits	
3. Miscellaneous	

SMALL CRAFT

NAME OR NUMBER	EQUIPMENT FITTED
BARBRAKE B.D.V.	TV5 H/F. 730.
BARCROSS B.D.V.	TW12EH. 394G. CSB.
BOKSBURG Whaler	TW12EM. 394G.
LANGLAAGTE Whaler	
~~ROCK ROSE~~ PROTEA. Corvette	TGY1. CNSI. 86M. FM12. 394G. CSB. CDC. DQB. AOF. APH. 67/2.
SOUTHERN SEA Whaler	TW12EH. 394G. R1082.
SPINDRIFT	
M.L. 1203	TW12CH. 394G.
M.L. 1331	TW12CH. 394G.

SHIPS ON LOAN TO OTHER COUNTRIES

SHIPS ON LOAN TO OTHER COUNTRIES

NAME	RENAMED
BELGIUM	
Boom Defence Vessels	
BARCOCK	-
Motor Minesweepers	
M.M.S. 182	-
M.M.S. 187	-
M.M.S. 188	-
M.M.S. 189	-
M.M.S. 191	-
M.M.S. 193	-
M.M.S. 266	-
M.M.S. 1020	-
BURMA	
Boom Defence Vessels	
BARRYMORE	-
BARSTOKE	-
Motor Launches	
M.L. 391	-
M.L. 414	-
M.L. 415	-
M.L. 418	-
M.L. 437	-
M.L. 1205	-
M.L. 1206	-
M.L. 1272	-
M.L. 1286	-
M.L. 1298	-
M.L. 1299	-
M.L. 1304	-
M.L. 1306	-
M.L. 1368	-
M.L. 1369	-
M.L. 1374	-
M.L. 1424	-
M.L. 1456	-
M.L. 1462	-
M.L. 1463	-
M.L. 1467	-
M.L. 1477	-
M.L. 1478	-
M.L. 1486	-
M.L. 1488	-
CHINA	
M.L. 1058 *ex* F.D.B. 52.	
M.L. 1049 *ex* F.D.B. 53.	
M.L. 1068 *ex* F.D.B. 54.	
M.L. 1309 *ex* F.D.B. 85.	
M.L. 1405 *ex* F.D.B. 83.	
M.L. 1033 *ex* F.D.B. 47.	
M.L. 1047 *ex* F.D.B. 51	

NAME	RENAMED
DENMARK	
Submarines	
P. 52	U.1.
VULPINE	U.2.
P. 87	U.3.
Motor Minesweepers	-
M.M.S. 36	-
M.M.S. 83	-
M.M.S. 84	-
M.M.S. 86	-
M.M.S. 263	-
M.M.S. 307	-
M.M.S. 1038	-
M.M.S. 1042	-
M.M.S. 1044	-
HOLLAND	
Escort Carrier	
NAIRANA	KAREL DOORMAN
Minesweepers	
BURNIE	CERAM
CAIRNS	AMBON
IPSWICH	MOROTAI
KALGOORLIE	TERNATE
LISMORE	BATJAN
TAMWORTH	TIDORE
TOOWOOMBA	BOEROE
WOLLONGONG	BANDA
Maintenance Ship	
BEACHY HEAD	VULKAAN
Boom Defence Vessels	
BARGLOW	Returned to UK.
BARNEHURST	-
Motor Launches	
M.L. 1260	-
M.L. 1337	-

291—*contd.* "Under China"—*contd.*

SHIPS ON LOAN TO OTHER COUNTRIES (Contd.)

NAME	RENAMED
HOLLAND (Contd.)	
Motor Launches (Contd.)	
M.L. 1470	-
M.L. 1479	-
FRANCE	
Aircraft Carrier	
COLOSSUS	ARROMANCHES
Submarine	
~~VINEYARD~~	DORIS
Motor Launches	
M.L. 244	
M.L. 266	
M.L. 271	
M.L. 302	
M.L. 1072	V.P. 21
M.L. 1127	V.P. 9
M.L. 1132	V.P. 8
M.L. 1133	V.P. 7
M.L. 1136	V.P. 14
M.L. 1138	V.P. 2
M.L. 1139	V.P. 16
M.L. 1141	V.P. 22
M.L. 1143	PALMYRE
M.L. 1144	V.P. 15
M.L. 1152	V.P. 11
M.L. 1164	BAALBEK
M.L. 1166	V.P. 5
M.L. 1225	V.P. 12
M.L. 1228	-
M.L. 1231	V.P. 23
M.L. 1233	-
M.L. 1240	V.P. 4
M.L. 1249	V.P. 1
M.L. 1250	V.P. 10
Motor Minesweepers	
M.M.S. 9	D. 364
M.M.S. 21	D. 361
M.M.S. 47	D. 363
M.M.S. 49	D. 377
M.M.S. 67	D. 375
~~M.M.S. 91~~	~~D. 374~~
M.M.S. 116	D. 365
M.M.S. 118	D. 366
M.M.S. 133	D. 367
M.M.S. 134	D. 368
M.M.S. 184	D. 362

NAME	RENAMED
FRANCE (Contd.)	
Motor Minesweepers (Contd.)	
~~M.M.S. 202~~	~~D. 372~~
~~M.M.S. 204~~	~~D. 376~~
~~M.M.S. 213~~	~~D. 378~~
~~M.M.S. 220~~	~~D. 373~~
~~M.M.S. 221~~	~~D. 371~~
~~M.M.S. 1024~~	~~D. 343~~
~~M.M.S. 1032~~	~~D. 342~~
~~M.M.S. 1033~~	~~D. 345~~
~~M.M.S. 1036~~	~~D. 346~~
~~M.M.S. 1039~~	~~D. 341~~
~~M.M.S. 1040~~	~~D. 344~~
GREECE	
Destroyers	
BOLEBROKE	PINDOS
BOREAS	SALAMIS
BRAMHAM	THEMISTOCLES
CATTERICK	ADMIRAL HASTINGS
ECHO	NAVARINON
HATHERLEIGH	KANARIS
HURSLEY	CRETE
LAUDERDALE	AEGEAN
MODBURY	MIAOULES
TANATSIDE	ADRIAS
Corvettes	
COREOPSIS	KRIEZIS
HYACINTH	APOSTOLIS
PEONY	SAKTOURIS
TAMARISK	TOMPAZIS
Submarines	
P. 71	PIPINOS
UNTIRING	XIFIAS
UPSTART	AMFITRITI
VENGEFUL	DELPHIN
VIRULENT	ARGONAFTIC
VOLATILE	TRIANA
Drifter	
FELLOWSHIP	-
M/S DEPOT SHIP	-
PRODUCT	

SHIPS ON LOAN TO OTHER COUNTRIES (Contd.)

NAME	RENAMED
GREECE (Contd.)	
Motor Launches	
M.L. 232	-
M.L. 295	-
M.L. 307	-
M.L. 341	-
M.L. 478	-
M.L. 483	-
M.L. 554	-
M.L. 561	-
M.L. 565	-
M.L. 569	-
M.L. 578	-
M.L. 840	-
M.L. 861	-
M.L. 864	-
M.L. 867	-
M.L. 1032	-
M.L. 1051	-
M.L. 1149	-
M.L. 1221	-
M.L. 1252	-
M.L. 1292	-
M.L. 1307	-
M.L. 1375	-
Motor Minesweepers	
M.M.S. 1	-
M.M.S. 5	-
M.M.S. 46	-
M.M.S. 53	-
M.M.S. 58	-
M.M.S. 144	-
M.M.S. 310	-
M.M.S. 313	-
L.S.T's.	
L.S.T.(3) 3002	ALIAKMON
L.S.T.(3) 3007	AXIOS
L.S.T.(3) 3020	ALFIOS
L.S.T.(3) 3502	STRYMON
L.S.T.(3) 3503	ACHELOOS
L.S.T.(3) 3506	PINIOS
ITALY	
Trawlers	
BURRA	-
CUMBRAE	-
EGILSAY	-
ENSAY	-
FILLA	-
FOULA	-
GAVOTTE	-

NAME	RENAMED
ITALY (Contd.)	
Trawlers (Contd.)	
GRAIN	-
HORNPIPE	-
MINUET	-
MOUSA	-
OTHELLO	-
STAFFA	-
STROMA	-
TWO STEP	-
UNST	-
Motor Minesweepers	
M.M.S. 10	-
M.M.S. 32	-
M.M.S. 34	-
M.M.S. 35	-
M.M.S. 48	-
M.M.S. 50	-
M.M.S. 99	-
M.M.S. 100	-
M.M.S. 102	-
M.M.S. 103	-
M.M.S. 104	-
M.M.S. 105	-
M.M.S. 106	-
M.M.S. 135	-
M.M.S. 167	-
M.M.S. 172	-
M.M.S. 185	-
NORWAY	
Motor Torpedo Boats	
M.T.B. 704	-
M.T.B. 711	-
M.T.B. 713	-
M.T.B. 716	-
M.T.B. 717	-
M.T.B. 719	-
M.T.B. 720	-
M.T.B. 721	-
M.T.B. 722	-
M.T.B. 723	-

SHIPS ON LOAN TO OTHER COUNTRIES (Contd.)

NAME	RENAMED	NAME	RENAMED
PALESTINE			
Motor Launches			
M.L. 1126	-		
M.L. 1145	-		
M.L. 1246	-		
U.S.S.R.			
Battleship			
ROYAL SOVEREIGN	ARCHANGEL		
YUGO-SLAVIA			
Corvette			
MALLOW	NADA		

INDEX

SHIP	PAGE
A	
Abbeydale	215
Abercrombie	43
Acheron	171
Acheloos	293
Achilles	21
Actaeon	117
~~Acute~~	~~155~~
Adamant	47
Adelaide (R.A.N.)	229
Admiral Hastings	292
Adrias	292
Aegean	292
Aeneas	171
Affray	171
Africana (S.A.N.F.)	287
Agincourt	55
Air Safety Launches	195
Airsprite	215
Aisne	55
~~Ajax~~	~~24~~
Alacrity	117
Alamein	55
Alaric	171
Alaunia	47
Albacore	155
Albion	11
Albrighton	103
Alcide	171
Alderney	172
Alert	208
Alfios	293
Algonquin (R.C.N.)	255
Aliakmon	293
Alliance	172
Allington Castle	149
Alnwick Castle	149
Amberley Castle	149
Ambon	291
Ambush	172
Amethyst	117
Amfitriti	292
Amphion	172
Amritzar (R.I.N.)	269
Anchoriti	172
Andrew	173
Annet	189
Anson	1
Antic	207
Antigonish (R.C.N.)	259
Anzio	211
Apollo	43
Apostolis	292
Arabis (R.N.Z.N.)	281
Ararat (R.A.N.)	241
Arbutus (R.N.Z.N.)	281
Archangel	294
~~Arethusa~~	~~22~~
Argonaftic	292
Argonaut	22
Ariadne	44
Ark Royal	7
Armada	56
Arndale	215
Arromanches	292
Artemis	173
Artful	173
Artifex	47
Arunta (R.A.N.)	233
~~Ashanti~~	~~56~~
Assam (R.I.N.)	267
Astute	173
Athbaskan (R.C.N.)	255
Atherstone	103
Attacker	211
Auriga	173
Aurochs	174
Aurora	23
Ausonia	48
Australia (R.A.N.)	229
Avenger	211
Avon	139
Avonvale	103
Awe	139
Axios	293
B	
Bacchus	215
Balinderry	139
Baluchistan (R.I.N.)	269
Bamborough Castle	149
Banda	291
Barbain	191
Barbastel	191
Barberry	191
Barbette	191
Barbican	191
Barbour	191
Barbourne	191
Barbrake (S.A.N.F.)	289
Barbridge	191
Barbrook	191
Barcarole	191
Barcastle	191
Barcliff	191
Barclose	191
Barcock	291
Barcoo (R.A.N.)	237
Barcote	191
Barcroft	191
Barcross (S.A.N.F.)	289
Bardell	191
Bardolf	191
Bardsey	189
Barfield	191
Barfleur	56

SHIP	PAGE
Barfoam	191
Barfoil	191
Barfoot	192
Barford	192
Barfoss	192
Barfount	192
Barglow	291
Barhill	192
Barholm	192
Barilla	192
Baritone	192
Barking	192
Barkis	192
Barlake	192
Barlane	192
Barlow	192
Barmill	192
Barmond	192
Barnaby	192
Barnard	192
Barneath	192
Barnehurst	291
Barnestone	192
Barnet	192
Barnwell	193
Baroda	269
Baron	193
Baronia	193
Barova	193
Barrage	193
Barranca	193
Barrhead	193
Barricade	193
Barrier	193
Barrington	193
Barrosa	57
Barrymore	291
Barsing	193
Barsound	193
Barspear	193
Barstoke	291
Barthorpe	193
Bartizan	193
Barwind	193
Barwon (R.A.N.)	237
Bataan (R.A.N.)	233
Batjan	291
Battleaxe	57
Battler	211
Beachy Head	291
Beacon Hill (R.A.N.)	259
Beaufort	103
Bedale	104
Belfast	23
Belgol	215
Bellona (R.N.Z.N.)	279
Belvoir	104
Benalla (R.A.N.)	241
Bengal (R.I.N.)	269
Ben Lomond	211
Ben Nevis	211
Berkeley Castle	150
Bermuda	24
Bern	189
Berry Head	48
~~Berwick~~	~~24~~
Bicester	104
Bigbury Bay	125
Bihar (R.I.N.)	269
Birchol	215
Birmingham	25
Bishopdale	216
Blackmore	104
Black Prince (R.N.Z.N.)	279
Black Ranger	216
Black Swan	117
Blake	25
Blankney	105
Bleasdale	105
Blencathra	105
Blue Ranger	216
Boeroe	291
Boksburg (S.A.N.F.)	289
Bolebroke	292
Bombay (R.I.N.)	270
Bonaventure	48
Boreas	292
Bowen (R.A.N.)	241
Bownet	193
Boxer	208
Boxol	216
Bramble	155
Bramham	292
~~Brave~~	~~155~~
Brecon	105
Brigand	207
Brissenden	106
Briton	207
Broadsword	57
Brocklesby	106
Broomdale	216
Brown Ranger	216
Bruiser	211
Buchan Ness	211
Bulwark	11
Bunbury (R.A.N.)	241
Bundaberg (R.A.N.)	241
Burdekin (R.A.N.)	237
Burghead Bay	125
Burgonet	193
Burnie	291
Burra	293
BLOEMFONTEIN	~~296~~ 287
BULAWAYO	~~296~~ 210

C

Cadiz	58
~~Cadmus~~	~~155~~
Caesar	58
Cairns	291
Caistor Castle	150

SHIP	PAGE
Calcutta (R.I.N.)	270
Caldy	189
Calpe	106
Cambrian	58
Campania	19
Camperdown	59
Cape Wrath	48
Caprice	59
Cardigan Bay	125
Carisbrooke Castle	150
Carnarvon Bay	125
Carnatic (R.I.N.)	270
Carron	59
Carysfort	60
Cassandra	60
Castlemaine (R.A.N.)	242
Catterick	292
Cattistock	106
Cauvery (R.I.N.)	265
Cavalier	60
Cavendish	61
Cawsand Bay	126
Cayuga (R.C.N.)	255
Cedardale	217
Celerol	217
Centaur	12
Ceram	291
Ceylon	26
Challenger	185
Chameleon	156
Chaplet	61
Charger	211
Charity	61
Chaser	211
Cheerful	156
Chelmer	139
Chequers	62
Cheviot	62
Chevron	62
Chiddingfold	107
Chieftain	63
Childers	63
Chivalrous	63
~~Circe~~	~~156~~
Claymore (R.N.Z.N.)	283
Clearwater	208
Cleopatra	26
Cleveland	107
Cochin (R.I.N.)	270
Cockade	64
Cockatrice	156
Colac (R.A.N.)	242
~~Coll~~	~~189~~
Colossus	12 & 292
Comet	64
Comus	64
Concord	65
Condamine (R.A.N.)	237
Consort	65
Constance	65
Contest	66
Controlled Target Boats	195
Cootamundra (R.A.N.)	242
Coquette	156
Coreopsis	292
Corunna	66
Cossack	66
Cotswold	107
Cottesmore	107
Courier	157
Cowdray	108
Cowra (R.A.N.)	242
Crane	118
Creole	67
Crescent (R.C.N.)	256
Crete	292
Crispin	67
Croome	108
Crossbow	67
Crusader (R.C.N.)	256
Culgoa (R.A.N.)	238
Cumberland	27
Cumbrae	293
Cygnet	118
COOK	~~297~~ 186
CURZON	297.

D

SHIP	PAGE
Dabchick	207
Dainty	68
Dalrymple	185
Dampier	185
Damsay	189
Daring	68
Dart	140
David Haig (S.A.N.F.)	287
Deccan (R.I.N.)	270
Decoy	68
Defence	27
Defender	69
Delight	69
Deloraine (R.A.N.)	242
Delphin	292
Derby Haven	49
Derg	140
Derwentdale	217
Devonshire	28
Dewdale	217
Dhanush (R.I.N.)	267
Diadem	28
Diamantina (R.A.N.)	238
Diamond	69
Diana	70
Dido	29
Dieppe	212
Dingledale	217
Dodman's Point	212
~~Doris~~	~~292~~
Dovey	140
Dragonet	193
Dubbo (R.A.N.)	243
Duchess	70
Duke of York	1
Dumbarton Castle	150
Duncansby Head	49
Dunkirk	70

E

Eagle 7
Eaglesdale 217
Earraid 189
Easedale 218
Easton 108
Echo 292
Echodale 218
Echuca (R.A.N.) 243
Eggesford 108
Egilsay 293
Eglinton 109
Elderol 218
Elmol 218
~~Empire Clyde~~ ~~218~~
Empire Tegyika 218
Enard Bay 126
Encore 207
Ennerdale 219
Ensay 293
~~Eskimo~~ ~~71~~
Espiegle 157
~~Ettrick~~ ~~140~~
Euryalus 29
Exe 141
Exmoor 109

F

Fal 141
Falconet 193
~~Fame~~ ~~71~~
Fancy 157
Farndale 109
Farnham Castle 151
Fast Despatch Boats 195 & 196
Fellowship 292
Fernie 109
Fetlar 189
Fierce 157
Fighter 212
Filla 293
Finnisterre 71
Flamingo 118
Flatholm 189
Fleetwood 118
Flint Castle 151
~~Fly~~ ~~157~~
Flying Fish 158
Formidable 8
Fort Francis (R.C.N.) 261
Forth 49
Fortol 219
Foula 293
Foulness 189
Franklin 185
Freebooter 207
Fremantle (R.A.N.) 243

G

Gabbard 72
Gambia 30
Garth 110
Gascoyne (R.A.N.) 238
Gateshead 189
Gavotte 293
Girdle Ness 212
Gladstone (R.A.N.) 243
Glasgow 30
Glenelg (R.A.N.) 243
Glory 13
Godavari (R.I.N.) 265
Gold Ranger 219
Golden Fleece 158
Good Hope (S.A.N.F.) 285
Gorregan 189
~~Graemsay~~ ~~189~~
Grain 293
Gravelines 72
Grenville 72
Green Ranger 219
Guardian 44
Gulnare 186
Gympie (R.A.N.) 244

H

Hadleigh Castle 151
Haida (R.C.N.) 256
~~Halladale~~ ~~141~~
Hambledon 110
Hare 158
Hart 119
Hartland Point 212
Hatherleigh 292
Hautapu (R.N.Z.N.) 283
Hawkesbury (R.A.N.) 238
Haydon 110
Hedingham Castle 151
Helford 141
Helmsdale 142
Hengist 207
Hercules 13
Hermes 14
Hickerol 219
Hind 119
Hobart (R.A.N.) 230
Hogue 73
Holderness 110
~~Holm Sound~~ ~~49~~
Hornpipe 293
Horsham (R.A.N.) 244
~~Hotspur~~ ~~73~~
Hound 158
Howe 2
Hunter 212
Huron 257

SHIP	PAGE
Hursley	292
Hyacinth	292
I	
Illustrious	8
Imersay	189
Implacable	9
Inchkeith (R.N.Z.N.)	283
Indefatigable	9
Indomitable	10
Inverell (R.A.N.)	244
Ipswich	291
Iroquois (R.C.N.)	257
J	
Jamaica	31
Jaseur	158
~~Javelin~~	~~73~~
Jed	142
~~Jervis~~	~~74~~
Jewel	159
Jumna (R.I.N.)	265
Junee (R.A.N.)	244
Jutland	74
K	
Kale	142
Kalgoorlie	291
Kanaris	292
Kangaroo (R.A.N.)	249
Kapuskasing (R.C.N.)	261
Kapunda (R.A.N.)	244
Karangi (R.A.N.)	249
Karel Doorman	291
Kathiawar (R.I.N.)	271
Katoomba (R.A.N.)	245
~~Kelvin~~	~~74~~
Kempenfelt	75
Kenilworth Castle	152
Kenya	31
Keren	212
Khyber (R.I.N.)	271
Kiama (R.A.N.)	245
Killegray (R.N.Z.N.)	283
~~Kimberley~~	~~75~~
King George V.	2
Kistna (R.I.N.)	265
Kiwi (R.N.Z.N.)	283
Knaresborough Castle	152
Koala (R.A.N.)	249
Konkan (R.I.N.)	271
Kriezis	292
Kukri (R.I.N.)	267
Kumaon (R.I.N.)	271

SHIP	PAGE
L	
Lachlan (R.A.N.)	239
Laertes	159
Lagos	75
La Hulloise (R.C.N.)	259
Lamerton	111
Lancaster Castle	152
Lanlaagte (S.A.N.F)	289
Larchol	219
Largo Bay	126
Latrobe (R.A.N.)	245
Lauderdale	292
Launceston Castle	152
~~Leander~~	~~32~~
Ledbury	111
Leeds Castle	153
Lennox	159
Leviathan	14
~~Liberty~~	~~159~~
~~Liddesdale~~	~~111~~
Limol	220
Lindisfarne	189
Lioness	159
Lismore	291
Lithgow (R.A.N.)	245
Liverpool	32
Loch Achanalt	131
Loch Achray	131
Loch Alvie	131
Loch Arkaig	131
Loch Craggie	132
Loch Dunvegan	132
Loch Eck	132
Loch Fada	132
Loch Fyne	133
Loch Glendhu	133
Loch Gorm	133
Loch Insh	133
Loch Katrine	134
Loch Killin	134
Loch Killisport	134
Loch Lomond	134
Loch More	135
Loch Morlich	135
Loch Quoich	135
Loch Ruthven	135
Loch Scavaig	136
Loch Shin	136
Loch Tarbert	136
Loch Tralaig	136
Loch Veyatie	137
Lochy	142
Locust	186
Lofoten	212
London	33
~~Lookout~~	~~76~~
L.S.T's	293
Lundy	189
Lysander	160

SHIP	PAGE
M	
Macquarie (R.A.N.)	239
Madras (R.I.N.)	271
Maenad	160
Magicienne	160
Magnificent (R.C.N.)	251
Magpie	119
Mahratta (R.I.N.)	267
Maidstone	50
Majestic	15
Mallow	294
Malwa (R.I.N.)	272
~~Mameluke~~	~~160~~
Mandate	160
Manxman	45
Marauder	207
Mariner	161
Marmion	161
Marne	76
Martinet	194
Marvel	161
Mary Rose	161
Matapan	76
Matchless	77
Mauritius	33
Mediator	207
Melbreak	111
Melita	161
Mendip	112
~~Menelaus~~	~~207~~
Meon	143
Mermaid	119
Messina	212
Meteor	77
Meteorite	208
Meynell	112
Miaoules	292
Michael	162
Micmac (R.C.N.)	257
Middleton	112
Mildura (R.A.N.)	245
Milne	77
Miner 2.	207
Miner 3.	207
Miner 4.	207
Miner 5.	207
Miner 6.	207
Miner 7.	207
Miner 8.	207
Minuet	293
Mixol	220
Modbury	292
Modeste	120
Montclare	50
Moon	162
Morecambe Bay	126
Moresby (R.A.N.)	239
Morotai	291
Morpeth Castle	153
Motor Gun Boats	196
Motor Launches	197-200, 249-250, 275, 283, 289, 291-294.
Motor Minesweepers	200-203, 275-276, 291-293.
Motor Torpedo Boats	203-206, 276-277, 293.
Mounts Bay	127
Mousa	293
Mull of Galloway	50
Mull of Kintyre	51
Murchison (R.A.N.)	239
Musketeer	78
~~Mutine~~	~~162~~
Myngs	78
Myrmidon	162
Mystic	162
MAINE	300
N	
Nada	294
Nairana	291
Napier	78
Narbada (R.I.N.)	266
Narvik	212
Nasprite	220
Natal (S.A.N.F.)	285
Navarinon	292
Neave	189
~~Nelson~~	~~3~~
Nene	143
Nepal	79
Nereide	120
Nerissa	163
Ness	143
Newcastle	34
Newfoundland	34
New Liskeard (R.C.N.)	261
New Waterford (R.C.N.)	259
Niger	163
Nigeria	35
~~Nith~~	~~143~~
Nizam	79
Noble	79
Nonsuch	209
Nootka (R.C.N.)	258
Norfolk	35
Norman	80
~~Nubian~~	~~80~~
O	
Oakham Castle	153
Oakley	112
Oakol	220
Obdurate	80
Obedient	81
Ocean	15
~~Octavia~~	~~163~~
Odzani	144
Offa	81
Olive	189
Olna	220
Onslaught	81
Onslow	82
Ontario (R.C.N.)	253

SHIP	PAGE
Onyx	163
Opossum	120
Opportune	82
Orcadia	163
Orestes	164
~~Orion~~	~~36~~
Orissa (R.I.N.)	272
Orsay	189
Orwell	82
Oshawa (R.C.N.)	261
Ossory	164
Othello	293
Oudh (R.I.N.)	272
Oxford Castle	153
OWEN	301

P

P. 52	291
P. 71	292
P. 87	291
Padstow Bay	127
Paladin	83
Parkes (R.A.N.)	246
Peacock	120
~~Pegwell Bay~~	~~186~~
Pelican	121
~~Pelorus (S.A.N.F.)~~	~~287~~
Penn	83
Peony	292
Perseus	51
Petard	83
Petrobus	220
Pevenesy Castle	154
Pheasant	121
Philol	221
Phoebe	36
Pickle	164
Pincher	164
Pindos	292
Pinios	293
Pioneer	51
Pipinos	292
Planet	194
Plantagenet	194
Platypus (R.A.N.)	231
Plover	207
Plucky	164
Pluto	165
Plym	144
Polaris	165
Portchester Castle	154
Porlock Bay	127
Portage (R.C.N.)	261
Portland Bill	51
Powerful	16
Prestol	221
Prcduct	292
Protector	45
Providence	165
Puncher	213
Pursuer	213
Pyrrhus	165
Pytchley	113
PIETERMARITZBURG	301
PROTEA	301

SHIP	PAGE

Q

Quadrant (R.A.N.)	233
Quality (R.A.N.)	234
Quantock	113
Queenborough (R.A.N.)	234
~~Queen Elizabeth~~	~~3~~
Quiberon (R.A.N.)	234
Quickmatch (R.A.N.)	235

R

~~Racehorse~~	~~84~~
Raider	84
Rajputana (R.I.N.)	272
Rame Head	52
Rampur (R.I.N.)	272
Ranpura	52
Rapid	84
Rapidol	221
Rattlesnake	165
Ravager	213
Ready	166
Reclaim	209
Recruit	166
Redoubt	85
Redpole	121
Redshank	207
Redwing	207
Reggio	213
Relentless	85
Reliant	221
~~Renown~~	~~4~~
Reserve (R.A.N.)	249
Resource	52
Reward	207
Ribble	144
Rifleman	166
Rinaldo	166
Ringdove	207
Robert Dundas	221
Robert Middleton	221
Roberts	46
Rockcliffe (R.C.N.)	262
Rocket	85
Rockhampton (R.A.N.)	246
~~Rockrose (S.A.N.F.)~~	~~289~~
Roebuck	86
Rohilkhand (R.I.N.)	273
Romola	166
Ronay	190
~~Rosamund (S.A.N.F.)~~	~~287~~
Rosario	167
Rother	144
Rotherham	86
Rowanol	222
Rowena	167
Royalist	37
Royal Sovereign	294
Rushen Castle	154

SHIP	PAGE
S	
Sackville (R.C.N.)	263
Saga	174
St. Austells Bay	127
St. Brides Bay	128
Saintes	87
St. James	86
St. Kitts	87
St. Nazaire	213
St. Stephen (R.C.N.)	259
Saktouris	292
Salamis	292
Salerno	213
Sanda (R.N.Z.N.)	283
Sandray	190
Sanguine	174
Sault Ste. Marie (R.C.N.)	262
Saumarez	87
Savage	88
~~Scalpay~~	~~190~~
Scarba (R.N.Z.N.)	283
Scorcher	174
Scorpion	88
Scotol	222
Scotsman	174
Scott	186
~~Scylla~~	~~37~~
Scythian	175
Seabear	167
Sea Devil	175
Seagull	187
Searcher	213
~~Sea Rover~~	~~175~~
~~Sea Scout~~	~~175~~
Seneschal	175
Sentinel	176
Serbol	222
Serene	167
Sham Sher (R.I.N.)	268
Sharpshooter	187
Sheffield	38
Shepparton (R.A.N.)	246
Shillay	190
Shoalhaven (R.A.N.)	240
Shropshire (R.A.N.)	230
~~Sidon~~	~~176~~
Signet	194
Silverton	113
Sioux (R.C.N.)	258
Sirdar	176
Sirius	38
Skipjack	167
Skomer	190
Skye	190
Slinger	213
Sluys	88
Smiter	213
Snipe	121
Solebay	89
Sonnet	194
Southdown	113
Southern Barrier (S.A.N.F.)	287
Southern Sea (S.A.N.F.)	289
Spa	222
Spabook	222
Spabrook	222
Spanker	168
Sparrow	122
Spearhead	176
~~Spey~~	~~145~~
Spindrift	289
Spirit	176
Spiteful	177
Sportsman	177
Sprightly (R.A.N.)	249
Springer	177
Spur	177
Staffa	293
Stalker	213
Starling	122
Start Bay	128
Stawell (R.A.N.)	246
Steepholm	190
Stevenstone	114
Stonechat	207
Stork	122
~~Storm~~	~~177~~
Stormcloud	168
Strahan (R.A.N.)	246
Striker	214
Stroma	293
Stuart (R.A.N.)	235
Sturdy	178
Strymon	293
Subtle	178
Suffolk	39
Superb	39
~~Surf~~	~~178~~
Surprise	209
Sursay	190
Survey Motor Launches	206
Sussex	40
Sutlej (R.I.N.)	266
Suvla	214
Swale	145
Swan (R.A.N.)	240
Swansea (R.C.N.)	260
Swiftsure	40
~~Switha~~	~~190~~
Sylvia	168
SATYR	302
SELENE	302
SERAPH	302
SLEUTH	302
SOLENT	302
STATESMAN	302
T	
Tabard	178
Taciturn	178
Tactician	179
Taff	145
Tahay	190
Talent	179

SHIP	PAGE
Tally Ho	179
Tallybont	114
Tamarisk	292
Tamworth	291
Tanatside	292
Tanganyika	168
Tantalus	179
Tantivy	179
Tapir	180
~~Tartar~~	~~89~~
Taurus	180
Tavy	145
Tay	146
Teakol	223
Teazer	89
Tees	146
Telemachus	180
Templar	180
Tenacious	90
Teredo	180
Termagant	90
Ternate	291
Terpsichore	90
Terrible	16
Test	146
Tetcott	114
Teviot	146
Themistocles	292
Thermopylae	181
Theseus	17
Thisbe	168
Thorough	181
Thruster	214
Thule	181
~~Thurso Bay~~	~~187~~
Tidore	291
Tiger	41
Tintagel Castle	154
Tiptoe	181
Tir (R.I.N.)	268
Tiree	190
Tireless	181
Tocogay	190
Token	182
Tompazis	292
Toowoomba	291
Totem	182
Townsville (R.A.N.)	247
Towy	147
Tracker	214
Tradewind	182
Trafalgar	91
Transvaal (S.A.N.F.)	285
Tremadoc Bay	128
Trenchant	182
Trespasser	182
Triana	292
Triumph	17
Trodday	190
Trondra	190
Trouncer	214
Troubridge	91
Truculent	183
Truelove	169
Trump	183
Trumpeter	214
Truncheon	183
Tudor	183
Tumult	91
Turpin	183
Tuscan	92
Two Step	293
Tyne	53
Tyrian	92

U

U. 1.	291
U. 2.	291
U. 3.	291
Uganda (R.C.N.)	253
Ulster	92
Ulysses	93
Undaunted	93
Undine	93
Unicorn	53
Untiring	292
Unst	293
Upstart	292
Urania	94
Urchin	94
Ursa	94
~~Usk~~	~~447~~

V

Vaceasay	190
~~Valiant~~	~~4~~
Vallay	190
Vanguard	5
Venerable	18
Vengeance	18
Vengeful	292
Venus	95
Verulam	95
Veryan Bay	128
Victorious	10
Vigilant	95
Vigo	96
~~Vindex~~	~~19~~
~~Vineyard~~	~~292~~
Virago	96
Virulent	292
Viscol	223
Volage	96
Volatile	292
Vulkaan	291
Vulpine	291

SHIP	PAGE
W	
Wager	97
Wagga (R.A.N.)	247
Wakeful	97
Walcheren	214
Wallaceburg (R.C.N.)	262
Walnut	190
War Afridi	223
War Bharata	223
War Brahmin	223
War Hindoo	223
War Pindari	224
Warramunga (R.A.N.)	235
War Sudra	224
Warrior (R.C.N.)	251
Waterwitch	169
Wave	169
Wave Barron	224
Wave Chief	224
Wave Commander	224
Wave Conqueror	224
Wave Duke	225
Wave Emperor	225
Wave Governor	225
Wave King	225
Wave Knight	225
Wave Laird	225
Wave Liberator	226
Wave Master	226
Wave Monarch	226
~~Waveney~~	~~147~~
Wave Premier	226
Wave Prince	226
Wave Protector	226
Wave Regent	227
Wave Ruler	227
Wave Sovereign	227
Wave Victor	227
Wear	147
Welcome	169
Welfare	169
Wessex	97
Whaddon	114
Wheatland	115
Whelp	98
Whimbrel	122
Whirlwind	98
Whitesand Bay	129
Wiay	190
Widemouth Bay	129
Wigtown Bay	129
Wild Goose	123
Wilton	115
Winnipeg (R.C.N.)	262
Wizard	98
Wolfe	54
Wollongong	291
Woodbridge Haven	209
Woodcock	123
Woodstock (R.C.N.)	263
Woolwich	54
Wrangler	99
Wren	123
Wye	148

SHIP	PAGE
X	
Xifias	292
Z	
Zambesi	99
Zealous	99
Zebra	100
Zeebrugge	214
Zenith	100
Zephyr	100
Zest	101
Zodiac	101
Zetland	115